



Z Zambelis
L I G H T S


Welcome! Zambelis Family is Growing!




Visualize



Design



Create



Bespoke Production












Quality control




weLoveourWork

Info On B2B Customer login

Connect with our B2B customer login on our website to access all the information you need


-  B2B Online Order / Open orders
-  Product availability & arrival dates
-  Big Range of Products
-  Photos
-  Product Data Sheets
-  Installation Manuals
-  Flexibility & Customized Products
-  Manufacturing Products
-  CE certificates



From 1967 we
Light up your Life
wherever you are


we make
iteasy

Virtual Light App



4 steps to choose the right Lamp



 Download the
Virtual Light App



Choose from the
categories the
lamp you like

See it through
your mobile camera

Enjoy your
new Home Life!

www.zambelislights.gr

Page 036 **Indoor**



036-192 , 236-285 , 308-322 Decorate Lights	366-369 Clay Collection	224 , 244 , 296 , 402 Marble Collection
214-229 Wall Lights	370-377 Concrete Collection	432-471 Floor-Table Lights
230-327 Glass Collection	378-431 Metal-Wood Collection	
328-365 Bamboo-Rattan Collection		

Page 472 **Fans**

472-505
Ceiling



Page 506 **Hotel**

506-527 , 532-534 Wall Lights
528-530 , 535-543 Lights with Shade
544-546 Spot Lights
547-561 Bathroom Lights , Mirrors



Page 562 **Architectural**




564-573 48V Mini Magnetic Track System	612-629 Customized Linear Lighting	678-683 Gypsum Lights
574-581 48V Curved Magnetic Track System	630-641 3 Phase Track System	684-703 Aluminium Profiles Led Strips
582-599 48V Magnetic Track System	642-677 Spot Lights	Coins Drivers
600-605 48V Soft Magnetic Track System		
606-611 24V Lighting System		

Page 704 **Outdoor**


706-713 Portable Lights	714-721 , 726-755 , 776-787 , 790-795 , 806 , 815 Wall Lights-Bolards	796-805 Step Lights
722 , 788 Concrete Lights	724 , 756 Adaptable Lights	808-814 Ceiling Lights
758-775 Spike Lights		817-819 Inground Lights
		820 Wall Washers




Pendant Lighting



Pendant Lighting




Pendant Lighting



Pendant Lighting




Pendant Lighting




Ceiling Lighting





Ceiling Lighting



Wall Lighting



Wall Lighting



Floor Lighting








Table Lighting



Fans





Hotel Lighting






























Architectural Lighting

Architectural Lighting

Architectural Lighting

 S125 650	 S127 650	 RFL125-BL 650	 RFL125-G 650	 S129 650	 S126 651	 S128 651	 RFL126-BL 651	 RFL126-G 651	 S130 651
 180016 652	 180012 652	 180009 652	 180013 653	 Z10103BTR-W 653	 Z10103BTR-B 653	 180015 653	 180017 653	 1928 654	 1928-B 654
 1927 656	 1926 656	 S102 658	 S086 659	 S094 660	 S075 661	 S097 662	 S087 664	 S072 664	 S079 665
 S078 665	 Z11207-W 666	 Z11107-W 666	 S070 667	 S089 668	 S091 668	 20144 669	 Z11105TR-B 670	 Z11105TR-W 670	 Z10105-D9 671
 Z10105-AD 671	 Z10105TR-B 671	 S111 672	 S003 672	 S046 673	 S006 673	 S011 674	 S060 675	 S061 675	 S022 676
 S009 676	 S020 677	 S014 677	 S030 678	 S025 678	 S027 678	 S029 678	 S047 679	 S048 679	 S109 679
 S108 679	 20273 680	 20274 680	 20272 681	 180026 681	 180027 681	 180025 682	 180028 682	 20193 686	 20194 686

Architectural Lighting

 20197 686	 20205 687	 20203 687	 20204 687	 20190 688	 20195 688	 20198 688	 20199 689	 20201 689	 20206 689
 20325 690	 20325-WG 690	 20325-60D 691	 20325-30D 691	 20202 691	 4062172231251 692	 4062172231459 692	 4062172231374 693	 4055462217431 693	 4062172107242 694
 LS05 694	 LS06 695	 LS07 695	 LS01 696	 LS12 696	 LS11 697	 LS14 697	 LS16 697	 LS17 698	 4052899605541 700
 4052899605565 700	 4052899605503 700	 4052899605527 700	 4052899557833 700	 4052899557949 700	 ACLS4524DA2 701	 ACLS8024DA2 701	 ACLS15024DA2 701	 4008321189721 701	 Z89100VND 701
 Z89200VND 701	 4052899583603 702	 4062172007559 702	 4052899548190 702	 062172151252 702	 4052899552906 702	 87500284 703	 87500283 703	 89800257 703	 LSCW350P 703
 LSCW500P 703	 LSCW700P 703								

Outdoor Lighting



Outdoor Lighting



Outdoor Lighting



E269
811



E270
811



E219
812



E220
812



S112
812



S113
812



E172
814



E106
815



NEW

E300
816



NEW

E301
816



E288
816



Z69058-A
817



Z69058-B
817



Z69062
817



E178
818



E180
818



E179
818



D-8-24
818



E189
819



Z0800-BA
819



Z7055A-C
820




Z7055B-W
820



Z7055B-RGB
820

ZAMPELIS S.A.
Greece , Attica , Keratea , Kivouri
Postal: 19001 , P.O. box: 4791
Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521
info@zambelislights.gr | zambelislights.gr





Novelties 22-23

Decorative Lights

Explore more on page: 36




Design your own Light

24V Lighting System
Plug and Play

Explore more on page: 606

48V Magnetic Curved System

Explore more on page: 574



A great variety of units to choose from to compose the suitable luminaire for every space.






48V Soft Track Linear System

Explore more on page: 600




Zambelis
LIGHTS



Indoor Led Lighting



Power 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1410Lm
 Cri 80
 Dimensions L: 100cm W: 10cm H: 82.5cm
 Base L: 20cm W: 6cm H: 3.5cm
 Dimmable Triac
 Material Aluminum - Silicon - Opal Glass
 Special Feature Opal Glass Ø: 10cm
 Color Black Matt / **Code 22249**
 Color Gold Matt / **Code 22250**



Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3289Lm
 Cri 80
 Dimensions L: 140cm W: 30cm H: 100cm
 Base Ø: 22cm H: 4.5cm
 Dimmable Triac
 Material Aluminum - Silicon - Opal Glass
 Special Feature Opal Glass Ø: 10cm
 Color Black Matt / **Code 22247**
 Color Gold Matt / **Code 22248**



Modularization... Design your Own Lighting

Multiple and free combinations. Elegance, more concise or luxurious. Easy combination without redundancy.

Model Finishing



Black Matt



White Matt



Gold Matt



Intermediate Diffuser

Intermediate Diffuser



Intermediate Diffuser

Terminal Diffuser



Intermediate Diffuser

Terminal Diffuser




Terminal Diffuser
6V | 5W | 350Lm
3000K | CRi 90 | IP44
Dimmable Triac
Metal - Opal Glass

Black Matt
Code 22231-B

White Matt
Code 22231-W

Gold Matt
Code 22231-G




Intermediate Diffuser
6V | 5W | 350Lm
3000K | CRi 90 | IP44
Dimmable Triac
Metal - Opal Glass

Black Matt
Code 22232-B

White Matt
Code 22232-W

Gold Matt
Code 22232-G



Intermediate Diffuser
16V | 7W | 750Lm
3000K | CRi 90 | IP44
Dimmable Triac
Metal - Opal Glass

Black Matt
Code 22233-B

White Matt
Code 22233-W


Gold Matt
Code 22233-G

Surface Base Driver
Power
Input
Dimensions
Base
Material
Color
Color
Color


MAX 30W
220-240V, 50/60Hz
Ø: 14cm H: 205cm
Ø: 14cm H: 4.5cm
Metal
Black Matt / **Code 22230-B**
White Matt / **Code 22230-W**
Gold Matt / **Code 22230-G**




Combination for Reference (MAX 30W)




Indoor Led Lighting



Power 41W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4403Lm
Cri 80
Dimensions L: 119cm W: 5cm H: 35.5cm
Base L: 35cm W: 6.5cm H: 6cm
Dimmable Triac
Material Metal - Aluminum - Silicon
Special Feature 120cm Cable Adjustable
Profile 3x1.2cm
Color Gold Matt - Sandy Black Base / **Code 22022**
Color Sandy Black / **Code 22023**




Indoor Led Lighting




Power	25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2700Lm
Cri	80
Dimensions	L: 50cm W: 50cm H: 30cm
Base	L: 18cm W: 12cm H: 4.5cm
Dimmable Triac	☉
Material	Metal - Aluminum - Silicon
Special Feature	Profile 3x1.2cm
Color	Gold Matt - Sandy Black Base / Code 22024
Color	Sandy Black / Code 22025

Model Finishing




Sandy Black



Gold Matt





Power 46W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4987Lm
Cri 80
Dimensions L: 95cm W: 65cm H: 30cm
Base L: 25cm W: 15cm H: 4.5cm
Dimmable Triac
Material Metal - Aluminum - Silicon
Special Feature Profile 3x1.2cm
Color Gold Matt - Sandy Black Base / **Code 22026**
Sandy Black / **Code 22027**

Model Finishing




Sandy Black




Gold Matt



Indoor Led Lighting




Top View



Power	64W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	5760Lm
Cri	90
Dimensions	L: 180cm W: 67.5cm H: 45cm
Base	L: 50cm W: 5cm H: 8cm
Non Dimmable	☒
Material	Aluminium - Acrylic
Special Feature	200cm Cable Adjustable Profile Ø: 2.4cm L: 180cm
Color	Black Matt / Code 22237
Color	Gold Matt / Code 22238







Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4500Lm
 Cri 80
 Dimensions L: 120cm W: 7cm H: 220cm
 Base L: 42cm W: 7cm H: 3,5cm
 Dimmable Triac
 Material Metal - Aluminum - Silicon
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 22010**




Indoor Led Lighting



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 150Lm
 Cri 90
 Dimensions Ø: 7cm H: 40cm
 Base Ø: 10cm H: 2.5cm
 Non Dimmable ☒
 Material Metal - Aluminum - Acrylic - Marble
 Special Feature 150cm Cable Adjustable
 Color Sandy Black - White Marble / **Code 22110**
 Color Gold Matt - White Marble / **Code 22111**




Top View




Power 27W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2772Lm
 Cri 90
 Dimensions Ø: 33cm H: 200cm
 Base Ø: 33cm H: 3.5cm
 Dimmable Triac ○
 Material Metal - Aluminum - Acrylic - Marble
 Special Feature 150cm Cable Adjustable
 Stick Ø: 3cm H: 40cm
 Color Sandy Black - White Marble / **Code 22113**



Indoor Led Lighting




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 880Lm
 Cri 90
 Dimensions L: 75cm W: 6cm H: 200cm
 Base L: 75cm W: 6cm H: 3.5cm
 Dimmable Triac
 Material Metal - Aluminum - Acrylic - Marble
 Special Feature 150cm Cable Adjustable
 Stick Ø: 3cm H: 40cm
 Color Sandy Black - White Marble / **Code 22112**



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	780Lm
Cri	80
Dimensions	Ø: 9cm L: 18cm H: 40cm
Base	Ø: 11cm H: 3.5cm
Dimmable Triac	○
Material	Metal - Acrylic
Special Feature	150cm Cable Adjustable Movable Ring Profile 2x1.5cm
Color	White Matt / Code 22044
Color	Black Matt - Gold Matt / Code 22045




Indoor Led Lighting



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	780Lm
Cri	80
Dimensions	L: 51cm W: 12cm H: 28cm
Base	L: 3.5cm W: 7cm H: 10cm
Dimmable Triac	☉
Material	Metal - Aluminum - Acrylic
Special Feature	Movable Ring - Movable Arm
Color	Black Matt / Code 22042
Color	White Matt - Gold Matt / Code 22043






Power 22W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2600Lm
 Cri 80
 Dimensions L: 105cm W: 15cm H: 100cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Dimmable Triac
 Material Aluminum - Glass
 Special Feature 100cm Cable Adjustable
 Opal Glass Ø: 15cm | Ø: 10cm
 Profile Ø: 2cm
 Color Black Matt - Smoked Glass / **Code 22234**
 Color Gold Matt - Opal Glass / **Code 22235**




Indoor Led Lighting




Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1300Lm
Cri	80
Dimensions	L: 62cm W: 15cm H: 15cm
Base	L: 15cm W: 6.5cm H: 5.5cm
Dimmable Triac	☉
Material	Aluminum - Glass
Special Feature	200cm Cable Adjustable
	Glass Ø: 15cm l Ø: 10cm
	Profile Ø: 2cm
Color	Black Matt - Smoked Glass / Code 22109
Color	Gold Matt - Opal Glass / Code 22108






Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 840Lm
 Cri 80
 Dimensions Ø: 22.5cm H: 17cm
 Base Ø: 8cm L: 3.5cm
 Non Dimmable ☒
 Material Metal - Aluminum
 Special Feature 200cm Fabric Cable Adjustable
 Color Sandy Black - Painted Gold / **Code 22182** 𠄎
 Color Sandy Black / **Code 22183** 𠄎





Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 840Lm
 Cri 80
 Dimensions Ø: 7cm H: 16cm
 Base Ø: 8cm L: 3.5cm
 Non Dimmable ☒
 Material Metal - Aluminum
 Special Feature 200cm Fabric Cable Adjustable
 Color Sandy Black - Painted Gold / **Code 22181** 𠄎
 Color Sandy Black / **Code 22177** 𠄎





Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 840Lm
 Cri 80
 Dimensions Ø: 10.5cm H: 24cm
 Base Ø: 8cm L: 3.5cm
 Non Dimmable ☒
 Material Metal - Aluminum
 Special Feature 200cm Fabric Cable Adjustable
 Color Sandy Black - Painted Gold / **Code 22180** 𠄎
 Color Sandy Black / **Code 22179** 𠄎






Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	840Lm
Cri	80
Dimensions	Ø: 7cm H: 16cm
Base	Ø: 8cm L: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminum
Special Feature	500cm Fabric Cable Adjustable 4 Hanging Accessories Included
Color	Sandy Black / Code 22176 





Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1000Lm
Cri	80
Dimensions	Ø: 35cm H: 6cm
Base	Ø: 11cm H: 3cm
Non Dimmable	☒
Material	Metal - Acrylic
Special Feature	200cm Cable Adjustable
Color	White Matt / Code 22129
Color	Black Matt / Code 22130





Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	Ø: 1.6cm H: 80cm
Base	Ø: 5.5cm H: 15cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt / Code 20121
Color	Gold Matt / Code 20122



Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 1.6cm L: 140cm H: 150cm
 Base Ø: 5.5cm H: 15cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature 135cm Cable Adjustable
 Color Black Matt / **Code 20119**
 Color Gold Matt / **Code 20120**




Design your Own Lighting

Create the ultimate style by combining the different colors and models available.
Available colors: Black Matt / Gold Matt

Shopping Guide

A Code 20119 - 20120



B Code 20121 - 20122



Our Suggestion

Become an artist and make your combination.
Use your imagination to create your masterpiece
with our limitless options.
Minimal design for luxury lighting



Tip Use gold or black color,
as well as different
elevations for a
grand effect.




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	90
Dimensions	Ø: 1 cm Ø: 3.2cm H: 60cm
Base	Ø: 8cm H: 3.2cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Beam Angle	18°
Special Feature	100cm Cable Adjustable
Color	Brass - Black Matt / Code 20143
Color	Black Matt / Code 20142



Suggested Trimless Canopy **Code 20144**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions Ø: 1.6cm L: 17cm H: 60cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature Movable Profile
 Color Black Matt / **Code 20114**
 Color Gold Matt / **Code 20115**



Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 1.6cm L: 17cm H: 100cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature Movable Profile
 Color Black Matt / **Code 20116**
 Color Gold Matt / **Code 20117**






Power 22W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1760Lm
Cri 80
Dimensions Ø: 1.6cm H: 119cm H: 300cm
Base Ø: 5.5cm H: 12cm
Non Dimmable
Material Aluminium - Acrylic
Color Black Matt / Code 20184






Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 46cm
 Base Ø: 12cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20118**




Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 150cm
 Base Ø: 16cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20123**






Power 48W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 3600Lm
Cri 80
Dimensions Ø: 55.5cm L: 122cm H: 205cm
Base Ø: 16cm H: 3.5cm
Dimmable 
Material Aluminium - Acrylic
Special Feature Step Dimming 10%-40%-100%
Profile Ø: 2cm
Color Black Matt / **Code 20128**







Power 48W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 80+160cm H: 200cm
 Base Ø: 16cm H: 3.5cm
 Dimmable ☉
 Material Aluminium - Acrylic
 Special Feature Step Dimming 10%-40%-100%
 Profile 2x3cm
 Color White Matt / **Code 20129**




Power 48W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 80+160cm H: 200cm
 Base Ø: 16cm H: 3.5cm
 Dimmable ☉
 Material Aluminium - Acrylic
 Special Feature Step Dimming 10%-40%-100%
 Profile 2x3cm
 Color Black Matt / **Code 20130**






Power 32W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 90
 Dimensions L: 60cm W: 60cm
 Base L: 25cm W: 5cm H: 8cm
 Non Dimmable ☒
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube Ø: 2.4cm
 Color Sandy Black / **Code 20331**
 Color Sandy White / **Code 20330**



Power 53W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4770Lm
 Cri 90
 Dimensions L: 100cm W: 100cm
 Base L: 25cm W: 5cm H: 8cm
 Non Dimmable ☒
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube Ø: 2.4cm
 Color Sandy Black / **Code 20333**
 Color Sandy White / **Code 20332**




Power 80W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7200Lm
 Cri 90
 Dimensions L: 150cm W: 150cm
 Base L: 35cm W: 5cm H: 8cm
 Non Dimmable ☒
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube Ø: 2.4cm
 Color Sandy Black / **Code 20335**
 Color Sandy White / **Code 20334**

Design your Own Lighting


Create the ultimate style by combining the different colors and models available.
 Available colors: Black / White

Shopping Guide


- A** Code 20334 - 20335
- B** Code 20333 - 20332
- C** Code 20331 - 20330



A






B




C

Our Suggestion


Become an artist and make your combination
 Use your imagination to create your masterpiece with our limitless options.






Power 49W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3920Lm
 Cri 80
 Dimensions L: 90cm W: 50cm H: 90cm
 Base Ø: 20cm H: 6cm
 Dimmable Triac
 Material Aluminium - Silicon
 Special Feature Profile Ø: 2cm L: 42cm
 Movable Profile
 Color Sandy Black - Gold Matt / **Code 2070**
 Color Gold Matt / **Code 2071**






Power 68W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5440Lm
 Cri 80
 Dimensions L: 120cm W: 50cm H: 100cm
 Base Ø: 20cm H: 6cm
 Dimmable Triac 
 Material Aluminium - Silicon
 Special Feature Profile Ø: 2cm L: 42cm
 Movable Profile


Color Sandy Black - Gold Matt / **Code 2072**
 Color Gold Matt / **Code 2073**







LED	14W
Bulb	7xG9 LED
Power	MAX 7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1900Lm
Cri	80
Dimensions	L: 89cm W: 30cm H: 30cm
Base	L: 50cm W: 6cm H: 3.5cm
Dimmable Triac	☉
Material	Metal - Aluminum - Glass - Silicon
Clear Glass	Ø: 15cm Ø: 12cm Ø: 10cm Ø: 8cm
Special Feature	140cm Cable Adjustable Profile 2x1cm
Color	Sandy Black / Code 22063






LED	20W
Bulb	3xG9 LED
Power	MAX 7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2600Lm
Cri	80
Dimensions	Ø: 40cm W: 22cm H: 40cm
Base	Ø: 15cm H: 3.5cm
Dimmable Triac	○
Material	Metal - Aluminum - Glass - Silicon
Clear Glass	Ø: 12cm l Ø: 10cm l Ø: 8cm
Special Feature	150cm Cable Adjustable Profile 2x1cm
Color	Sandy Black / Code 22064







Power 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1440Lm
 Cri 80
 Dimensions L: 110cm W: 16cm H: 55cm
 Base Ø: 13cm H: 3.2cm
 Dimmable ☉
 Material Metal - Opal Glass
 Special Feature Step Dimming 10%-40%-100%
 Glass Ø: 16cm | Ø: 11cm
 Color Black Matt / **Code 20131**



Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions Ø: 16cm H: 78cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature 140cm Cable Adjustable
 Glass Ø: 16cm | Ø: 11cm
 Color Black Matt / **Code 20132**






Power 7.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 Dimensions L: 13.5cm H: 37cm
 Base Ø: 8cm L: 3.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature Glass Ø: 11cm
 Color Black Matt / **Code 20133**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 Dimensions H: 42cm
 Base Ø: 14cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature 100cm Cable Available
 Glass Ø: 11cm
 Color Black Matt / **Code 20134**



Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions H: 160cm
 Base Ø: 22cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature 200cm Cable Available
 Glass Ø: 16cm | Ø: 11cm
 Color Black Matt / **Code 20135**



Indoor Led Lighting





Power	38W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 105cm W: 12.5cm H: 200cm
Base	L: 105cm W: 12.5cm H: 4.6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Acrylic
Special Feature	150cm Cable Adjustable Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / Code 2001






Top View




Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 85cm H: 62cm
Base	Ø: 18.5cm H: 3.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / Code 2002






Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 12.5cm L: 15cm H: 42cm
 Base Ø: 12cm H: 3cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Opal Ball Ø: 12.5cm
 Color Black Matt - Gold Matt / **Code 2003**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 12.5cm H: 42cm
 Base Ø: 15cm H: 0.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Opal Ball Ø: 12.5cm
 Color Black Matt - Gold Matt / **Code 2004**






Power 23W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2300Lm
 Cri 90
 Dimensions L: 111.5cm W: 14.5cm H: 37-67-97cm
 Base Ø: 15cm H: 3.2cm
 Glass Ø: 14.5cm H: 5.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Color Gold Matt / **Code 22062**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 90
 Dimensions L: 9cm W: 14.5cm H: 37cm
 Base Ø: 13cm H: 3cm
 Opal Glass Ø: 14.5cm L: 5.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Color Gold Matt / **Code 22061**






Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 16.5cm W: 25cm H: 42.5
 Base Ø: 10cm H: 2.5
 Non Dimmable
 Material Metal - Aluminium - Opal Glass
 Special Feature 180cm Cable Adjustable
 Color Black Matt / **Code 20254**
 Color Gold Matt / **Code 20255**




Suggested Trimless Canopy **Code 20144**




Indoor Led Lighting



Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 13.5cm W: 16.5cm H: 25cm
 Base Ø: 10cm H: 3cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Color White / **Code 20137**





Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 23.5cm W: 25cm H: 33cm
 Base Ø: 10cm H: 3cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Color White / **Code 20136**




Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 11cm W: 19cm H: 20cm
 Base Ø: 10cm H: 3cm
 Non Dimmable ☒
 Material Metal - Glass
 Color Smoked Grey / **Code 20138**





Indoor Led Lighting




Power 28W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2240Lm
 Cri 80
 Dimensions L: 110cm H: 102cm
 Base L: 24cm W: 6cm H: 3.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Spot Ø: 7.5cm H: 8cm
 Spot Ø: 9.5cm H: 4cm
 Color Sandy Black - Gold Matt / **Code 2035**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions L: 47.5cm H: 102cm
 Base Ø: 12.5cm H: 3.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Spot Ø: 7.5cm H: 8cm
 Color Sandy Black - Gold Matt / **Code 2033**
 Gold Matt / **Code 2034**





Indoor Led Lighting




Power 6x7W
Input 220-240V, 50/60Hz
Color Temperature 3200K
Lumen 4620Lm
Cri 80
Dimensions Ø: 7cm H: 10cm
Base Ø: 14cm H: 4.5cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Average Height 150cm
Color Black Matt - Gold / **Code 18151**





Power 48W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 102cm H: 200cm
 Base Ø: 22cm H: 4.1cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Profile 1x3cm
 Color Black Matt / **Code 1947**




Power 85W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 8500Lm
 Cri 80
 Dimensions L: 163cm W: 44.5cm H: 200cm
 Base L: 56cm W: 5cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Profile 1x3cm
 Color Black Matt / **Code 1948**




Indoor Led Lighting





Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 900Lm
 Cri 90
 Dimensions L: 10.5cm W: 25cm H: 80cm
 Base L: 8cm W: 25cm H: 5cm
 Non Dimmable
 Material Aluminium - Acrylic - Brass
 Special Feature Profile Ø: 2.4cm
 Color Sandy Black - Brushed Brass / **Code 20338** 
 Color Sandy Black / **Code 20339** 




Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 110cm W: 50cm H: 80cm
 Tube Ø: 2.4cm
 Base L: 50cm W: 5cm H: 8cm
 Non Dimmable
 Material Metal - Aluminium - Diffuser
 Special Feature Movable Tube
 Profile Ø: 2.4cm
 200cm Cable Adjustable
 Color Sandy Black / **Code 19236** 






Power 18W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1620Lm
Cri 90
Dimensions L: 120cm W: 35cm H: 25cm
Base L: 28cm W: 5cm H: 7.8cm
Non Dimmable
Material Metal - Aluminium - Diffuser
Special Feature 200cm Cable Adjustable
Profile Ø: 2.4cm
Color Sandy Black - Painted Bronze / **Code 22229** 






Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions L: 24cm W: 7.5cm H: 39cm
 Base L: 26cm W: 6cm H: 4.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Acrylic Thickness: 0.6cm
 Color Black Matt / **Code 20181**




Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1875Lm
 Cri 80
 Dimensions L: 51cm W: 29cm H: 105cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 120cm Cable Available
 Acrylic Thickness: 0.6cm
 Color Black Matt / **Code 20182**


Indoor Led Lighting





Power 35W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2900Lm
 Cri 80
 Dimensions Ø: 15cm W: 117cm H: 165cm
 Base L: 25.5cm W: 5cm H: 5cm
 Non Dimmable
 Material Aluminium - Clear Plexiglass
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 19112**



Power 70W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5600Lm
 Cri 80
 Dimensions L: 117cm W: 2cm H: 230cm
 Base L: 117cm W: 2cm H: 3cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable,
 Acrylic Ø: 56cm Thickness: 1cm
 Acrylic Ø: 42cm Thickness: 1cm
 Color Sandy Black / **Code 20161**




Power 27W + 4x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5000Lm
 Cri 80
 Dimensions Ø: 60cm H: 200cm
 Base Ø: 18cm H: 3.5cm
 Spots Dimensions Ø: 4.5cm H: 8cm
 Dimmable Triac
 Material Metal - Aluminum - Silicon
 Special Feature 200cm Cable Adjustable
 Movable Spots
 Profile 2x2cm
 Color Black Matt / **Code 22012**




Power 39W + 4x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6400Lm
 Cri 80
 Dimensions Ø: 79cm H: 200cm
 Base Ø: 18cm H: 3.5cm
 Spots Dimensions Ø: 4.5cm H: 8cm
 Dimmable Triac
 Material Metal - Aluminum - Silicon
 Special Feature 200cm Cable Adjustable
 Movable Spots
 Profile 2x2cm
 Color Black Matt / **Code 22013**






Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3360Lm
 Cri 80
 Dimensions Ø: 60cm H: 200cm
 Base Ø: 18cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 20260**
 Color White Matt / **Code 20261**
 Color Gold Matt / **Code 22239**



Power 55W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4400Lm
 Cri 80
 Dimensions Ø: 80cm H: 200cm
 Base Ø: 25cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 20262**
 Color White Matt / **Code 20263**
 Color Gold Matt / **Code 22240**



Power 84W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6720Lm
 Cri 80
 Dimensions Ø: 120cm H: 200cm
 Base Ø: 28cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 20264**
 Color White Matt / **Code 20265**
 Color Gold Matt / **Code 22241**




Design your Own Lighting

Create the preferred style by combining the different colors and models available.
Available colors: Black Matt / White Matt


Shopping Guide


- A** Code 20264 - 20265 - 22241
- B** Code 20262 - 20263 - 22240
- C** Code 20260 - 20261 - 22239



Our Suggestion

Become an artist and make your combination.
Use your imagination to create your masterpiece with our limitless options.






Power 41W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 4200Lm
Cri 80
Dimensions Ø: 60cm W: 65cm H: 200cm
Base L: 30cm W: 7cm H: 3,5cm
Dimmable Triac
Material Metal - Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Profile 2.2x5.3cm
Color Sandy Black - Gold Matt / **Code 22011**






Indoor Led Lighting


Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 Dimensions Ø: 40cm H: 5.5cm
 Base Ø: 16cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Sandy Black / **Code 2044**
 Color Sandy White / **Code 2045**
 Color Brushed Gold Matt / **Code 2046**
 Color Brushed Coffee / **Code 2047**



Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4000Lm
 Cri 80
 Dimensions Ø: 60cm H: 5.5cm
 Base Ø: 18cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Sandy Black / **Code 2052**
 Color Sandy White / **Code 2053**
 Color Brushed Gold Matt / **Code 2054**
 Color Brushed Coffee / **Code 2055**



Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 80cm H: 5.5cm
 Base Ø: 18cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Sandy Black / **Code 2060**
 Color Sandy White / **Code 2061**
 Color Brushed Gold Matt / **Code 2062**
 Color Brushed Coffee / **Code 2063**



Model Finishing

Brushed Gold Matt



Brushed Coffee



Sandy White




Sandy Black







Indoor Led Lighting




Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2000Lm
 Cri 80
 Dimensions Ø: 40cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2005**



Power 36W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 80
 Dimensions Ø: 60cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2006**




Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4000Lm
 Cri 80
 Dimensions Ø: 80cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2007**




Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 110cm H: 4cm
 Base Ø: 7cm H: 20cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 210cm Cable Adjustable
 Profile 4x2cm
 Color Brushed Gold Matt / **Code 2008**






Power 112W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 8960Lm
Cri 80
Dimensions \varnothing : 40cm / \varnothing : 60cm / \varnothing : 80cm H: 4cm
Base \varnothing : 29cm H: 4.5cm
Dimmable Triac
Material Aluminium - Acrylic
Special Feature 200cm Cable Adjustable
Profile 4x2cm
Color Brushed Gold Matt / **Code 2009**






Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions L: 120cm H: 40cm
 Base Ø: 17cm H: 5cm
 Non Dimmable
 Material Metal - Silicon
 Special Feature 360° Lighting Tube Ø: 2.4cm
 220cm Cable Adjustable
 Color Gold Matt / **Code 19254**





Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3600Lm
 Cri 80
 Dimensions Ø: 80cm H: 35cm
 Base Ø: 17cm H: 5cm
 Non Dimmable
 Material Metal - Silicon
 Special Feature 360° Lighting Tube Ø: 2.4cm
 190cm Cable Adjustable
 Color Gold Matt / **Code 19261**






Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
 Base Ø: 24cm H: 5cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
 Color Copper / **Code 180031**

Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
 Base Ø: 24cm H: 5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm
 Color Copper / **Code 180031-D**




Power 136W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 10.880Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm
 Base Ø: 25cm H: 5cm
 Non Dimmable
 Material Metal - Aluminum - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Gold Matt / **Code 1956**

Power 136W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 10.880Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm
 Base Ø: 25cm H: 5cm
 Dimmable Triac
 Material Metal - Aluminum - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Gold Matt / **Code 1956-D**




Power 75W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5250Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm H: 2.4cm
 Base Ø: 25cm H: 6.5cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable
 Profile 2.4x1.5cm
 Color White Matt / **Code 180032**

Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
 Base Ø: 24cm H: 5cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable
 Profile 2.4x1.5cm
 Color White Matt / **Code 180030**




Power 135W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 9450Lm
 Cri 80
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm
 Base Ø: 24cm H: 5cm
 Dimmable Triac ☉
 Material Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable
 Profile 2.4x1.5cm
 Color White Matt / **Code 180030-D**







Power 52W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4950Lm
 Cri 80
 Dimensions Ø: 60cm / Ø: 33cm H: 15cm
 Base Ø: 18cm H: 4.5cm
 Non Dimmable ☒
 Material Aluminium - Silicon
 Special Feature 120cm Cable Adjustable
 Color White Matt / **Code 180055**





Power 46W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4140Lm
 Cri 80
 Dimensions Ø: 46cm H: 11cm
 Base Ø: 18cm H: 4.5cm
 Non Dimmable ☒
 Material Aluminium - Silicon
 Color White Matt / **Code 180054**




Indoor Led Lighting



Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 45cm / Ø: 60cm
 Base Ø: 24cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature 110cm Cable Adjustable
 Profile 2x3.5cm
 Color Black Matt / **Code 1616**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 80
 Dimensions L: 76cm W: 40cm H: 17cm
 Base Ø: 10cm H: 2.5cm
 Non Dimmable
 Material Metal - Diffuser
 Special Feature 200cm Cable Adjustable
 Optional Dimming PhaseCut
 Color White Matt / **Code 1976**
 Black Matt / **Code 1975**




Power 24W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1920Lm
 Cri 80
 Dimensions Ø: 45cm
 Base L: 20cm W: 6cm H: 5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 60cm Cable Adjustable
 Optional Dimming DALI
 Color Black Matt / **Code 1612**


Indoor Led Lighting



Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3360Lm
 Cri 80
 Dimensions L: 80cm W: 51cm H: 2.4cm
 Base Ø: 18cm H: 6cm
 Non Dimmable ☒
 Material Metal - Aluminium - Silicon
 Special Feature 110cm Cable Adjustable Profile 1.5x2.4cm
 Color Black Matt / **Code 17003**




Power 36W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 80
 Dimensions Ø: 80cm H: 2cm
 Base Ø: 16cm H: 3cm
 Non Dimmable ☒
 Material Aluminium - Silicon
 Special Feature 150cm Cable Adjustable Profile 2x1.5cm
 Color Sandy White / **Code 2017**




Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1795Lm
 Cri 90
 Dimensions L: 52cm W: 37cm H: 6cm
 Base Ø: 11cm H: 3cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 22131**
 Color Black Matt / **Code 22132**







Power 56W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4480Lm
 Cri 80
 Dimensions Ø: 65cm H: 8cm
 Base Ø: 18cm H: 4.5cm
 Non Dimmable
 Material Metal - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1618**





Power 90W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7200Lm
 Cri 80
 Dimensions Ø: 55cm H: 14cm
 Base Ø: 17cm H: 6.5cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature 140cm Cable Adjustable
 Color Brown - Wood / **Code 17002**





Power 75W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4875Lm
 Cri 80
 Dimensions L: 138cm H: 30cm
 Base Ø: 21cm H: 5cm
 Non Dimmable ☒
 Material Metal - PC Diffuser
 Special Feature 150cm Cable Adjustable
 Tube Ø: 2cm
 Color Opal - Chrome / **Code 1954**



Power 84W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5460Lm
 Cri 80
 Dimensions Ø: 40cm H: 95cm
 Base Ø: 23cm H: 5cm
 Non Dimmable ☒
 Material Metal - PC Diffuser
 Special Feature Tube Ø: 2cm
 Color Opal - Chrome / **Code 1952**




Power 90W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5850Lm
 Cri 80
 Dimensions L: 80cm W: 40cm
 Base Ø: 21cm H: 5cm
 Non Dimmable ☒
 Material Metal - PC Diffuser
 Special Feature 160cm Cable Adjustable
 Tube Ø: 2cm
 Color Opal - Chrome / **Code 1953**



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	840Lm
Cri	80
Dimensions	Ø: 26cm H: 17cm
Base	Ø: 8cm H: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	200cm Cable Adjustable
Color	Sandy Black / Code 18139-B Sandy White / Code 18139-W




Indoor Led Lighting




Power 4.2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 462Lm
 Cri 80
 Dimensions L: 15.8cm H: 57.5cm
 Base Ø: 8cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium
 Beam Angle 38°
 Special Feature Standard Length
 Stick Ø: 2.5cm H: 15.8cm
 Movable Spot

Color Sandy Black / **Code 1921**
 Sandy White / **Code 1920**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions L: 6.5cm W: 4.5cm H: 118.5cm
 Base Ø: 8cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium
 Special Feature Standard Length
 Cube L: 6.5cm H: 4.5cm
 Movable Spot


Color Sandy Black / **Code 1929**
 Sandy White / **Code 1930**



Power 4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 300Lm
 Cri 80
 Dimensions L: 23cm W: 6cm H: 29-37cm
 Base Ø: 6cm H: 12cm
 Spot Dimension Ø: 4cm L: 23cm
 Non Dimmable
 Material Metal - Aluminium
 Beam Angle 40°
 Special Feature Movable Spot

Color Sandy Black - Gold / **Code 22028**

Indoor Led Lighting




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 150Lm
 Cri 80
 Dimensions Ø: 1.8cm H: 50cm
 Base Ø: 8cm H: 3cm
 Non Dimmable ☒
 Material Aluminium - Diffuser
 Beam Angle 36°
 Special Feature 130cm Cable Adjustable
 Color White Matt / **Code 17010**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 150Lm
 Cri 80
 Dimensions Ø: 1.8cm H: 28cm
 Base Ø: 8cm H: 3cm
 Non Dimmable ☒
 Material Aluminium - Diffuser
 Beam Angle 36°
 Special Feature 130cm Cable Adjustable
 Color White Matt / **Code 17008**
 Black Matt / **Code 17009**



Suggested Trimless Canopy **Code 20144**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 660Lm
 Cri 80
 Dimensions Ø: 12cm H: 7.5cm
 Base Ø: 8cm H: 3cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Beam Angle 18°
 Special Feature 200cm Cable Adjustable
 Stick Ø: 2.7cm H: 6cm
 Color White Matt / **Code 1913**



Power	4.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	495Lm
Cri	80
Dimensions	Ø: 4.8cm H: 4.8cm
Base	Ø: 8cm H: 3cm
Non Dimmable	☒
Material	Metal - Aluminium
Beam Angle	38°
Special Feature	200cm Cable Adjustable
Color	Sandy Black / Code 1902




Suggested Trimless Canopy **Code 20144**




Power	4.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	495Lm
Cri	80
Dimensions	Ø: 4.8cm H: 8cm
Cutting Hole	Ø: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Beam Angle	38°
Special Feature	Movable
Color	Sandy Black / Code 1907
Color	Sandy White / Code 1906


Indoor Led Lighting





Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 880Lm
Cri 80
Dimensions Ø: 25cm H: 7cm
Base Ø: 15cm H: 4.5cm
Non Dimmable ☒
Material Metal - Wood
Special Feature 200cm Cable Adjustable
Color Nature Wood - Black Matt / **Code 19150**







Power 96W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7680Lm
 Cri 80
 Dimensions L: 80cm W: 60cm H: 122cm
 Base Ø: 20cm H: 4cm
 Dimmable Triac 
 Material Metal - Aluminium - Acrylic
 Color Gold Matt / **Code 1933**




Power 80W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6400Lm
 Cri 80
 Dimensions L: 60cm W: 40cm H: 110cm
 Base Ø: 18cm H: 3.5cm
 Dimmable Triac 
 Material Metal - Aluminium - Acrylic
 Color Gold Matt / **Code 1931**
 Color Sandy Black / **Code 1932**




Power 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1440Lm
 Cri 80
 Dimensions L: 17.5cm W: 7.5cm H: 60cm
 Base W: 7.5cm H: 20cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Color Sandy Black / **Code 1936**
 Color Gold Matt / **Code 1935**



Power 80W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6400Lm
 Cri 80
 Dimensions Ø: 60cm H: 71cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Color Sandy Black / **Code 1951**
 Color Sandy White / **Code 1950**




24




60

Power 56W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6000Lm
 Cri 80
 Dimensions Ø: 60cm H: 14-24cm
 Base L: 56,5cm W: 7cm H: 3.5cm
 Dimmable Triac
 Material Metal - Aluminium - Silicon
 Special Feature Profile 2x2cm
 Movable

Color Black Matt / **Code 22016**
 Color Gold Matt / **Code 22018**



34



79

Power 80W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 8500Lm
 Cri 80
 Dimensions Ø: 79cm H: 18-34cm
 Base L: 75,5cm W: 7cm H: 3.5cm
 Dimmable Triac
 Material Metal - Aluminium - Silicon
 Special Feature Profile 2x2cm
 Movable

Color Black Matt / **Code 22017**
 Color Gold Matt / **Code 22019**



Model Finishing




Black Matt





Gold Matt





Power 32W + 4x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5700Lm
 Cri 80
 Dimensions L: 90cm W: 67cm H: 12-17cm
 Base L: 18cm W: 18cm H: 8.5cm
 Spots Dimensions Ø: 4.5cm L: 8cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.7cm
 Movable Spots
 Color Sandy Black / **Code 22020**








Power	55W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4400Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 8.5cm
Base	L: 18cm W: 18cm H: 8.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2020
Color	Sandy White / Code 2021
Color	Gold Matt / Code 2022




Indoor Led Lighting







Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3360Lm
 Cri 80
 Dimensions L: 56cm W: 56cm H: 8.5cm
 Base L: 14cm W: 14cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.7cm
 Color Sandy Black / **Code 2023**
 Color Sandy White / **Code 2024**
 Color Gold Matt / **Code 2025**



Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2000Lm
 Cri 80
 Dimensions L: 46cm W: 46cm H: 6.5cm
 Base L: 14cm W: 14cm H: 6.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.7cm
 Color Sandy Black / **Code 2026**
 Color Sandy White / **Code 2027**
 Color Gold Matt / **Code 2028**








Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions L: 93cm W: 31cm H: 53.5cm
 Base L: 28cm W: 5cm H: 9.2cm
 Dimmable Triac 
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.5cm
 Color Sandy Black / **Code 2079**
 Color Sandy White / **Code 2078**
 Color Gold Matt / **Code 2080**



Indoor Led Lighting




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions L: 32cm W: 32cm H: 5.5cm
 Base L: 12.5cm W: 12.5cm H: 3.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.7cm
 Color Sandy Black / **Code 2029**
 Color Sandy White / **Code 2030**
 Color Gold Matt / **Code 2031**





Power 38W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3040Lm
 Cri 80
 Dimensions L: 51cm W: 41cm H: 12cm
 Base L: 21cm W: 5cm H: 4.5cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Color Sandy Black / **Code 2064**
 Color Sandy White / **Code 2065**






Power 72W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 10,080Lm
 Cri 80
 Dimensions L: 63cm W: 63cm H: 8cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature Optional Dimming DALI
 Color Sandy White / **Code 18148-W**
 Color Sandy Black / **Code 18148-B**





Power	61W + 2x5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	6700Lm
Cri	80
Dimensions	Ø: 50.6cm H: 10-15cm
Spots Dimension	Ø: 4.5cm L: 8cm
Dimmable Triac	○
Material	Metal - Aluminium - Silicon
Special Feature	Movable Spots
Color	White Matt - Black Matt / Code 22014
Color	White Matt / Code 22015







Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2300Lm
Cri	80
Dimensions	Ø: 38cm H: 10.5cm
Base	Ø: 33cm
Dimmable Triac	○
Material	Metal - Acrylic
Color	White Matt / Code 22127
Color	Black Matt / Code 22128



Indoor Led Lighting




Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2000Lm
 Cri 80
 Dimensions Ø: 42.5cm H: 6cm
 Base L: 35cm W: 5cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Color Sandy Black / **Code 2074**
 Color Sandy White / **Code 2075**




Power 31W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2480Lm
 Cri 80
 Dimensions Ø: 52.5cm H: 6cm
 Base L: 43cm W: 5cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Color Sandy Black / **Code 2076**
 Color Sandy White / **Code 2077**




Indoor Led Lighting




Power 5.6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 13cm H: 16.5cm
Base Ø: 6.5cm H: 5.5cm
Non Dimmable ☒
Material Metal - Acrylic
Color White Matt / **Code 20169**
Color Grey / **Code 20170**




Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 19cm H: 22.5cm
Base Ø: 6.5cm H: 6.5cm
Non Dimmable ☒
Material Metal - Acrylic
Color White Matt / **Code 20171**
Color Grey / **Code 20172**



Indoor Led Lighting




Power 5.6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 14cm H: 7.2cm
Non Dimmable
Material Metal - Acrylic
Color White Matt / **Code 20173**
Color Grey / **Code 20174**



Power 8W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 560Lm
Cri 80
Dimensions Ø: 19cm H: 10.5cm
Non Dimmable
Material Metal - Acrylic
Color White Matt / **Code 20175**
Color Grey / **Code 20176**






Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 103cm W: 60cm H: 22cm
Base	L: 6cm W: 6cm H: 22cm
Non Dimmable	☒
Material	Metal - Aluminium - Silicon
Special Feature	Profile Ø: 1.5cm
Color	Elephant Grey / Code 20159






Indoor Led Lighting

Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 Dimensions Ø: 40cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2040**
 Color Sandy White / **Code 2041**
 Color Brushed Gold Matt / **Code 2042**



Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4000Lm
 Cri 80
 Dimensions Ø: 60cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2048**
 Color Sandy White / **Code 2049**
 Color Brushed Gold Matt / **Code 2050**



Power 60W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4800Lm
 Cri 80
 Dimensions Ø: 80cm H: 8.5cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2056**
 Color Sandy White / **Code 2057**
 Color Brushed Gold Matt / **Code 2058**
 Color Brushed Coffee / **Code 2059**



Model Finishing

Brushed Gold Matt



Brushed Coffee




Sandy White




Sandy Black





Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1800Lm
 Cri 80
 Dimensions Ø: 40cm H: 8.5cm
 Non Dimmable
 Material Metal - Acrylic
 Color Black - Copper / **Code 1957**
 Color Black - Golden Leaf / **Code 1961**



Power 28W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2520Lm
 Cri 80
 Dimensions Ø: 50cm H: 10cm
 Non Dimmable
 Material Metal - Acrylic
 Color Black - Copper / **Code 1959**
 Color Black - Golden Leaf / **Code 1962**

Model Finishing




Black - Golden Leaf




Black - Copper






Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions L: 10cm W: 48cm H: 55cm
 Base W: 5.5cm H: 15.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1x3cm
 Color Black Matt / **Code 1945**




Power 36W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2880Lm
 Cri 80
 Dimensions L: 10cm W: 68cm H: 78cm
 Base W: 5.5cm H: 18.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1x3cm
 Color Black Matt / **Code 1946**

Indoor Led Wall Lighting




Power 13W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1300Lm
Cri 80
Dimensions Ø: 35cm H: 38cm L: 11.7cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature Optional Dimming PhaseCut
Color Sandy Black - White Matt / **Code 1910**




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 960Lm
Cri 80
Dimensions L: 6.3cm W: 30cm H: 122.5cm
Base L: 5cm W: 30cm H: 4cm
Non Dimmable ☒
Material Aluminium - Diffuser
Special Feature Optional Dimming PhaseCut
Color Sandy Black / **Code 19117**






Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 660Lm
 Cri 80
 Dimensions L: 2.7cm W: 5.5cm H: 13.5cm
 Non Dimmable ☒
 Material Aluminium - Diffuser
 Color Sandy White - Black / **Code 1923**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 330Lm
 Cri 80
 Dimensions L: 2.7cm W: 8.5cm H: 13.5cm
 Non Dimmable ☒
 Material Aluminium - Diffuser
 Color Sandy White - Black / **Code 1922**




Slim


Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 694Lm
 Cri 80
 IP IP44
 Dimensions L: 10cm W: 46cm H: 1.5cm
 Non Dimmable ☒
 Material Aluminium
 Color White / **Code 20141**




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 16cm W: 25cm H: 22cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Color Black Matt / **Code 20348-L**




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 10.5cm W: 16cm H: 14.5cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Black Matt / **Code 20348-S**




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 16cm W: 14cm H: 13cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Color Black Matt / **Code 20344-L**




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 11cm W: 10cm H: 9cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Black Matt / **Code 20344-S**






Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 80
 Dimensions L: 9cm W: 9cm H: 30cm
 Non Dimmable ☒
 Material Metal
 Color White Matt / **Code 16155**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 14cm W: 27cm H: 15cm
 Material Metal
 Color White Matt / **Code 16158**





Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 210Lm
 Dimensions L: 11cm Ø: 16cm H: 20cm
 Non Dimmable
 Material Metal - Marble

Color White Marble - Sandy Blck / **Code 18168** 
 Color White Marble - Sandy White / **Code 18169** 
 Color White Marble - Corten / **Code 22221** 

Model Finishing



White Marble
Sandy Black





White Marble
Sandy White





White Marble
Corten





Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 6cm W: 23cm H: 30cm
Material Metal - Marble
Color White Marble / **Code 18153-S** 



Bulb 2xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions L: 8cm W: 20cm H: 36cm
Material Metal - Marble
Color White Marble / **Code 18153-B** 




Design your Own Wall Lighting

Create the preferred style by combining the different colors and models available.
Available colors: Green / Blue / White



Shopping Guide

- A** Code 17024
- B** Code 17023







Our Suggestion

Become the designer of your home and make your combination.
Use your imagination to create your masterpiece with our limitless options. Lighting Art for your Wall.




Choose between three colors and two shapes.




Bulb
Power
Input
Dimensions
Material
Color
Color
Color

2xG9 Led
MAX 7W
220-240V, 50/60Hz
L: 4cm W: 21cm
Metal - Acrylic
White Matt / Code 17023-W
Blue Matt / Code 17023-BL
Green Matt / Code 17023-G





Bulb
Power
Input
Dimensions
Material
Color
Color
Color

2xG9 Led
MAX 7W
220-240V, 50/60Hz
L: 5cm W: 27cm
Metal - Acrylic
White Matt / Code 17024-W
Blue Matt / Code 17024-BL
Green Matt / Code 17024-G




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 8cm W: 26cm H: 36cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Sandy Olive Green - Painted Gold / **Code 22203** 
 Color Terracotta - Painted Gold / **Code 22204** 
 Color Elephant Grey - Sandy Black / **Code 22205** 




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 11cm W: 40cm H: 40cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Sandy Olive Green - Painted Gold / **Code 22201** 


Model Finishing




Sandy Olive Green
Painted Gold



Terracotta
Painted Gold




Elephant Grey
Sandy Black




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm W: 30cm H: 50cm
 Base Ø: 15cm H: 3cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 20cm
 Color Painted Gold / **Code 22200** 







Bulb	1xE14 Led
Power	MAX 8W
Input	220-240V, 50/60Hz
Dimensions	L: 12.5cm W: 20cm H: 27.5cm
Base	Ø: 15.5cm L: 2.5cm
Material	Metal - Glass
Color	Sandy Black - Gold / Code 22047
Color	Sandy Black - Chrome / Code 22048



Indoor Led Wall Lighting




Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 420Lm
Cri 80
Dimensions Ø: 18cm L: 6cm
Non Dimmable
Material Metal - Acrylic
Color Brushed Brass / **Code 20349**




Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 700Lm
Cri 80
Dimensions Ø: 24cm L: 6cm
Non Dimmable
Material Metal - Acrylic
Color Brushed Brass / **Code 20350**






Bulb 12xE14 Led
 Power MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions L: 85cm W: 85cm H: 100cm
 Base Ø: 15cm H: 2.5cm
 Glass Ø: 8cm H: 18.5cm
 Material Metal - Clear Glass - Frost White Glass
 Color Sandy Black - Antique Brass / **Code 22138**




Bulb 1xE14 Led
 Power MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm W: 24cm H: 110cm
 Base L: 24cm W: 24cm H: 3cm
 Glass Ø: 8cm H: 18.5cm
 Material Metal - Clear Glass - Frost White Glass
 Special Feature 150cm Cable Available
 Color Sandy Black - Antique Brass / **Code 22136**






Bulb 1xE14 Led
 Power MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions L: 13cm W: 8cm H: 23cm
 Base L: 8cm W: 1.5cm H: 8cm
 Glass Ø: 8cm H: 18.5cm
 Material Metal - Clear Glass - Frost White Glass
 Special Feature IP44
 Color Sandy Black - Antique Brass / **Code 22135**




Bulb 1xE14 Led
 Power MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8cm H: 23cm
 Base Ø: 8cm H: 2cm
 Glass Ø: 8cm H: 18.5cm
 Material Metal - Clear Glass - Frost White Glass
 Special Feature 150cm Cable Adjustable
 Color Sandy Black - Antique Brass / **Code 22137**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 31cm
 Base Ø: 10cm H: 2cm
 Glass Ø: 13cm H: 23cm
 Material Metal - Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Gold Matt - Chrome Glass / **Code 22001**
 Color Black Matt - Chrome Glass / **Code 22002**



Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 13cm H: 140cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Glass Ø: 13cm H: 23cm
 Material Metal - Glass
 Special Feature 110cm Fabric Cable Adjustable
 Color Gold Matt - Chrome Glass / **Code 22143**
 Color Black Matt - Chrome Glass / **Code 22142**



Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 150cm
 Base Ø: 35cm H: 4cm
 Glass Ø: 13cm H: 23cm
 Material Metal - Glass
 Special Feature 120cm Fabric Cable Adjustable
 Color Gold Matt - Chrome Glass / **Code 22144**
 Color Black Matt - Chrome Glass / **Code 22141**

Adjustable Ceiling Base



Model Finishing




Black Matt-Chrome Glass




Gold Matt-Chrome Glass






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 38cm
Base Ø: 8cm H: 3.5cm
Material Metal - White Marble - Opal Glass
Special Feature 150cm Fabric Cable Adjustable
Color Black Matt - Gold Matt / **Code 22215** 






Bulb 1xG9 Led
Power MAX 7W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 50cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 30cm H: 34cm
Opal Glass Ø: 10.5cm H: 13.5cm
Material Metal - Clear Glass Outside
Opal Glass Inside
Special Feature 150cm Cable Adjustable
Color Clear Glass - Gold Matt / **Code 22057**







Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 52cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 30cm H: 43cm
 Opal Glass Ø: 10.5cm H: 13.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Adjustable
 Color Smoked Glass - Gold Matt / **Code 22056**




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 50cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 30cm H: 24cm
 Opal Glass Ø: 10.5cm H: 13.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Adjustable
 Color Smoked Glass - Gold Matt / **Code 22058**



Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 41cm
 Glass Ø: 30cm H: 35cm
 Opal Glass Ø: 10.5cm H: 13.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Available
 Color Smoked Glass - Gold Matt / **Code 22066**




Bulb 3xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm H: 150cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 30cm H: 24cm
 Ø: 30cm H: 43cm
 Opal Glass Ø: 10.5cm H: 13.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Adjustable
 Color Sandy Black - Smoked Glass - Gold Matt / **Code 22148**



Bulb 3xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 120cm W: 30cm H: 150cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 30cm H: 24cm
 Ø: 30cm H: 43cm
 Opal Glass Ø: 10.5cm H: 13.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Adjustable
 Color Sandy Black - Smoked Glass - Gold Matt / **Code 22149**




Adjustable Ellipse Base




Bulb	6xG9 Led
Power	MAX 7W
Input	220-240V, 50/60Hz
Dimensions	Ø: 110cm H: 160cm
Bases	Ø: 20cm H: 3cm
	Ø: 80cm H: 3cm
Glass	Ø: 30cm H: 24cm
	Ø: 30cm H: 43cm
Opal Glass	Ø: 10.5cm H: 13.5cm
Material	Metal - Smoked Glass Outside Opal Glass Inside
Special Feature	150cm Cable Adjustable
Color	Sandy Black - Smoked Glass - Gold Matt / Code 22147






Bulb 1xG9 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 18cm H: 20cm
 Base Ø: 10cm H: 2.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Fabric Cable Adjustable
 Opal Glass Ø: 10cm
 Color Sandy Black / **Code 22051**




Bulb 1xG9 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions L: 23.5cm W: 18cm H: 34cm
 Base Ø: 10cm W: 2.5cm
 Glass Ø: 18cm H: 20cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature Opal Glass Ø: 10cm
 Color Sandy Black / **Code 22052**




Bulb 1xG9 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions L: 31cm W: 26cm H: 145cm
 Smoked Glass Ø: 18cm H: 20cm
 Base Ø: 26cm W: 3.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside - Black Marble Base
 Special Feature 180cm Cable Available
 Opal Glass Ø: 10cm
 Color Sandy Black - Black Marble / **Code 22053**






Bulb 3xG9 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions L: 110cm W: 18cm H: 140cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 18cm H: 23cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Adjustable
 Opal Glass Ø: 10cm
 Color Sandy Black / **Code 22146**




Bulb 3xG9 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm H: 150cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 18cm H: 23cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Adjustable
 Opal Glass Ø: 10cm
 Color Sandy Black / **Code 22145**




Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 25.5cm H: 26.5cm
Base	Ø: 10cm H: 2.5cm
Material	Metal - Aluminum - Dimple Glass Outside Opal Glass Inside
Special Feature	150cm Fabric Cable Adjustable
Color	Sandy Black - Green Glass / Code 22033
Color	Sandy Black - Blue Glass / Code 22034
Color	Sandy Black - Smoked Glass / Code 22035






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 15cm H: 45cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 15cm H: 28cm
 Material Metal - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Gold Matt / **Code 22070**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 33cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 20cm H: 18cm
 Material Metal - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Gold Matt / **Code 22071**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 28cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 30cm H: 11cm
 Material Metal - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Gold Matt / **Code 22072**







Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 120cm W: 30cm H: 100cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 30cm H: 11cm
 Ø: 20cm H: 18cm
 Ø: 15cm H: 28cm
 Material Metal - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Sandy Black - Gold Matt / **Code 22151**

Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 60cm H: 140cm
 Bases Ø: 12cm H: 3cm
 Ø: 47cm H: 3cm
 Glass Ø: 30cm H: 11cm
 Ø: 20cm H: 18cm
 Ø: 15cm H: 28cm
 Material Metal - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Sandy Black - Gold Matt / **Code 22150**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 48cm
 Base Ø: 10cm H: 2.5cm
 Opal Glass Ø: 13cm H: 24cm
 Material Metal - Ceramic - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Antique Brass / **Code 22078**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 21cm H: 41cm
 Base Ø: 10cm H: 2.5cm
 Opal Glass Ø: 21cm H: 16cm
 Material Metal - Ceramic - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Antique Brass / **Code 22079**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 22cm W: 13cm H: 49cm
 Base Ø: 10cm L: 2.5cm
 Glass Ø: 13cm H: 24cm
 Material Metal - Ceramic - Opal Glass
 Color Antique Brass / **Code 22080**





Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm H: 140cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 21cm H: 16cm
 Ø: 13cm H: 24cm
 Material Metal - Ceramic - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Sandy Black - Antique Brass / **Code 22152**





Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 110cm W: 21cm H: 140cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 21cm H: 16cm
 Ø: 13cm H: 24cm
 Material Metal - Ceramic - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Sandy Black - Antique Brass / **Code 22153**







Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 240cm
 Base Ø: 30cm H: 2.5cm
 Glass Ø: 20cm H: 18.5cm
 Material Metal - Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Clear, Smoked, Champagne Glass
 Antique Brass / **Code 22073**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 80cm W: 20cm H: 200cm
 Base L: 70cm W: 5cm H: 2.6cm
 Glass Ø: 20cm H: 18.5cm
 Material Metal - Glass
 Special Feature 150cm Fabric Cable Adjustable
 Color Clear, Smoked, Champagne Glass
 Antique Brass / **Code 22074**



Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 21cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 20cm H: 15cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Champagne - Black Matt / **Code 22114**
 Color Clear Glass - Painted Gold / **Code 22115**




Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 16cm H: 23cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 16cm H: 17cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Champagne - Black Matt / **Code 22116**
 Color Clear Glass - Painted Gold / **Code 22117**




Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 11cm H: 30cm
 Base Ø: 10cm H: 2.5cm
 Glass Ø: 11cm H: 24cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Champagne - Black Matt / **Code 22118**
 Color Clear Glass - Painted Gold / **Code 22119**






Bulb 3xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm H: 130cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 20cm H: 15cm
 Ø: 16cm H: 17cm
 Ø: 11cm H: 24cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Champagne - Black Matt / **Code 22154**
 Color Clear Glass - Painted Gold / **Code 22157**



Bulb 3xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 110cm W: 20cm H: 120cm
 Base Ø: 12cm H: 3cm
 Glass Ø: 20cm H: 15cm
 Ø: 16cm H: 17cm
 Ø: 11cm H: 24cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 Color Champagne - Black Matt / **Code 22155**
 Color Clear Glass - Painted Gold / **Code 22158**



Bulb	6xE14
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 90cm H: 110cm
Bases	Ø: 20cm H: 3cm
	Ø: 80cm H: 3cm
Glass	Ø: 20cm H: 15cm
	Ø: 16cm H: 17cm
	Ø: 11cm H: 24cm
Material	Metal - Glass
Special Feature	150cm Cable Adjustable
Color	Champagne - Black Matt / Code 22156
Color	Clear Glass - Painted Gold / Code 22160






Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 25cm
 Base Ø: 12cm H: 2cm
 Material Metal - Opal Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 20268**




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 20cm
 Base Ø: 12cm H: 2cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 20267**




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 20cm
 Base Ø: 12cm H: 2cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 20266**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 39cm
Base Ø: 10cm H: 2.5cm
Glass Ø: 30cm H: 25cm
Material Metal - Opal Glass
Special Feature 150cm Cable Adjustable
Color Gold Matt / **Code 20124**
Color White Matt / **Code 20125**








Bulb 4xG9 , 4xE27
 Power MAX 7W , MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 75cm H: 100cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Dark Champagne Glass Ø: 7cm H: 23cm
 Color Sandy Black - Antique Brass / **Code 22055**



Bulb 1xG9 , 1xE27
 Power MAX 7W , MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions L: 22cm W: 12cm H: 85cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Dark Champagne Glass Ø: 7cm H: 23cm
 Color Sandy Black - Antique Brass / **Code 22054**






Bulb 4xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Base 2x Ø: 10cm H: 3.5cm
Material Metal - Opal Glass
Special Feature 800cm Cable
Glass Ø: 12cm
3 Hanging Accessories Included


Color Sandy Olive Green / **Code 22202** 
Color Sandy Black / **Code 22202-B** 
Color Sandy White / **Code 22202-W** 






Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 13cm H: 44cm
Ø: 12cm H: 2.5cm
Glass - Metal
150cm Cable Adjustable
Grey - Antique Brass / **Code 19176**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 25cm H: 35cm
Ø: 12cm H: 2.5cm
Glass - Metal
150cm Cable Adjustable
Grey - Antique Brass / **Code 19177**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

2xG9 Led
MAX 9W
220-240V, 50/60Hz
L: 120cm W: 18cm H: 95cm
Ø: 12cm H: 2.5cm
Metal - Brass - Opal Glass
Standard Length
Glass Ø: 18cm
Glass Ø: 9cm
Sandy Black - Painted Gold / **Code 22267**




Bulb 1xG9
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 12.5cm W: 10cm H: 42cm
 Base Ø: 10cm H: 3cm
 Material Metal - Opal Glass
 Special Feature 200cm Cable Adjustable
 Opal Glass Ø: 8cm
 Color Painted Gold - Golden Leaf / **Code 22060**




Bulb 1xG9
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 14cm W: 12.5cm H: 32cm
 Base Ø: 13cm H: 3cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Painted Gold - Golden Leaf / **Code 22059**






Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions W: 20cm H: 50cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Opal Glass
 Special Feature 150cm Cable Adjustable
 Opal Glass Ø: 12cm
 Color Bronze / **Code 18142-BR**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions W: 11cm H: 23cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Opal Glass
 Special Feature 150cm Cable Adjustable
 Opal Glass Ø: 8cm
 Color Bronze / **Code 18143**



Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 21cm L: 12cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Gold Matt / **Code 19216**







Bulb 3xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm H: 63cm
 Base Ø: 10cm H: 2cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Sandy Black / **Code 18134-B**





Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 22cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Opal Glass
 Special Feature 150cm Fabric Cable Adjustable
 Opal Glass Ø: 12cm
 Color Black Matt - Painted Gold / **Code 22220**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 22cm L: 25cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Opal Glass
 Special Feature 200cm Fabric Cable Adjustable
 Opal Glass Ø: 12cm
 Color Black Matt - Painted Gold / **Code 22219**



Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 26cm L: 11cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Sandy Black / **Code 17104**




Bulb 1xE14 / 1xG9
 Power MAX 15W / MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 17.5cm W: 33cm H: 21cm
 Base Ø: 8cm H: 3cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 15cm / Ø: 10cm
 Color Gold Matt / **Code 1995**




Bulb 1xE14
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions L: 17.5cm W: 23cm H: 20cm
 Base Ø: 8cm H: 2cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 15cm
 Color Gold Matt / **Code 1996**






Bulb 5xE14
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions L: 115cm W: 15cm H: 34cm
 Base Ø: 8cm H: 3cm
 Material Metal - Opal Glass
 Special Feature 200cm Fabric Cable Adjustable
 Opal Glass Ø: 15cm
 Color Gold Matt / **Code 1998**




Bulb 2xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions L: 50cm W: 25cm H: 34cm
 Base Ø: 8cm H: 3cm
 Material Metal - Opal Glass
 Special Feature 200cm Fabric Cable Adjustable
 Opal Glass Ø: 25cm / Ø: 15cm
 Color Gold Matt / **Code 1997**






Bulb 1xG9 Led
Power MAX 9W
Input 220-240V, 50/60Hz
Dimensions Ø: 5cm L: 13cm H: 39cm
Base Ø: 8cm H: 2cm
Material Metal - Marble - Clear Glass
Color Painted Gold / **Code 20352** 






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 36cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 20126**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 19cm H: 30cm
 Base Ø: 10cm H: 2.5cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Smoked Grey / **Code 14101**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 22cm
 Base Ø: 10cm H: 2.5cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Smoked Grey / **Code 14102**





Bulb 1xE14
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Champagne - Chrome / **Code 1982**
 Color White - Chrome / **Code 1980**
 Color Smoked Grey - Chrome / **Code 1981**




Bulb 4xE14
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 20cm H: 150cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 19243**






Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	450Lm
Cri	80
Dimensions	Ø: 14cm H: 35cm
Base	Ø: 12cm H: 2.5cm
Non Dimmable	☒
Material	Aluminium - Glass - Acrylic
Special Feature	150cm Cable Adjustable
Color	Gold Matt - Clear Glass / Code 1966
Color	Black Matt - Smoked Grey / Code 1965



 Suggested Trimless Canopy **Code 20144**




Power	3x5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1350Lm
Cri	80
Dimensions	L: 105cm W: 14cm H: 135cm
Base	L: 105cm W: 6.5cm H: 2.7cm
Non Dimmable	☒
Material	Aluminium - Glass - Acrylic
Special Feature	100cm Cable Adjustable
Color	Black Matt - Smoked Grey / Code 1970



Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 80
 Dimensions Ø: 14.5cm H: 22cm
 Base Ø: 12cm H: 2.5cm
 Non Dimmable
 Material Aluminium - Glass - Acrylic
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 1967**
 Color Gold Matt - Clear Glass / **Code 1968**




Power 3x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1350Lm
 Cri 80
 Dimensions Ø: 38cm H: 150cm
 Base Ø: 38cm H: 2.5cm
 Non Dimmable
 Material Aluminium - Glass - Acrylic
 Special Feature 125cm Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 1971**




Bulb 5xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 112cm W: 95cm H: 80cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Color Black Matt - Transparent Glass / **Code 1696**




Bulb 1xGU10 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12.5cm H: 19cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Aluminium - Glass
 Special Feature 200cm Fabric Cable Adjustable
 Color Light Yellow - Sandy Black / **Code 19122**
 Color Light Blue - Sandy Black / **Code 19121**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Ink Blue - Antique Brass / **Code 19175**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 30cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 200cm Cable Adjustable
 Color Clear Glass - Antique Brass / **Code 19125**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 20cm H: 150cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Glass
 Special Feature 120cm Cable Adjustable
 Black Matt Base
 Color Clear Glass - Antique Brass / **Code 19242**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17cm H: 32cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Fabric Cable Adjustable
 Color Chrome - Smoked Grey / **Code 1987**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 29cm H: 42cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Fabric Cable Adjustable
 Color Chrome - Smoked Grey / **Code 1985**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 50cm
 Base Ø: 10cm H: 2cm
 Material Metal - Glass
 Special Feature 200cm Fabric Cable Adjustable
 Color Chrome - Smoked Grey / **Code 1986**






Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm H: 170cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Glass
 Special Feature 120cm Fabric Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 19240**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 170cm
 Base Ø: 50cm H: 3cm
 Material Metal - Glass
 Special Feature 120cm Fabric Cable Adjustable
 Color Black Matt - Smoked Grey / **Code 19241**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm H: 30cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Chrome Glass / **Code 17053**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 17cm H: 31cm
Base Ø: 10cm H: 2cm
Material Metal - Glass
Special Feature 150cm Cable Adjustable
Color Chrome Glass / **Code 17055**




Indoor Lighting | Glass Collection




Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm H: 120cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Glass
 Special Feature 90cm Cable Adjustable
 Color Black Matt - Chrome Glass / **Code 17151**




Bulb 5xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Adjustable
 4 Hanging Accessories Included
 Color Black Matt - Chrome Glass / **Code 17150**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 29cm
 Base Ø: 10cm H: 2cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Champagne / **Code 1515**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 18cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Champagne / **Code 1517**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 23cm
 Base Ø: 10cm H: 2cm
 Material Glass
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Champagne / **Code 1516**






Power	68W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	8700Lm
Cri	80
Dimensions	L: 100cm W: 24cm H: 170cm
Base	L: 28cm W: 14cm H: 5cm
Dimmable Triac	☉
Material	Stainless Steel - Clear Glass
Special Feature	150cm Cable Adjustable Profile 3.5x4cm
Color	Gold Matt / Code 22041







Power 56W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 7220Lm
 Cri 80
 Dimensions Ø: 60cm H: 170cm
 Base Ø: 18.5cm H: 5cm
 Dimmable Triac
 Material Stainless Steel - Clear Glass
 Special Feature 150cm Cable Adjustable
 Profile 3.5x4cm
 Color Gold Matt / **Code 22039**



Power 68W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 8700Lm
 Cri 80
 Dimensions Ø: 80cm H: 170cm
 Base Ø: 18.5cm H: 5cm
 Dimmable Triac
 Material Stainless Steel - Clear Glass
 Special Feature 150cm Cable Adjustable
 Profile 3.5x4cm
 Color Gold Matt / **Code 22040**






Bulb	8xG9 Led
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 120cm H: 65-85cm
Base	Ø: 10cm
Material	Metal- Clear Glass
Special Feature	Clear Glass Ø: 12cm
Color	Bronze / Code 18132-BR 





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 4.5cm H: 6.5cm
 Base Ø: 6cm H: 4cm
 Material Metal
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 14108-B** 

 Suggested Trimless Canopy **Code 20144**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 31cm H: 43cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable / Chain Adjustable
 Color Bronze / **Code 16106**




Design your Own Light...

Easy to make custom fixtures on project request.




130


Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 110cm H: 130cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Easy to make custom fixtures
 on project request.
 Color Natural - Sandy Black/ Code 22246







Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 28cm H: 30cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22163** 



Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 30cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22164** 



Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 30cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22165** 




Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 50cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22161**


Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 50cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22162**

Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 108cm H: 35cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22169**


Indoor Lighting | Bamboo - Rattan Collection



Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm H: 20cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black/ **Code 22166**




Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 18cm H: 21cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22167**




Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm H: 45cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22168**






Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm H: 46cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22171**




Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 10cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Bush
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22173**




25


Bulb 1xE27 Led
Power MAX 20W
Input 220-240V, 50/60Hz
Dimensions Ø: 25cm L: 11.5cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bush
Color Natural - Sandy Black / Code 22175




40

Bulb 1xE27 Led
Power MAX 20W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 11.5cm
Base Ø: 8cm H: 2.5cm
Material Metal - Bush
Color Natural - Sandy Black / Code 22174







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 80cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19250**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color Black - Natural Bamboo / **Code 19252**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 40cm L: 8cm
Base Ø: 10cm H: 2cm
Material Metal - Bamboo
Color White - Natural Bamboo / **Code 19251**
Black - Natural Bamboo / **Code 19253**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm H: 1.5cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color White - Natural Bamboo / **Code 19106**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 60cm H: 1.5cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color Black - Natural Bamboo / **Code 19104**





Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 1.5cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color White - Natural Bamboo / **Code 19107**
 Color Black - Natural Bamboo / **Code 19105**






Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 65cm H: 45cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Bamboo
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Brown - Sandy Black / **Code 22172** 




Bulb 1xE27 Led
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 70cm H: 55cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Black - Sandy Black / **Code 22170** 




Bulb
Power
Input
Dimensions
Base
Material
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 30cm L: 23cm
Ø: 12cm H: 3cm
Metal - Rattan
Black / **Code 20240**



Bulb
Power
Input
Dimensions
Base
Material
Special Feature
Color

1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 45cm H: 30cm
Ø: 12cm H: 2cm
Metal - Rattan
150cm Cable Adjustable
Black / **Code 20239**




Bulb
Power
Input
Dimensions
Base
Material
Special Feature


1xE27
MAX 40W
220-240V, 50/60Hz
Ø: 30cm H: 52cm
Ø: 15cm H: 2cm
Metal - Rattan
120cm Cable Available
Shade Ø: 30cm H: 20cm

Color


Black / **Code 20238**




Bulb 1xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 65cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Opal Glass Ø: 25cm
 Special Feature 200cm Cable Adjustable
 Color Black / **Code 20155**



Bulb 1xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 40cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Black / **Code 20153**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 45cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20152**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 60cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20154**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 80cm W: 60cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural Bamboo / **Code 19103**
 Color Black / **Code 19108**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 80cm W: 60cm H: 37cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Color Black / **Code 19109**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 50cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20230**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20233**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 39cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Natural / **Code 20231**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 10cm H: 2cm
 Material Metal - Paper Rope
 Special Feature 200cm Cable Adjustable
 Color Brown / **Code 20236**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 48cm H: 35cm
 Base Ø: 10cm H: 2cm
 Material Metal - Paper Rope
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20237**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 72cm W: 40cm H: 10cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20241**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 8cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20242**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 50cm
 Material Metal - Thread String Cord - Fabric
 Special Feature 120cm Cable Available
 Shade Ø: 30cm H: 20cm
 Color Natural - Light Beige / **Code 20235**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 28cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Natural - Black Matt / **Code 20232**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 30cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 20234**





Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Dimensions L: 25cm W: 15.5cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Switch 2/Switch On-Off
 Material Metal - Bush
 Special Feature Shade Ø: 15.5cm H: 15cm
 Stick Ø: 2.8cm L: 36cm
 Color Black Matt - Natural / **Code 20355**





Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 8cm H: 2cm
 Material Metal - Bush - Burlap
 Special Feature 150cm Cable Adjustable
 Color Natural / **Code 20354**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 55cm H: 70cm
 Base Ø: 8cm H: 3.5cm
 Material Rattan
 Special Feature 150cm Cable Adjustable
 Color Natural / **Code 18181** 




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 60cm H: 100cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Straw
 Special Feature 50cm Chain Adjustable
 Color Natural Straw / **Code 17129** 




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 28cm H: 27cm
 Base Ø: 8cm H: 3.5cm
 Material Clay
 Special Feature 120cm Fabric Cable Adjustable
 Color Natural / **Code 1664**
 Color White Matt / **Code 22216**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 13cm H: 27cm
 Base Ø: 8cm H: 3.5cm
 Material Clay
 Special Feature 120cm Fabric Cable Adjustable
 Color Natural / **Code 1665**
 Color White Matt / **Code 22236**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 18cm H: 27cm
 Base Ø: 8cm H: 3.5cm
 Material Clay
 Special Feature 120cm Fabric Cable Adjustable
 Color Natural / **Code 1663**
 Color White Matt / **Code 22268**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 20cm W: 12cm H: 18cm
 Base Ø: 8cm H: 2cm
 Material Metal - Clay
 Color White - Corten / **Code 22193**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 18cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Clay
 Special Feature 150cm Cable Adjustable
 Color White - Corten / **Code 22192**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8cm H: 12cm
 Base Ø: 8cm H: 2cm
 Material Metal - Clay
 Color White - Corten / **Code 22191**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 16cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1655**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 14,5cm H: 26cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Chrome Base / **Code 1582**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm H: 100cm
 Base W: 105cm W: 6.5cm H: 2.7cm
 Material Concrete
 Special Feature 85cm Cable Adjustable
 Black Matt Base
 Color Concrete - Black Matt / **Code 1653**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 15cm W: 15cm H: 13.5cm
 Base Ø: 10cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Fabric Cable Adjustable
 Color Concrete - Chrome Base / **Code 1658**




Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7cm H: 40cm
 Base Ø: 12cm H: 2.5cm
 Material Concrete
 Special Feature 120cm Cable Adjustable
 Color Concrete - Black Matt Base / **Code 180024**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 36cm
 Base Ø: 10cm H: 2.5cm
 Material Metal - Concrete
 Special Feature 120cm Fabric Cable Adjustable
 Color Concrete - Chrome Base / **Code 1660**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 38cm H: 115cm
 Base Ø: 38cm H: 2.5cm
 Material Metal - Concrete
 Special Feature 80cm Fabric Cable Adjustable
 Color Concrete - Black Matt Base / **Code 1662**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 33cm W: 12cm H: 41cm
 Base L: 2.5cm W: 10cm H: 30cm
 Material Metal - Concrete
 Color Concrete - Black Matt Base / **Code 1661**




Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 105cm W: 12cm H: 100cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Concrete
 Special Feature 70cm Fabric Cable Adjustable
 Color Concrete - Black Matt Base / **Code 1659**




Bulb 2xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 7.5cm W: 7cm H: 16cm
 Material Concrete
 Color Concrete / **Code 180022**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 11.5cm W: 11.5cm H: 11.5cm
 Material Concrete
 Color Concrete / **Code 180023**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 13cm W: 13cm H: 15cm
 Material Concrete
 Color Concrete / **Code 180021**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 30cm H: 17cm
 Material Concrete
 Color Concrete / **Code 180020**







Power 45W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6300Lm
 Cri 80
 Dimensions Ø: 5.3cm L: 141cm
 Base Ø: 8cm H: 3.5cm
 Non Dimmable ☒
 Material Aluminium - PC Diffuser
 Special Feature 200cm Fabric Cable Adjustable
 Optional Dimming DALI
 Color Painted Bronze / **Code 22207**
 Color Corten / **Code 22206**




Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5500Lm
 Cri 90
 Dimensions Ø: 5.3cm L: 141cm
 Base Ø: 8cm H: 3.5cm
 Non Dimmable ☒
 Material Aluminium - ABS
 Special Feature 200cm Fabric Cable Adjustable
 Optional Dimming DALI
 Color Painted Bronze - Sandy Black / **Code 22223**
 Color Corten - Sandy Black / **Code 22222**






Power	18W + 36W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	7560Lm
Cri	80
Dimensions	L: 142cm W: 4.8cm H:7.8cm
Base	Ø: 8cm H: 3.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Special Feature	200cm Fabric Cable Adjustable Optional Dimming DALI Up & Down Light
Color	Painted Bronze - Painted Gold / Code 22208
Color	Corten - Sandy Black / Code 22209






Power 45W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6300Lm
 Cri 80
 Dimensions L: 142cm W: 4.8cm H: 85cm
 Base Ø: 8cm H: 3.5cm
 Non Dimmable
 Material Aluminium - PC Deffuser - Leather
 Special Feature 100cm Fabric Cable Adjustable
 Optional Dimming DALI
 Color Painted Bronze / **Code 22211**





Power 45W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 6300Lm
 Cri 80
 Dimensions L: 142cm W: 4.8cm H: 7.8cm
 Base Ø: 8cm H: 3.5cm
 Non Dimmable
 Material Aluminium - PC Diffuser
 Special Feature 200cm Fabric Cable Adjustable
 Optional Dimming DALI
 Color Painted Bronze / **Code 22210**






Bulb 1xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 10.5cm H: 25cm
Base Ø: 8cm H: 3.5cm
Material Metal - Aluminium
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / Code 22185 




Bulb 1xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 12cm H: 30cm
Base Ø: 8cm H: 3.5cm
Material Metal - Aluminium
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / Code 22184 






Bulb 1xGU10
Power MAX 25W
Input 220-240V, 50/60Hz
Dimensions Ø: 24cm H: 23cm
Base Ø: 8cm H: 3.5cm
Material Metal - Aluminum
Special Feature 200cm Fabric Cable Adjustable
Color Sandy Black - Painted Gold / **Code 22178** 









Bulb 1xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 118cm
 Base Ø: 8cm H: 3.5cm
 Material Metal
 Color Corten / **Code 22186** 




Bulb 1xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions H: 18cm
 Base Ø: 5cm H: 2cm
 Material Metal
 Color Painted Bronze / **Code 22187** 






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm H: 25cm
Base	Ø: 8cm H: 3.5cm
Material	Metal
Special Feature	120cm Fabric Cable Adjustable
Color	Corten / Code 22197 
Color	Painted Bronze / Code 22198 
Color	Painted Gold / Code 22199 







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 33cm L: 15cm
 Base Ø: 8cm H: 2cm
 Material Metal
 Color Corten / **Code 22194**




Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm L: 16cm H: 30cm
 Material Metal - Aluminium - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Color Painted Bronze - Painted Gold / **Code 22189**




Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8cm L: 14cm
 Material Metal
 Color Painted Bronze / **Code 22188**




Bulb 1xE14
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 32cm W: 15cm H: 42cm
 Base W: 8.3cm H: 12cm
 Material Metal - Aluminium
 Color Sandy Black - Copper Mat / **Code 18135**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 46cm H: 29cm H: 110cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Leather
 Special Feature 100cm Fabric Cable Adjustable
 Color Painted Bronze / **Code 22225**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm L: 47cm H: 25cm
 Base L: 2.5cm W: 8cm H: 16cm
 Material Metal
 Color Painted Bronze / **Code 22190**




Bulb 5xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Base Ø: 8cm H: 3.5cm
 Material Metal - Leather
 Special Feature 100cm Fabric Cable Adjustable
 Color Sandy Black / **Code 22224**



Bulb 3xGU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 100cm W: 6cm H: 60cm
 Base Ø: 8cm H: 3.5cm
 Material Metal
 Special Feature 120cm Fabric Cable Adjustable
 Color Sandy Black - Painted Gold / **Code 22226**




Bulb 2xGU10 , 1xG9 Led
 Power MAX 25W , MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 120cm W: 8cm H: 100cm
 Material Metal - Opal Glass
 Special Feature Standard Length
 Opal Glass Ø: 8cm
 Color Sandy Black - Painted Gold / **Code 22227**



Bulb 1 x GU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 38cm W: 8.3cm H: 25cm
 Base L: 2.7cm W: 8.3cm H: 12cm
 Material Metal
 Color Sandy Black - Painted Gold / **Code 22228**






Bulb	4xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 115cm W: 18cm H: 31cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Wood
Special Feature	120cm Fabric Cable Adjustable
Color	Black Matt - Painted Bronze / Code 22213 






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 15cm
 Base Ø: 12cm H: 2cm
 Material Marble
 Special Feature 100cm Cable Adjustable
 Color White Marble / **Code 17157**
 Black Marble / **Code 17158**


Bulb 1xGU10 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7cm H: 40cm
 Base Ø: 8cm H: 3.5cm
 Material Wood
 Special Feature 150cm Fabric Cable Adjustable
 Color Natural - Sandy Black / **Code 22214**




Indoor Lighting



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 35cm H: 34cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Saumon Matt - White Matt / **Code 180050**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 25cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - White Matt / **Code 180052**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 24cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Saumon Matt - Bronze / **Code 180051**






Bulb 4xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm L: 105cm H: 170cm
 Base L: 105cm W: 6.5cm H: 2.7cm
 Material Metal - Leather - Wood
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1993-B**
 Color White Matt / **Code 1993-W**




Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 38cm H: 170cm
 Base Ø: 38cm H: 2.5cm
 Material Metal - Leather - Wood
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 1994-B**
 Color White Matt / **Code 1994-W**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 22cm
 Base Ø: 10cm H: 2cm
 Material Metal - Leather - Wood
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 1990**
 Color Grey Matt / **Code 1991**
 Color White Matt / **Code 1992**






Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 33cm H: 23cm
Base Ø: 10cm H: 4.5cm
Material Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 180085**




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 23cm H: 28cm
Base Ø: 10cm H: 4.5cm
Material Aluminium - Wood
Special Feature 150cm Cable Adjustable
Color Black Matt / **Code 180088**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 34cm H: 36cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 1511-W**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 34cm H: 32cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 1512-W**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 24cm H: 41cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 1513-W**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 26cm
 Base Ø: 10cm H: 4.5cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color Green Matt / **Code 180065**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 20cm
 Base Ø: 10cm H: 4.5cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color White Matt / **Code 180066**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 28cm H: 22cm
 Base Ø: 10cm H: 4.5cm
 Material Metal - Aluminium - Wood
 Special Feature 150cm Cable Adjustable
 Color Blue Matt / **Code 180067**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 16cm H: 31cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 18192**
 Color White Matt / **Code 18193**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23.5cm H: 25cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt / **Code 18191**
 Color White Matt / **Code 18190**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 21.5cm H: 24cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - Copper / **Code 180100**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 31cm W: 21.5cm H: 35cm
 Base Ø: 12cm H: 2cm
 Material Metal - Aluminium
 Color Black Matt - Copper / **Code 18127**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 35cm H: 38cm
 Base Ø: 12cm H: 2cm
 Material Metal - Acrylic
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 1644**
 Color White Matt / **Code 1644-W**






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 46cm H: 35cm
Base	Ø: 8cm H: 3.5cm
Material	Metal
Special Feature	150cm Fabric Cable Adjustable
Color	Black Matt / Code 19245 
Color	Yellow / Code 1642 







Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 70cm H: 14cm
 Material Metal - Opal Glass
 Color Black Matt / **Code 1546**



Bulb 3xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 65cm H: 22cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Opal Glass
 Special Feature 120cm Cable Adjustable
 Color Black Matt / **Code 1545**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 25cm
 Base Ø: 10cm H: 2.5cm
 Material Metal - Stainless Steel
 Special Feature 150cm Cable Adjustable
 Color Gold - Black Matt Base / **Code 1683**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 31cm
 Base Ø: 10cm H: 2cm
 Material Metal
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code 1505**

Indoor Lighting | Metal Collection




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions Ø: 22cm H: 14cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature 150cm Cable Adjustable
Color Black Matt - Bronze / **Code 1464** 




Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 34cm W: 22cm H: 24cm
Base Ø: 12cm H: 2cm
Material Metal
Special Feature Shade Ø: 22cm H: 9cm
Color Black Matt - Bronze / **Code 1465** 







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 36cm H: 35cm
 Base Ø: 10cm H: 2cm
 Material Metal - Alumunium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - White / **Code 1548**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 130cm W: 25cm H: 55cm
 Base L: 2.7cm W: 8cm H: 30cm
 Material Metal
 Special Feature Shade Ø: 25cm
 Color Black Matt / **Code 19231**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 36cm H: 21cm
 Base Ø: 10cm H: 2cm
 Material Aluminium
 Special Feature 150cm Cable Adjustable
 Color Black Matt - White / **Code 1495**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 80-110cm
 Base Ø: 9cm H: 2cm
 Material Metal - Aluminium
 Special Feature Shade Ø: 20cm
 Color Black Matt - White / **Code 19219**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 60-100cm W: 20cm H: 85cm
 Base Ø: 8cm H: 2cm
 Material Metal - Aluminium
 Special Feature Shade Ø: 20cm
 Color Black Matt - White / **Code 19218**







Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 80cm
 Material Aluminium
 Color Sandy White / **Code 1566-W**
 Sandy Black / **Code 1566-B**



Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 40cm
 Material Aluminium
 Color Sandy White / **Code 1567-W**
 Sandy Black / **Code 1567-B**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 25cm
 Material Aluminium
 Color Sandy White / **Code 1568-W**
 Sandy Black / **Code 1568-B**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 16cm
 Material Aluminium
 Special Feature Angle 30°
 Color Sandy White / **Code 1569-W**
 Sandy Black / **Code 1569-B**







Floor-Table Collection






Power 30W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 2392Lm
Cri 80
Dimensions Ø: 60cm H: 175cm
Base Ø: 35cm H: 3cm
Non Dimmable
Material Metal - Aluminium - Acrylic
Special Feature Profile 2.2 x 2.2cm
Color Sandy Black / **Code 22038**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1200Lm
Cri	80
Dimensions	Ø: 25cm H: 160cm
Base	Ø: 25cm H: 0.5cm
Material	Metal - Acrylic
Non Dimable	☒
Special Feature	150cm Cable Available Shade Ø: 16cm H: 2cm Uplight
Color	Sandy Black / Code 22065






Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1200Lm
Cri 80
Dimensions H: 125cm
Base L: 15cm W: 15cm H: 5cm
Non Dimmable ☒
Material Aluminium
Special Feature 120cm Cable Available
Movable
Color Black Matt / **Code 20147**







Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 630Lm
 Cri 80
 Dimensions Ø: 12cm H: 155cm
 Base Ø: 21cm H: 1cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Sandy Black / **Code 20113**



Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 150cm
 Base Ø: 16cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature 150cm Cable Available
 Color Black Matt / **Code 20123**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 1.6cm H: 46cm
 Base Ø: 12cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20118**




Power 5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 400Lm
Cri 80
Dimensions Ø: 21cm H: 155cm
Base Ø: 21cm H: 1cm
Non Dimmable ☒
Material Metal - Aluminium
Special Feature 150cm Cable Available
Lamp Ø: 6.5cm
Movable
Color Sandy Black / Code 20109








Power	4W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	300Lm
Cri	80
Dimensions	L: 23cm W: 18cm H: 50cm
Base	Ø: 18cm H: 0.5cm
Spot Dimension	Ø: 4cm L: 23cm
Non Dimmable	☒
Material	Metal - Aluminum
Special Feature	Movable Spot
Color	Sandy Black - Gold / Code 22030




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	80
Dimensions	Ø: 22cm H: 151cm
Base	Ø: 22cm H: 0.5cm
Spots Dimension	Ø: 4cm L: 23cm
Non Dimmable	☒
Material	Metal - Aluminum
Special Feature	Movable Spots
Color	Sandy Black - Gold / Code 22032




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 Dimensions L: 49cm W: 18cm H: 164cm
 Base L: 28cm W: 18cm
 Non Dimmable
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Profile 1.5x2x33cm
 Movable
 Color Sandy Black / **Code 20111**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 Dimensions L: 39cm W: 13cm H: 47cm
 Base L: 21cm W: 13cm
 Non Dimmable
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Profile 1.5x2x33cm
 Movable
 Color Sandy Black / **Code 20110**




Bulb 1xG9 Led
 Power MAX 5W
 Input 220-240V, 50/60Hz
 Dimensions L: 31cm W: 26cm H: 145cm
 Smoked Glass Ø: 18cm H: 20cm
 Base Ø: 26cm W: 3.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside - Black Marble Base
 Special Feature 150cm Cable Available
 Opal Glass Ø: 10cm
 Color Sandy Black - Black Marble / **Code 22053**




Bulb 1xE14 Led
 Power MAX 8W
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm W: 24cm H: 110cm
 Base L: 24cm W: 24cm H: 3cm
 Glass Ø: 8cm H: 18.5cm
 Material Metal - Clear Glass - Frost White Glass
 Special Feature 150cm Cable Available
 Color Sandy Black - Antique Brass / **Code 22136**




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 36cm
 Material Metal - Concrete - Glass
 Special Feature 120cm Cable Available
 Color Black Matt / **Code 20270**




Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 41cm
 Glass Ø: 30cm H: 35cm
 Opal Glass Ø: 10.5cm H: 13.5cm
 Material Metal - Smoked Glass Outside
 Opal Glass Inside
 Special Feature 150cm Cable Available
 Color Smoked Glass-Gold Matt / **Code 22066**



Bulb 1xE27
 Power MAX 40W
 Dimensions Ø: 70cm H: 180cm
 Material Wood - Fabric Shade
 Special Feature 130cm Cable Available
 Shade Ø: 50cm H: 20cm
 Color Natural Wood - Black Shade / **Code 1488**




Bulb 3xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions H: 156cm
 Base L: 15cm W: 15cm H: 15cm
 Material Metal - Marble - Opal Glass
 Special Feature 150cm Cable Available
 Opal Glass Ø: 8cm
 Color White Marble - Gold Matt / **Code 18179**
 Color Black Marble - Black Matt / **Code 20362**




Bulb 1xE27
Power MAX 15W
Input 220-240V, 50/60Hz
Dimensions Ø: 29cm W: 64cm H: 170cm
Material Metal - Acrylic
Special Feature 200cm Cable Available
Color Black Matt / **Code 2038**






Bulb 1xE27
 Power MAX 40W
 Dimensions H: 150cm
 Base Ø: 25cm H: 2cm
 Material Metal - Wood - Fabric Shade
 Special Feature 150cm Cable Available
 Shade Ø: 36cm H: 24cm
 Color Black Matt / **Code 20213**
 Color White Matt / **Code 20212**




Bulb 1xE14
 Power MAX 40W
 Dimensions H: 37cm
 Base Ø: 16cm H: 0.5cm
 Material Metal - Wood - Fabric Shade
 Special Feature 120cm Cable Available
 Shade Ø: 23cm H: 16cm
 Color Black Matt / **Code 20214**
 Color White Matt / **Code 20215**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 45cm H: 150cm
 Material Wood - Silk Shade
 Special Feature 150cm Cable Available
 Shade Ø: 41cm H: 26cm
 Color Natural Wood - White Shade / **Code 16179**



Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 27cm H: 44cm
 Base Ø: 15cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color White Matt - Gold Matt / **Code 20222**
 Color Black Matt - Gold Matt / **Code 20223**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 17cm H: 42cm
 Base Ø: 13cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Black Matt - Gold Matt / **Code 20217**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 45cm H: 159cm
 Base Ø: 25cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Black Matt - Gold Matt / **Code 20216**






Bulb	1xE27
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / Code 20210
Color	Gold Matt / Code 20211







Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17cm H: 21cm
 Base Ø: 11cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color Transparent - Antique Brass / **Code 20251**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 22cm
 Base Ø: 11cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color Transparent - Antique Brass / **Code 20250**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 40cm
 Base Ø: 14cm H: 0.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color White - Gold Matt / **Code 20252**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 44cm
 Base Ø: 11cm H: 19cm
 Material Metal - Marble - Glass
 Special Feature 150cm Cable Available
 Color White Marble - Champagne - Antique Brass / **Code 20253**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 18cm W: 11cm H: 18cm
 Base Ø: 12cm H: 2cm
 Material Metal - Aluminium
 Color White Matt - Gold Matt / **Code 20218**
 Grey Matt - Gold Matt / **Code 20219**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm H: 44cm
 Base Ø: 13cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color White Matt - Gold Matt / **Code 20221**
 Grey Matt - Gold Matt / **Code 20220**







Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 50cm
 Material Metal - Thread String Cord - Fabric
 Special Feature 120cm Cable Available
 Shade Ø: 30cm H: 20cm
 Color Natural - Light Beige / **Code 20235**




Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 28cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Natural - Black Matt / **Code 20232**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 52cm
 Base Ø: 15cm H: 2cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Shade Ø: 30cm H: 20cm
 Color Black / **Code 20238**



Bulb 1xE14
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 39cm
 Material Metal - Rattan
 Special Feature 120cm Cable Available
 Color Natural / **Code 20231**




Fans




Zambelis
LIGHTS

HOW TO CHOOSE YOUR CEILING FAN

STEP 1 SIZE / DIMENSIONS




STEP 2 LIGHT



STEP 3 DESIGN / CONCEPT





WHY CHOOSE A ZAMBELIS FAN



MOTOR DC ADVANTAGES




Indoor Ceiling Fans




- Led Light Source 22W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6000K
- Lumen 2200Lm
- Cri 80
- dB 20
- Dimensions 52" Ø: 132cm H: 53cm
- Air Flow 163m³ min
- Night Mode Time Setting 1h / 4h / 8h
- Material Metal - Polycarbonate - Plywood (MDF)
- Special Feature 2 Down Rods 12.5-25cm
Summer & Winter Function
- Motor Feature DC Motor 40W
6 Speeds
- Color Double Face Brown - Brown Wood Blades
Brown - Natural Wood Blades / **Code 22083**






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	54" Ø: 137cm H: 21cm
Air Flow	195m ³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	TUYA WiFi Remote Control Summer & Winter Function
Motor Feature	DC Motor 40W 5 Speeds
Color	Black Matt / Code 20257






Led Light Source Without Light
Input 220-240V, 50/60Hz
dB 23
Dimensions 64" Ø: 163cm H: 37.5-50cm
Air Flow 178m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - ABS
Special Feature 2 Down Rods 12.5-25cm
Summer Function
Possibility of Installation on a Sloping Roof - 20°
Motor Feature AC Motor 70W
3 Speeds
Color Black Matt / **Code 20258**






Led Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 20
 Dimensions 60" Ø: 152cm H: 32-44.5cm
 Air Flow 211.7m³ min
 Night Mode Time Setting 2h / 4h / 8h
 Material Metal - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Possibility of Installation on a Sloping Roof - 20°
 Motor Feature DC Motor 55W
 5 Speeds
 Color Black Matt - Solid Wood Blades / **Code 20259**





Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m ³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Palm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 48W 5 Speeds
Color	Brown - Natural Palm Leaf Blades / Code 19139






Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 37.5-50cm
Air Flow	147.4m ³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Acrylic - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Possibility of Installation on a Sloping Roof - 20°
Motor Feature	DC Motor 40W 5 Speeds
Color	Coffee - Cherry Wood Blades / Code 20256



Indoor Ceiling Fans



Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m ³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Brown - Cherry Wood Blades / Code 19143
Color	Black Matt - Cherry Wood Blades / Code 19143-B
Color	Chrome Matt - Natural Wood Blades / Code 19142



Model Finishing




Brown
Cherry Wood Blades




Black Matt
Cherry Wood Blades



Chrome Matt
Natural Wood Blades







Led Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 23
 Dimensions 52" Ø: 132cm H: 32.5-45cm
 Air Flow 175.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 57W
 3 Speeds
 Color Black Matt / **Code 19136-B**




Indoor Ceiling Fans




Led Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 23
 Dimensions 52" Ø: 132cm H: 32.5-45cm
 Air Flow 175.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 57W
 3 Speeds
 Color Black Matt - Cherry Wood Blades / **Code 19136**



Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 23
 Dimensions 52" Ø: 132cm H: 37.5-50cm
 Air Flow 175.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Polycarbonate - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 57W
 3 Speeds
 Color Black Matt - Cherry Wood Blades / **Code 19135**






Led Light Source 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K, 6000K
Lumen 1500Lm
Cri 80
dB 23
Dimensions 52" Ø: 132cm H: 30cm
Air Flow 141m³ min
Night Mode Time Setting 1h / 2h / 4h / 8h
Material Metal - Polycarbonate - Wood
Special Feature Summer Function
Motor Feature AC Motor 55W
3 Speeds

Color Black Matt - Cherry Wood Blades / Code 19144




Indoor Ceiling Fans



Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 20
 Dimensions 52" Ø: 132cm H: 42.5-55cm
 Air Flow 156.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Motor Feature DC Motor 38W
 5 Speeds
 Color White Matt - Natural Wood Blades / **Code 19140**
 Color Black Matt - Natural Wood Blades / **Code 19141**




Indoor Ceiling Fans



2-Down Rods
12.5-25cm

Led Light Source 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1800Lm
 Cri 80
 dB 23
 Dimensions 52" Ø: 132cm H: 42.5-55cm
 Air Flow 152m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - ABS Blades
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 61W
 3 Speeds

Color White / **Code 19133**



2-Down Rods
12.5-25cm


Led Light Source 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1800Lm
 Cri 80
 dB 23
 Dimensions 42" Ø: 107cm H: 38-50.5cm
 Air Flow 144m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - Plywood (MDF)
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 58W
 3 Speeds

Color Double Face White Matt - Natural Wood Blades
 White Matt - White Matt Blades / **Code 19132**




Double Face Blades






- Led Light Source 18W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6000K
- Lumen 1800Lm
- Cri 80
- dB 20
- Dimensions 47" Ø: 120cm H: 37-49.5cm
- Air Flow 156.3m³ min
- Night Mode Time Setting 1h / 4h / 8h
- Material Metal - Polycarbonate - ABS
- Special Feature 2 Down Rods 12,5-25cm
Summer & Winter Function
- Motor Feature DC Motor 38W
5 Speeds
- Color White Matt - Maple Blades / **Code 19130**
- Color Chrome Matt - Maple Blades / **Code 19131**





Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 23
 Dimensions 52" Ø: 132cm H: 36-48.5cm
 Air Flow 164m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - Plywood (MDF)
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Motor Feature AC Motor 58W
 3 Speeds
 Color Chrome Matt - Silver / **Code 19134**






Led Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 25
 Dimensions 49" Ø: 124cm H: 26cm
 Air Flow 168m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Polycarbonate - Plywood (MDF)
 Special Feature Summer Function
 Motor Feature AC Motor 55W
 3 Speeds

 Color Double Face White Matt - Maple Wood Blades
 White Matt - White Blades / **Code 19137**
 Color Chrome Matt - Brown Wood Blades / **Code 19138**




Model Finishing






HotelLighting







Led Bulb	3W
Power	1xE27
Input	MAX 40W
Color Temperature	220-240V, 50/60Hz
Lumen	3000K
Dimensions	200Lm
Shade	L: 13.5cm W: 18cm H: 30cm
Base	L: 12cm W: 18cm H: 17cm
Stick	L: 2.5cm W: 10cm H: 10cm
Non Dimmable	Ø: 3cm L: 11.5cm
Switch	☒
Material	2/Switch On-Off
Color	Aluminum - Fabric Shade
	Brushed Brass - Beige Shade / Code H73




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	80
Dimensions	Ø: 10.5cm L: 15.5cm
Depth	2.7cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	Ø: 8.7cm
Special Feature	Stick Ø: 3cm L: 11.5cm
Color	Brushed Brass / Code H71




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 200Lm
 Cri 80
 Dimensions L: 20cm W: 4.5cm
 Base L: 4.5cm W: 4.5cm H: 11.5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Flex 26cm
 Stick Ø: 3cm L: 11.5cm
 Color Sandy Black / **Code H72**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 149Lm
 Cri 90
 Dimensions Ø: 8cm L: 20-26cm
 Base Ø: 8cm L: 2.8cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Flex 26cm
 Stick Ø: 2.7cm L: 7cm
 Color Black Matt / **Code 22049**
 Color White Matt / **Code 22050**




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	204Lm
Cri	80
Dimensions	L: 7-19cm W: 16.5cm H: 6.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminum
Special Feature	USB Charger Stick Ø: 3cm L: 14cm
Color	Sandy White / Code H74
Color	Sandy Black / Code H75



Power	3W + 5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240+800Lm
Cri	80
Dimensions	L: 7-16cm W: 35cm H: 6.3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	2 Switch On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Up/Down Light Stick Ø: 2.8cm H: 10cm
Color	Black Matt / Code H54
Color	White Matt / Code H52




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions Ø: 8cm L: 20-26cm
 Base Ø: 8cm H: 3cm
 Non Dimmable ☒
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Stick Ø: 2.9cm L: 9.5cm
 Color Brushed Brass / **Code H63**



Bulb 1xG9 Led
 Power MAX 9W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 10cm H: 30cm
 Base Ø: 8cm H: 2cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Gold Matt / **Code H64** ☒
 Color Black Matt / **Code H64-B** ☒



USB Charger




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 4-12.5cm W: 7.8cm H: 18.3cm
 Depth 4.5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Cutting Hole 15.8x5.7cm
 Special Feature USB Charger
 Stick Ø: 2.8cm H: 11cm


Color Black Matt / **Code H65**
 Color Chrome Matt / **Code H66**
 Color Brushed Brass / **Code H67**




Switch On/Off




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 7cm-16cm W: 5.5cm H: 15cm
 Base L: 3cm W: 5.5cm H: 15cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Stick Ø: 2.8cm H: 10cm
 Color Brushed Brass / **Code H68**






Power 3W + 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240+350Lm
 Cri 80
 Dimensions L: 8-12cm W: 14cm H: 20cm
 Non Dimmable ☒
 Switch 2 Switch On/Off
 Material Metal - Aluminium
 Special Feature Back Light
 Stick Ø: 1.5cm H: 8cm
 Color Black Matt / **Code H41**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 150Lm
 Cri 80
 Dimensions Ø: 1.8cm H: 28cm
 Base Ø: 8cm H: 3cm
 Non Dimmable ☒
 Material Aluminium - Diffuser
 Special Feature 130cm Cable Adjustable
 Color Black Matt / **Code 17009**




Suggested Trimless Canopy **Code 20144**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 34cm W: 4cm H: 12cm
 Depth 5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Cutting Hole 8.6x3.2cm
 Special Feature Stick Ø: 2.5cm H: 6cm
 Color Black / **Code H69**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions W: 8cm H: 19cm
 Depth 6.5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Cutting Hole 17x6cm
 Special Feature Stick W: 4cm H: 14cm
 Color Black Matt / **Code H43**
 Color Brushed Copper / **Code H44**



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 255Lm
 Cri 80
 Dimensions L: 16.4cm Ø: 13cm H: 13.5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature USB Charger
 Flex 19cm
 Stick Ø: 3cm H: 5cm
 Color White Matt / **Code H58**




Power 3W + 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 765Lm
 Cri 80
 Dimensions Ø: 15cm L: 9-18cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Aluminium - Acrylic
 Special Feature Back Light
 Stick Ø: 2.8cm H: 10cm
 Color White Matt / **Code H56**



Led Bulb 3W
 1xG9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 595Lm
 Cri 80
 Dimensions L: 15cm W: 29cm H: 19cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Color White Matt / **H34-W**

Hotel Lighting | Wall Lamps



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 7-15cm H: 12cm
Base	Ø: 8cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 3cm H: 12cm
Color	Black Matt / Code H48-B
Color	Copper / Code H47


Model Finishing




Copper



Black Matt




Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Acrylic
Special Feature	Switch On-Off
Color	White Matt / Code 20167
Color	Grey / Code 20168




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 595Lm
Cri 80
Dimensions L: 12cm W: 6cm H: 16.2cm
Base L: 3cm W: 6cm H: 15cm
Non Dimmable
Switch On/Off
Material Metal - Aluminium
Special Feature Shade Ø: 8.5cm H: 6.5cm
Movable Shade
Color Sandy White - Natural Wood / **Code H62**
Sandy Black - Brown Wood / **Code H61**



Hotel Lighting | Wall Lamps




Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Dimensions L: 25cm W: 15.5cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Switch 2/Switch On-Off
 Material Metal - Bush
 Special Feature Shade Ø: 15.5cm H: 15cm
 Stick Ø: 2.8cm L: 36cm
 Color Black Matt - Natural / **Code 20355**




Bulb 1xE27
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 8cm H: 2cm
 Material Metal - Bush - Burlap
 Special Feature 150cm Cable Adjustable
 Color Natural / **Code 20354**








Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Dimensions L: 25cm W: 17cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Non Dimmable ☒
 Switch 2/Switch On-Off
 Material Metal - Aluminium - Fabric Shade
 Special Feature Shade Ø: 17cm H: 14.5cm
 Stick Ø: 2.8cm L: 36cm
 Color Black Matt / **Code H57**



Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 14.5-20cm W: 20cm H: 20cm
 Non Dimmable ☒
 Switch 2 On/Off
 Material Metal - Aluminium - Fabric Shade
 Special Feature USB Charger
 Shade L: 12cm W: 20cm H: 11cm
 Stick Ø: 2.8cm H: 8.5cm
 Color Black Matt / **Code H59**






USB Charger


Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 12.5-19cm W: 4cm H: 20cm
 Non Dimmable ☒
 Switch On/Off
 Material Metal - Aluminium
 Special Feature USB Charger
 Color Black Matt / **Code H35**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 15-20cm W: 6cm
 Base L: 3cm W: 6cm H: 8cm
 Non Dimmable ☒
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Flex 20cm
 Color White Matt / **Code H33**
 Color Black Matt / **Code H32**



Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Base Ø: 8cm L: 3cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Flex 20cm
 Color Chrome / **Code H30**



Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 595Lm
 Cri 80
 Dimensions L: 25cm W: 24cm H: 28.2cm
 Base W: 15cm H: 8cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Fabric Shade
 Special Feature Shade L: 16.4cm W: 24cm H: 13cm
 Stick Ø: 3x27cm
 Color Chrome - Light Beige / **Code H51**



Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 24-40cm W: 20cm H: 30cm
Base L: 2.5cm W: 11cm H: 14cm
Material Metal - Fabric Shade
Special Feature Shade Ø: 13-20cm H: 15cm
Color Chrome Matt - Black Shade / **Code H24-B**
Chrome Matt - Beige Shade / **Code H24-W**


Model Finishing




Chrome Matt
Black Shade



Chrome Matt
Beige Shade






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 17.8cm W: 20cm H: 21cm
 Base L: 2.5cm W: 12cm H: 12cm
 Material Metal - Fabric Shade
 Special Feature Shade L: 13.5cm W: 20cm H: 14.5cm
 Color Chrome - Light Beige Shade / **Code H15-W**
 Color Chrome - Black Shade / **Code H15-B**



Chrome
Light Beige Shade




Chrome
Black Shade



Led 3W
 Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 24cm W: 19cm H: 34cm
 Base L: 3cm W: 12cm H: 16cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Fabric Shade
 Special Feature Shade W: 13-19cm H: 20.5cm
 Color Chrome - Light Beige Shade / **Code H26-W**
 Color Chrome - Black Shade / **Code H26-B**







Bulb 1xE27
Power MAX 40W
Input 220-240V, 50/60Hz
Dimensions L: 23cm W: 14cm H: 33cm
Base L: 21cm W: 14cm H: 2.5cm
Material Metal - Mirror - Fabric Shade
Special Feature 120 Cable Available
Shade L: 16cm W: 12cm H: 23cm
Color Chrome Matt - Light Beige Shade / **Code H11-WH**




Hotel Lighting | Wall Lamps with Shade




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 27-36cm W: 19cm H: 30cm
 Base L: 3cm W: 12cm H: 15cm
 Material Metal - Fabric Shade
 Special Feature Shade L: 13-19cm H: 20cm
 Color Chrome Matt - Light Beige Shade / **Code H08-WH**




Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 32-40cm W: 19cm H: 52cm
 Base L: 16cm W: 22cm H: 1cm
 Material Metal - Fabric Shade
 Special Feature 120cm Cable Available
 Shade L: 13-19cm H: 20cm
 Color Chrome Matt - Light Beige Shade / **Code H06-WH**







Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 10.5cm W: 7cm H: 11cm
 Base L: 2.5cm W: 7cm H: 11cm
 Material Aluminium
 Special Feature Cylinder Ø: 6cm H: 7cm
 Color White Matt / **Code 180105**




Bulb 2xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 33cm W: 12cm H: 20cm
 Base Ø: 12cm H: 3cm
 Material Metal
 Color Dark Brown / **Code 17140**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 13cm W: 7.5cm H: 12cm
 Base L: 3cm W: 7.5cm H: 12cm
 Material Aluminium
 Special Feature Cylinder Ø: 6.5cm H: 7cm
 Color Dark Grey / **Code 16185**



Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 10cm L: 15cm H: 12cm
 Base Ø: 10cm H: 2cm
 Material Metal - Aluminium
 Color Nickel Matt - Chrome / **Code 16191**




Bulb 4xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 21cm W: 21cm H: 13cm
 Base L: 21cm W: 21cm H: 3cm
 Material Aluminium
 Special Feature Cylinder Ø: 6.5cm H: 7cm
 Color Dark Grey / **Code 16186**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8cm L: 17cm H: 8cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Aluminium
 Color Black Matt - Chrome / **Code 16189**







Bulb 3xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 Dimensions L: 45cm W: 6cm H: 11.8cm
 Base L: 45cm W: 6cm H: 3cm
 Material Metal - Aluminium
 Special Feature Cylinder Ø: 6cm L: 8.2cm
 Color Black Matt - Brushed Brass / **Code S107**
 Color Black Matt / **Code S106**



Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 11.8cm
 Base Ø: 6cm H: 2.8cm
 Material Metal - Aluminium
 Special Feature Cylinder Ø: 6cm L: 8.2cm
 Color Black Matt - Brushed Brass / **Code S105**
 Color Black Matt / **Code S104**



Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1500Lm
 Cri 80
 Dimensions L: 60cm W: 9cm H: 6cm
 Base L: 3cm W: 19.5cm H: 4.5cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP44
 Up & Down Light
 Profile 6x6cm
 Color Black Matt / **Code 22088**




Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 4000K
 Lumen 4300Lm
 Cri 80
 Dimensions L: 70cm W: 3.5cm H: 70cm
 Non Dimmable ☒
 Material Mirror - Aluminium
 Special Feature Touch Switches
 Antifog
 Back Light
 IP54

Color Mirror / **Code 22069**



**Anti Fog and
 Back Light
 Touch Switches
 On the Mirror**




Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 4000K
 Lumen 2600Lm
 Cri 80
 Dimensions Ø: 60cm W: 3.5cm
 Non Dimmable ☒
 Material Mirror - Aluminium
 Special Feature Touch Switches
 Antifog
 Back Light
 IP54

Color Mirror / **Code 22067**




**Anti Fog and
 Back Light
 Touch Switches
 On the Mirror**




Power 36W
 Input 220-240V, 50/60Hz
 Color Temperature 4000K
 Lumen 3200Lm
 Cri 80
 Dimensions Ø: 80cm W: 3.5cm
 Non Dimmable ☒
 Material Mirror - Aluminium
 Special Feature Touch Switches
 Antifog
 Back Light
 IP54


Color Mirror / **Code 22068**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1538Lm
 Cri 81
 Dimensions L: 61cm W: 10cm H: 7.5cm
 Base Ø: 7.5cm L: 10cm
 Non Dimmable
 Material Aluminum - Acrylic
 Special Feature IP54
 Profile 2.5 x 2.2cm
 Color Sandy Black / **Code 22124**




Power 17W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2600Lm
 Cri 81
 Dimensions L: 81cm W: 10cm H: 7.5cm
 Base Ø: 7.5cm L: 10cm
 Non Dimmable
 Material Aluminum - Acrylic
 Special Feature IP54
 Profile 2.5 x 2.2cm
 Color Sandy Black / **Code 22125**




Power 21W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3000Lm
 Cri 81
 Dimensions L: 100cm W: 10cm H: 7.5cm
 Base Ø: 7.5cm L: 10cm
 Non Dimmable
 Material Aluminum - Acrylic
 Special Feature IP54
 Profile 2.5 x 2.2cm
 Color Sandy Black / **Code 22126**






Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 Dimensions L: 7.2cm W: 60cm H: 6.2cm
 Base Ø: 6.2cm L: 7.2cm
 Non Dimmable ☒
 Material Aluminium
 Special Feature IP 44
 Profile 0.8 x 0.8cm
 Color Sandy Black / **Code 20145**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1040Lm
 Cri 80
 Dimensions L: 7.2cm W: 90cm H: 6.2cm
 Base Ø: 6.2cm L: 7.2cm
 Non Dimmable ☒
 Material Aluminium
 Special Feature IP 44
 Profile 0.8 x 0.8cm
 Color Sandy Black / **Code 20146**






Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 760Lm
 Cri 80
 Dimensions L: 6.3cm W: 9.3cm H: 31cm
 Non Dimmable ☒
 Material Metal - Aluminum - Acrylic
 Special Feature IP44
 Color Chrome / **Code 22087**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1500Lm
 Cri 80
 Dimensions L: 9.5cm W: 60cm H: 6.3cm
 Base L: 3cm W: 19.5cm H: 4.5cm
 Non Dimmable ☒
 Material Metal - Aluminum - Acrylic
 Special Feature IP44
 Color Chrome / **Code 22085**




Power 21W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2200Lm
 Cri 80
 Dimensions L: 9.5cm W: 90cm H: 6.3cm
 Base L: 3cm W: 19.5cm H: 4.5cm
 Non Dimmable ☒
 Material Metal - Aluminum - Acrylic
 Special Feature IP44
 Color Chrome / **Code 22086**







Bulb 1xG9 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 Dimensions L: 16.7cm W: 16cm H: 16.7cm
 Base L: 8cm W: 3cm H: 8cm
 Material Aluminium - Opal Glass
 Special Feature IP 44
 Color Brushed Brass / **Code 20149**




Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 Dimensions L: 60cm W: 60cm H: 6cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 20150**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 4cm W: 60cm H: 2cm
 Non Dimmable
 Material Stainless Steel - Acrylic
 Special Feature IP 44 - Click on Mirror
 Remote Driver Included
 Color Anodized Stainless Steel / **Code 20148**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1040Lm
 Cri 80
 Dimensions L: 6.8cm W: 47cm H: 7cm
 Non Dimmable
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 180042**



Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 8cm W: 36cm H: 4cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 180043**



Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 Dimensions L: 8cm W: 55cm H: 3.8cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 180041**




Architectural Lighting





Mini Surface Track
Magnetic Lighting System



One shop, One light...

There are many lighting types in retail lighting design, such as general lighting, accent lighting, and task lighting, is it possible to use one light fixture to solve all the lighting requirements?


Yes, it is MAGNETIC MINITRACK SYSTEM.

The light designer could use it in various possibilities.


Mini Linear Light

Mini Fix Spots


Mini Adjustable Eyes



Free combination



Polarized free



Color: black

Mini Track Eyes - Code 22251



24V-3000K
Length 50mm

No Light Corner Connector - Code 22257



Dimensions 25x25mm

Feeder 24V - Code 22260



Cable Length 2500mm

Mini Track Eyes - Code 22252



24V-3000K
Length 100mm

Showcase Corner Connector - Code 22258



Dimensions 35x26mm

Mini Track Linear Light



24V-3000K
Length :
150mm - Code 22254
300mm - Code 22255
600mm - Code 22256

Mini Track Spots - 22253



24V-3000K
Length 150mm

Blind Cover - Code 22259



Length 100mm

Mini Track (Free-Cut Length)



Dimensions :
1100x12.5x10.5mm - Code 22261
2200x12.5x10.5mm - Code 22262

Magnetic Surface Clip - 22264



Surface Clip with Screws - Code 22265



Showcase Holder - Code 22263



Inner Connector - 22260-I



End Cup - 22260-E



Attractive Colour Presentation...

CRI>90, High Quality Light Output

Because ambient light reproduces colours differently, the colour rendering index (CRI) is used as reference. The CRI indicates the ratio by which the illuminated object or the illuminated area deviates from the maximum value of 100 (daylight).


MINI TRACK has an impressively high CRI of 90, which means that it comes very close to natural light and is suitable for colour-sensitive applications such as display cases and special exhibition spaces.

The material quality, feel, and colour authenticity of merchandise and artworks need to be rendered as accurately as possible to accentuate object's value. The especially small light surface of the LEDs and high light density allow the luminaires to perfectly reflect the three-dimensionality of amorphous surfaces. Products with a CRI of 90 are perfect for high-end sales floors and art settings.

R9>90, Closer to True Colors

R9 is the index to present the color of Red. Red is a very important icon to many objects like photography, textiles, bones and skins. For human eyes, the red is a key reference to distinguish the real true colors.

A higher R9 index can better present the true colors. MINI TRACK, with R9 higher than 90, can better present the world closer to true colors.





Mini Track Eyes



Code	Spots Number	Input	Power	Kelvin	Cri	Beam Angle
22251	1spot	24V	1.5W	3000K	97	20°
22252	2spots	24V	2.6W	3000K	97	20°
Lumen	Dimmable	Length				
80Lm	DALI	50mm				
160Lm	DALI	100mm				

Mini Track Linear



Code	Input	Power	Kelvin	Cri	Beam Angle
22254	24V	2.4W	3000K	93	125°
22255	24V	4.8W	3000K	93	125°
22256	24V	9.6W	3000K	93	125°
Lumen	Dimmable	Length			
210Lm	DALI	150mm			
420Lm	DALI	300mm			
830Lm	DALI	600mm			

Mini Track Spots



Code	Input	Power	Kelvin	Cri	Beam Angle
22253	24V	2.5W	3000K	97	30°
Lumen	Dimmable	Length			
150Lm	DALI	150mm			




Dimming Options

1. DALI Dimming : Dali Driver 24V . Suitable with Drivers to Page : 701



48
VOLT
CURVED
MAGNETIC
SYSTEM






SURFACE Curved Track

Dimensions Ø: 600mm
L: 628mm
Material Aluminum
Color Sandy Black
Code 22090

TRIMLESS Curved Track

Dimensions Ø: 600mm
L: 628mm
Material Aluminum
Color Sandy Black
Code 22091




Lights for 22090 - 22091 Tracks




Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 600mm L: 195mm W: 23mm H: 45mm
Beam Angle 36°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22092**



Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 600mm L: 195mm W: 23mm H: 45mm
Beam Angle 120°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22093**




Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 600mm Ø: 45mm L: 110mm
Beam Angle 36°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22094**



Power 2W
Input 48V
Color Temperature 3000K
Lumen 170Lm
Cri 80
Dimensions Curved: 600mm L: 30mm W: 23mm H: 45mm
Beam Angle 25°
Non Dimmable
Material Acrylic
Color Sandy Black / **Code 22107**







SURFACE Curved Track

Dimensions Ø: 900mm
L: 942.5mm
Material Aluminum
Color Sandy Black
Code 22097

TRIMLESS Curved Track

Dimensions Ø: 900mm
L: 942.5mm
Material Aluminum
Color Sandy Black
Code 22098




SURFACE Curved Track

Dimensions Ø: 1200mm
L: 1252.5mm
Material Aluminum
Color Sandy Black
Code 22102

TRIMLESS Curved Track

Dimensions Ø: 1200mm
L: 1252.5mm
Material Aluminum
Color Sandy Black
Code 22103



Lights for 22097 - 22098 Tracks



Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 900mm L: 195mm W: 23mm H: 45mm
Beam Angle 36°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22099**



Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 900mm L: 195mm W: 23mm H: 45mm
Beam Angle 120°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22100**

Lights for 22102 - 22103 Tracks





Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 1200mm L: 195mm W: 23mm H: 45mm
Beam Angle 36°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22104**

Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 1200mm L: 195mm W: 23mm H: 45mm
Beam Angle 120°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22105**



Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 900mm Ø: 45mm L: 110mm
Beam Angle 36°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22101**

Power 2W
Input 48V
Color Temperature 3000K
Lumen 170Lm
Cri 80
Dimensions Curved: 900mm L: 30mm W: 23mm H: 45mm
Beam Angle 25°
Non Dimmable
Material Acrylic
Color Sandy Black / **Code 22107**



Power 8W
Input 48V
Color Temperature 3000K
Lumen 780Lm
Cri 80
Dimensions Curved: 1200mm Ø: 45mm L: 110mm
Beam Angle 36°
DALI Dimmable
Material Aluminium - Acrylic
Color Sandy Black / **Code 22106**

Power 2W
Input 48V
Color Temperature 3000K
Lumen 170Lm
Cri 80
Dimensions Curved: 1200mm L: 30mm W: 23mm H: 45mm
Beam Angle 25°
Non Dimmable
Material Acrylic
Color Sandy Black / **Code 22107**

Connectors for All Curved Tracks




Flex Connector with Cable for 48V Curved Magnetic Tracks
Code 22096 / Color Black




Feeder for 48V Curved Magnetic Tracks
Code 22095 / Color Black



Curved Mechanic Connector
Material Metal
Color Black / Code 22097-C



End Cap
Material Metal
Color Black / Code 22097-E



Design your Own Lighting


Your mind imagines, shapes and forms...
We create them!

Shopping Guide


- A** Code 22090-22091
- B** Code 22097-22098
- C** Code 22102-22103

Our Suggestion


Top view




Top view



Top view



Top view






4.8
VOLT
**MAGNETIC
SYSTEM**



COLOR VARIETY UPON REQUEST

SMART CONTROLS

SAVING ENERGY



SLIM LUMINAIRES


CUSTOMIZE ARCHITECTURAL LIGHTING



EASY CHANGES




SMOOTH SNAP MOUNTING




Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 328mm W: 23mm H: 45mm
 Beam Angle 120°
 DALI Dimmable ☉
 Material Aluminium - PC Diffuser
 Color Sandy Black / **Code 2087**
OSRAM

Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 328mm W: 23mm H: 45mm
 Beam Angle 120°
 Non Dimmable ☒
 Material Aluminium - PC Diffuser
 Color Sandy Black / **Code 2086**
OSRAM




Power 20W
 Input 48V
 Color Temperature 3000K - 4000K
 Lumen 2200Lm
 Cri 80
 Dimensions L: 652mm W: 23mm H: 45mm
 Beam Angle 120°
 DALI Dimmable ☉
 Material Aluminium - PC Diffuser
 Color 3000K Sandy Black / **Code 2089**
 Color 4000K Sandy Black / **Code 2089-4B**
 Color 3000K Sandy White / **Code 2089-3W**
OSRAM

Power 20W
 Input 48V
 Color Temperature 3000K
 Lumen 2200Lm
 Cri 80
 Dimensions L: 652mm W: 23mm H: 45mm
 Beam Angle 120°
 Not Dimmable ☒
 Material Aluminium - PC Diffuser
 Color Sandy Black / **Code 2088**
OSRAM




Power 10W
 Input 48V
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 150mm W: 23mm H: 95mm
 Beam Angle Asymmetric 50°
 DALI Dimmable ☉
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2092-D**
OSRAM

Power 10W
 Input 48V
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 80
 Dimensions L: 150mm W: 23mm H: 95mm
 Beam Angle Asymmetric 50°
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2092**
OSRAM



Power 8W
 Input 48V
 Color Temperature 3000K - 4000K
 Lumen 1020Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 45mm
 Beam Angle 30°
 DALI Dimmable ☉
 Material Aluminium - Acrylic
 Color 3000K Sandy Black / **Code 2091**
 Color 4000K Sandy Black / **Code 2091-4B**
 Color 3000K Sandy White / **Code 2091-3W**
OSRAM

Power 8W
 Input 48V
 Color Temperature 3000K
 Lumen 1020Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 45mm
 Beam Angle 30°
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2090**
OSRAM




Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 53mm
 Beam Angle 30°
 DALI Dimmable ☉
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2099**
OSRAM

Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions L: 220mm W: 23mm H: 53mm
 Beam Angle 30°
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2090**
OSRAM





Power 7W
 Input 48V
 Color Temperature 3000K-4000K
 Lumen 770Lm
 Cri 80
 Dimensions Ø: 37mm H: 87mm
 Beam Angle 32°
 DALI Dimmable
 Material Aluminium
 Color 3000K Sandy Black / **Code 20400-BD**
 Color 3000K Sandy White / **Code 20401-WD**
 Color 4000K Sandy White / **Code 20405**
CREE ⇄



Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions Ø: 37mm H: 87mm
 Beam Angle 32°
 Non Dimmable
 Material Aluminium
 Color 3000K Sandy Black / **Code 20402-B**
 Color 3000K Sandy White / **Code 20403-W**
CREE ⇄




Power 5W
 Input 48V
 Color Temperature 3000K
 Lumen 550Lm
 Cri 80
 Dimensions Ø: 27mm H: 145mm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / **Code 20179**
 Color Gold / **Code 20180**
OSRAM




Power 5W
 Input 48V
 Color Temperature 3000K
 Lumen 550Lm
 Cri 80
 Dimensions Ø: 26mm H: 125mm
 Beam Angle 24°
 DALI Dimmable
 Material Aluminium
 Color Sandy Black / **Code 2094**
CREE ⇄



Power 5W
 Input 48V
 Color Temperature 3000K
 Lumen 550Lm
 Cri 80
 Dimensions Ø: 26mm H: 125mm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / **Code 2093**
CREE ⇄




Power 12W
 Input 48V
 Color Temperature 3000K
 Lumen 1320Lm
 Cri 80
 Dimensions Ø: 120mm H: 110mm
 Beam Angle 38°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / **Code 20177**
 Color Sandy White / **Code 20178**
OSRAM



Power 15W
 Input 48V
 Color Temperature 3000K
 Lumen 1650Lm
 Cri 80
 Dimensions Ø: 45mm H: 200mm
 Beam Angle 24°
 DALI Dimmable
 Material Aluminium
 Color Sandy Black / **Code 2095-D**
CREE ⇄

Power 15W
 Input 48V
 Color Temperature 3000K
 Lumen 1650Lm
 Cri 80
 Dimensions Ø: 45mm H: 200mm
 Beam Angle 24°
 Non Dimmable
 Material Aluminium
 Color Sandy Black / **Code 2095**
CREE ⇄



Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions Ø: 30mm H: 500mm
 Beam Angle 24°
 DALI Dimmable ☉
 Material Aluminium
 Special Feature 100cm Cable Adjustable
 Color Sandy Black / Code 2081-D
CREE



Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 80
 Dimensions Ø: 30mm H: 500mm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Special Feature 100cm Cable Adjustable
 Color Sandy Black / Code 2081
CREE


CASAMBI READY wireless control for DALI luminaires

The Zambelis 48V tracks are compatible with CASAMBI control system, which permits bidirectional communication between control device and luminaires, making it possible for the user to create scenes, regulate the system from smart devices, etc.

With the CASAMBI control system and its Control wireless variants, the user has total control over the installation, with all the features available in low voltage alternatives. The 48V system does not mean relinquishing the leading edge in control for architectural lighting.

Power by : **CASAMBI**
 Available App on :







TRIMLESS Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane




CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color	Corner Code	Plane	Color
2083B-1	1m	Sandy Black	2083B-C1	Vertical	Sandy Black
2083W-1	1m	Sandy White	2083W-C1	Vertical	Sandy White
2083B-2	2m	Sandy Black	2083B-C2	Horizontal	Sandy Black
2083W-2	2m	Sandy White	2083W-C2	Horizontal	Sandy White
2083B-3	3m	Sandy Black			
2083W-3	3m	Sandy White			

Notice : For corners type C1 required also to order 20105 and for type C2 20104

Accessories for Track 2083




End Cap
Material Plastic
Color Black / **Code 2099-B**
Color White / **Code 2099-W**



PC Cover 3m
Material Plastic
Color Black Gloss / **Code 20107**





SURFACE Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane




CORNER 90° (c2)
Horizontal Plane




Track Code	Size	Color	Corner Code	Plane	Color
2082B-1	1m	Sandy Black	2082B-C1	Vertical	Sandy Black
2082W-1	1m	Sandy White	2082W-C1	Vertical	Sandy White
2082B-2	2m	Sandy Black	2082B-C2	Horizontal	Sandy Black
2082W-2	2m	Sandy White	2082W-C2	Horizontal	Sandy White
2082B-3	3m	Sandy Black			
2082W-3	3m	Sandy White			

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories for Track 2082




End Cap
Material Metal
Color Black / **Code 20100-B**
Color White / **Code 20100-W**




End Cap
Material Plastic
Color Black / **Code 2098-B**
Color White / **Code 2098-W**




Surface Mounted Kit (2pcs)
Material Stainless Steel
Code 2082SP



PC Cover 3m
Material Plastic
Color Black Gloss / **Code 20107**




Suspension Kit (2pcs) / Adjustable Wire 2m
Material Aluminium
Code 20102-B



Straight Mechanic Connector
Material Aluminium
Code 2097-B





RECESSED Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane





SURFACE SHORT Track : 1m / 2m / 3m



CORNER 90° (c1)
Vertical Plane



CORNER 90° (c2)
Horizontal Plane



Track Code	Size	Color
2084B-1	1m	Sandy Black
2084W-1	1m	Sandy White
2084B-2	2m	Sandy Black
2084W-2	2m	Sandy White
2084B-3	3m	Sandy Black
2084W-3	3m	Sandy White

Corner Code	Plane	Color
2084B-C1	Vertical	Sandy Black
2084W-C1	Vertical	Sandy White
2084B-C2	Horizontal	Sandy Black
2084W-C2	Horizontal	Sandy White


Notice : For corners type C1 required also to order 20105 and for type C2 20104

Track Code	Size	Color
2085B-1	1m	Sandy Black
2085W-1	1m	Sandy White
2085B-2	2m	Sandy Black
2085W-2	2m	Sandy White
2085B-3	3m	Sandy Black
2085W-3	3m	Sandy White


Corner Code	Plane	Color
2085B-C1	Vertical	Sandy Black
2085W-C1	Vertical	Sandy White
2085B-C2	Horizontal	Sandy Black
2085W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories for Track 2084



End Cap
Material Metal
Color Black / Code 20108-1B
Color White / Code 20108-1W




End Cap
Material Metal
Color Black / Code 20108-B
Color White / Code 20108-W




Recessed Accessorie Kit (2pcs)
Material Stainless Steel
Code 20106


Accessories for Track 2085



End Cap
Material Plastic
Color Black / Code 20101-B
Color White / Code 20101-W




Suspension Kit (2pcs) / Adjustable Wire 2m
Material Aluminium
Code 20102




Straight Mechanic Connector
Material Aluminium
Code 2097

Accessories for All Tracks


Color : Black (RAL 9005)




Feeder for 48V Magnetic Tracks
Code 2096 / Color Black
Code 2096-W / Color White




Inner Connector for 48V Magnetic Tracks
Code 20103 / Color Black
Code 20103-W / Color White



Flex Connector with Cable for 48V Magnetic Tracks
Code 20105 / Color Black
Code 20105-W / Color White




Corner Connector for 48V Magnetic Tracks
Code 20104 / Color Black
Code 20104-W / Color White




Wireless Control for 48V Magnetic Tracks
 Bluetooth DALI
Code 20293

Power by :
CASAMBI
 Available App on :


Remote Drivers



Remote Driver 60W
 48V
 5Years Guarantee
 ON-OFF / **Code 20295**
 DALI KIT / **Code 20322**
 PUSH BUTTON KIT / **Code 20300**
 BLUETOOTH KIT / **Code 20303**




Remote Driver 100W
 48V
 5Years Guarantee
 ON-OFF / **Code 20296**
 DALI KIT / **Code 20298**
 PUSH BUTTON KIT / **Code 20301**
 BLUETOOTH KIT / **Code 20304**



Remote Driver 150W
 48V
 5Years Guarantee
 ON-OFF / **Code 20297**
 DALI KIT / **Code 20299**
 PUSH BUTTON KIT / **Code 20302**
 BLUETOOTH KIT / **Code 20305**

Ceiling Drivers



Surface Mount Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature Included 48V Feeder
 Color Sandy Black
 Guarantee 5Years


ON-OFF / Code 20306-B
 DALI KIT / Code 20308-B
 PUSH BUTTON KIT / Code 20310-B
 BLUETOOTH KIT / Code 20312-B



Surface Mount Base with Driver for Surface Magnetic Track

Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature Included 48V Feeder
 Color Sandy Black
 Guarantee 5Years

ON-OFF / Code 20307-B
 DALI KIT / Code 20309-B
 PUSH BUTTON KIT / Code 20311-B
 BLUETOOTH KIT / Code 20313-B



Surface Mount Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature Included 48V Feeder
 Color Sandy White
 Guarantee 5Years


ON-OFF / Code 20306-W
 DALI KIT / Code 20308-W
 PUSH BUTTON KIT / Code 20310-W
 BLUETOOTH KIT / Code 20312-W



Surface Mount Base with Driver for Surface Magnetic Track

Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature Included 48V Feeder
 Color Sandy White
 Guarantee 5Years

ON-OFF / Code 20307-W
 DALI KIT / Code 20309-W
 PUSH BUTTON KIT / Code 20311-W
 BLUETOOTH KIT / Code 20313-W



Pendant Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available - 48V Feeder
 Color Sandy Black
 Guarantee 5Years

ON-OFF / Code 20314-B
 DALI KIT / Code 20316-B
 PUSH BUTTON KIT / Code 20318-B
 BLUETOOTH KIT / Code 20320-B



Pendant Base with Driver for Surface Magnetic Track

Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available - 48V Feeder
 Color Sandy Black
 Guarantee 5Years


ON-OFF / Code 20315-B
 DALI KIT / Code 20317-B
 PUSH BUTTON KIT / Code 20319-B
 BLUETOOTH KIT / Code 20321-B



Pendant Base with Driver for Surface Magnetic Track

Power 75W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available - 48V Feeder
 Color Sandy White
 Guarantee 5Years

ON-OFF / Code 20314-W
 DALI KIT / Code 20316-W
 PUSH BUTTON KIT / Code 20318-W
 BLUETOOTH KIT / Code 20320-W



Pendant Base with Driver for Surface Magnetic Track

Power 150W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature 200cm Cable Available - 48V Feeder
 Color Sandy White
 Guarantee 5Years

ON-OFF / Code 20315-W
 DALI KIT / Code 20317-W
 PUSH BUTTON KIT / Code 20319-W
 BLUETOOTH KIT / Code 20321-W



Driver for Surface Magnetic Track


Power 100W
 Input 220-240 , 50-60Hz
 Output 48V
 Special Feature Fully Integrates Into Track
 Color Black
 Guarantee 5Years

ON-OFF / Code 22269







48
VOLT
SOFT
TRACK



Power 9W
 Input 48V
 Color Temperature 3000K
 Lumen 990Lm
 Cri 90
 Dimensions L: 23.7cm W: 2.2cm H: 2.5cm
 Base W: 11.4cm H: 2.8cm L: 2.3cm
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 20276**
OSRAM



Power 7W
 Input 48V
 Color Temperature 3000K
 Lumen 770Lm
 Cri 90
 Stick Ø: 3.5cm H: 9.5cm
 Base W: 11.4cm H: 2.8cm L: 2.3cm
 Beam Angle 24°
 Material Aluminium
 Special Feature Movable
 Color Sandy Black / **Code 20275**
OSRAM



LED Strip 2.5m

Power 14W/m
 Input 48V
 Color Temperature 3000K
 Lumen 1150Lm/m
 Cri 90
 Length 250cm
 Color Black Base / **Code 20277**
OSRAM


LED Strip 5m

Power 14W/m
 Input 48V
 Color Temperature 3000K
 Lumen 1150Lm/m
 Cri 90
 Length 500cm
 Color Black Base / **Code 20278**
OSRAM








Soft Track : 10m
Color Black / Code 20280




Ceiling Profile : 1m
Material Aluminium
Color Black / Code 20279



End Cap for 48V Soft Track
Dimensions L: 3.9cm W: 1.8cm H: 2.4cm
Material Plastic
Color Black / Code 20284



Corner Connector for 48V Soft Track
Dimensions L: 4.8cm W: 1.8cm H: 2.4cm
Material Plastic
Color Black / Code 20282




T Connector for 48V Soft Track
Dimensions L: 7.1cm W: 1.8cm H: 2.4cm
Material Plastic
Color Black / Code 20283




Adjustable Wire for 48V Soft Track with Accessories
Length 200cm
Material Metal
Color Sandy Black / Code 20286



Cover for 48V Soft Track
Dimensions L: 16.4cm W: 3.7cm H: 7.6cm
Material Plastic
Special Feature Rotate 360°
Color Black / Code 20285



Tooling for Cutting Soft Track
Code 20281



Surface Mount Base for 48V Soft Track System
Power 100W
Input 220-240V , 50/60Hz
Output 48V
Dimensions L: 35cm W: 6cm H: 8cm
Non Dimmable
Guarantee 5Years
Color Sandy Black / Code 20292

Design your own Lighting



Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 285Lm
 Cri 80
 Dimensions Ø: 10cm H: 7.6cm
 Dimmable Triac
 Material Aluminium - PC Diffuser
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 19152**
 Sandy White / **Code 19151**

Ceiling / Wall Base for 24V Light System

Power 200W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions L: 25cm W: 12cm H: 7.6cm
 Non Dimmable
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 20139**

Ceiling / Wall Base for 24V Light System

Power 150W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions Ø: 15.5cm H: 7.6cm
 Non Dimmable
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 20140**




Ceiling / Wall Base for 24V Light System

Power 100W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions Ø: 15.5cm H: 7.6cm
 Non Dimmable
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Color Sandy Black / **Code 19154**
 Sandy White / **Code 19153**

Ceiling / Wall Base for 24V Light System

Power 100W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions Ø: 15.5cm H: 7.6cm
 Dimmable Triac
 Material Aluminium
 Driver Included
 Special Feature Plug & Play With Jack System
 Remote Control Included

Color Sandy Black / **Code 19156**
 Sandy White / **Code 19155**



Design your own Lighting



Power 5W
 Input 24V
 Color Temperature 3000K
 Lumen 475Lm
 Cri 80
 Dimensions Ø: 6cm H: 10cm
 Dimmable Triac
 Material Aluminium - PC Diffuser
 Special Feature Plug & Play With Jack System
 180cm Cable Adjustable

Color Sandy Black / **Code 19168**
 Sandy White / **Code 19167**



Power 20W
 Input 24V
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 22.3cm H: 3.8cm
 Non Dimmable
 Material Aluminium - Diffuser
 Special Feature Plug & Play With Jack System

Color Sandy Black / **Code 19172**
 Sandy White / **Code 19171**



Power 7W
 Input 24V
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions Ø: 11cm H: 3.8cm
 Non Dimmable
 Material Aluminium - Diffuser
 Special Feature Plug & Play With Jack System


Color Sandy Black / **Code 19170**
 Sandy White / **Code 19169**



Power		4W	10W	18W	24W	30W
Input	24V					
Color Temperature	3000K					
Lumen		280Lm	700Lm	1260Lm	1680Lm	2100Lm
Cri	80					
Dimensions	Ø: 1.5cm	27cm	57cm	97cm	127cm	157cm
Dimmable Triac	<input type="radio"/>					
Material	Aluminium - Diffuser					
Special Feature	Plug & Play With Jack System					
Color	Sandy Black / Code	19158	19160	19162	19164	19166
Color	Sandy White / Code	19157	19159	19161	19163	19165









Customize Architectural Lighting


- Different Dimming:** On-Off, Dali, Bluetooth
- Different CCT:** 2200K - 6500K
- Different Colors**
- Different Levels of Lumen Output**
- Different Dimension Upon Request**



48mm LED profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed, providing direct light emission through a diffuser made either of sated polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards with small color tolerance.





34mm LED profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed mounting, providing direct light emission through PMMA diffuser. Luminaire equipped with the latest generation of well known LED boards with small color tolerance.



In the following Electrical Table, you may find Watt and Lumen Output, High Efficiency (HE) 200Lm/W - 3357Lm/m, High Output (HO) 188Lm/W - 5640Lm/m accordingly to the length of our LED profile

Set HO		Lumen		Set HE		Lumen	
Length (cm)	Watt	3000K	4000K	Length (cm)	Watt	3000K	4000K
58	18	2565	2700	58	10	1577	1660
86	27	3848	4050	86	15	2366	2490
114	36	5130	5400	114	20	3154	3320
142	45	6413	6750	142	25	3943	4150
170	54	7695	8100	170	30	4731	4980
198	63	8978	9450	198	35	5520	5810
226	72	10260	10800	226	40	6308	6640
254	81	11543	12150	254	45	7097	7470
282	90	12825	13500	282	50	7885	8300
310	99	14108	14850	310	55	8674	9130
338	108	15390	16200	338	60	9462	9960






Fill in your code using the following items from the table.

Ceiling Profile

Code	Length	Driver	Kelvin	Set	Body Color
51	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
51	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
51	114 = 114cm				G = Sandy Grey
51	142 = 142cm				
51	170 = 170cm				
51	198 = 198cm				
51	226 = 226cm				
51	254 = 254cm				
51	282 = 282cm				
51	310 = 310cm				
51	338 = 338cm				

Guide to Create your Code by Choosing : 51 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
52	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
52	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
52	114 = 114cm				G = Sandy Grey
52	142 = 142cm				
52	170 = 170cm				
52	198 = 198cm				
52	226 = 226cm				
52	254 = 254cm				
52	282 = 282cm				
52	310 = 310cm				
52	338 = 338cm				

Guide to Create your Code by Choosing : 52 - Length - Driver - Kelvin - Set - Body Color








Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
53	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
53	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
53	114 = 114cm				
53	142 = 142cm				
53	170 = 170cm				
53	198 = 198cm				
53	226 = 226cm				
53	254 = 254cm				
53	282 = 282cm				
53	310 = 310cm				
53	338 = 338cm				

Guide to Create your Code by Choosing : 53 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
54	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
54	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
54	114 = 114cm				
54	142 = 142cm				
54	170 = 170cm				
54	198 = 198cm				
54	226 = 226cm				
54	254 = 254cm				
54	282 = 282cm				
54	310 = 310cm				
54	338 = 338cm				

Guide to Create your Code by Choosing : 54 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.

Ceiling Profile					
Code	Length	Driver	Kelvin	Set	Body Color
31	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
31	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
31	114 = 114cm				
31	142 = 142cm				
31	170 = 170cm				
31	198 = 198cm				
31	226 = 226cm				


Guide to Create your Code by Choosing : 31 - Length - Driver - Kelvin - Set - Body Color

Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
32	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
32	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
32	114 = 114cm				
32	142 = 142cm				
32	170 = 170cm				
32	198 = 198cm				
32	226 = 226cm				

Guide to Create your Code by Choosing : 32 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
33	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
33	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
33	114 = 114cm				
33	142 = 142cm				
33	170 = 170cm				
33	198 = 198cm				
33	226 = 226cm				
33	254 = 254cm				
33	282 = 282cm				
33	310 = 310cm				
33	338 = 338cm				

Guide to Create your Code by Choosing : 33 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.


Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
34	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
34	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
34	114 = 114cm				
34	142 = 142cm				
34	170 = 170cm				
34	198 = 198cm				
34	226 = 226cm				
34	254 = 254cm				
34	282 = 282cm				
34	310 = 310cm				
34	338 = 338cm				

Guide to Create your Code by Choosing : 34 - Length - Driver - Kelvin - Set - Body Color





LED circle luminaire, made of a curved extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant mounting, providing direct light emission through satined polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards. Driver ON/OFF



Fill in your code using the following items from the table.

Ceiling Circle			
Code	Diameter	Kelvin	Body Color
81	06 = 60cm	3 = 3000K	W = Sandy White
81	09 = 90cm	4 = 4000K	B = Sandy Black
81	12 = 120cm		
81	18 = 180cm		


Guide to Create your Code by Choosing : 81 - Diameter - Kelvin - Body Color

Pendant Circle			
Code	Diameter	Kelvin	Body Color
82	06 = 60cm	3 = 3000K	W = Sandy White
82	09 = 90cm	4 = 4000K	B = Sandy Black
82	12 = 120cm		
82	18 = 180cm		

Guide to Create your Code by Choosing : 82 - Diameter - Kelvin - Body Color

High Output			
Diameter (cm)	Watt	3000K (Lumen)	4000K (Lumen)
60	54	7267	7650
90	81	10858	11430
120	116	14449	15210
180	161	21660	22800





Dimensions
Description L: 300cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Color Black / **Code 19400**
Color White / **Code 19401**



Dimensions
Description L: 200cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Color Black / **Code 19400-2M**
Color White / **Code 19401-2M**



Dimensions
Description L: 17cm W: 10cm H: 3.4cm
T Connector for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19408**
Color White / **Code 19409**



Dimensions
Description L: 10cm W: 10cm H: 3.4cm
Corner for 3 Circuit Lighting Track
100-240V
Special Feature Right Corner / Left Corner
Color Black-Right / **Code 19404-R**
Color Black-Left / **Code 19404-L**
Color White-Right / **Code 19405-R**
Color White-Left / **Code 19405-L**



Dimensions
Description L: 100cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Color Black / **Code 19400-1M**
Color White / **Code 19401-1M**



Dimensions
Description L: 400cm W: 3.2cm H: 3.5cm
Square Track Surface 100-240V
Color Black / **Code 19400-4M**
Color White / **Code 19401-4M**



Dimensions
Description Ø: 11.2cm H: 3.2cm
Surface Mount Base for Track Spots
100-240V
Color Black / **Code 19412**
Color White / **Code 19413**



Dimensions
Description L: 7cm H: 2.6cm
Inner Connector for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19415**
Color White / **Code 19416**



Dimensions
Description L: 17cm H: 3.4cm
Live Connector for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19406**
Color White / **Code 19407**



Dimensions
Description L: 10cm H: 3.4cm
Feeder for 3 Circuit Lighting Track
100-240V
Special Feature Right Feeder / Left Feeder
Color Black-Right / **Code 19402-R**
Color Black-Left / **Code 19402-L**
Color White-Right / **Code 19403-R**
Color White-Left / **Code 19403-L**




Dimensions
Description L: 3.2cm H: 3.2cm
End Cap for 3 Circuit Lighting Track
100-240V
Color Black / **Code 19410**
Color White / **Code 19411**




Dimensions
Description 200cm
Adjustable Wire for 3 Circuit Lighting Track
100-240V
Material Metal
Color Metallic / **Code 19414**






Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K / 4000K
 Cri 80
 Dimensions Ø: 6.5cm H: 21cm
 Non Dimmable
 Material Aluminium
 Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18303	3000K	2400Lm	Black
18304	3000K	2400Lm	White
18305	4000K	2475Lm	Black
18306	4000K	2475Lm	White



Power 20W
 Input 220-240V, 50/60Hz
 Lumen 2000Lm
 Cri 80
 Dimensions Ø: 7cm H: 13.5cm
 Material Aluminium
 Special Feature 3 Phase Track Light Driver on Track




Power 38W
 Input 220-240V, 50/60Hz
 Lumen 3648Lm
 Cri 80
 Dimensions Ø: 9cm H: 16.5cm
 Material Aluminium
 Special Feature 3 Phase Track Light Driver on Track

Fill in your code using the following items from the table.

3 Phase Track Light			
Code	Kelvin	Body Color	Beam Angle
S065-	3 = 3000K	W = Sandy White	15 = 15°
S066-	4 = 4000K	B = Sandy Black	24 = 24°
			36 = 36°

Guide to Create your Code by Choosing : Kelvin - Body Color - Beam Angle






Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 13cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Color Black Matt / **Code S059**
 Color White Matt / **Code S058**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 13cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature 3 Phase Track Light
 Included LED Driver

Color Black Matt / **Code S059-15**
 Color Black Matt / **Code S059-24**
 Color Black Matt / **Code S059-40**
 Color White Matt / **Code S058-15**
 Color White Matt / **Code S058-24**
 Color White Matt / **Code S058-40**
OSRAM




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 Dimensions Ø: 7cm L: 4cm H: 10cm
 Beam Angle 36°
 Dimmable Triac
 Material Aluminium
 Special Feature 3 Phase Track Light
 Included Honeycomb
 Color Sandy Black / **Code Z65644T-B**
 Color Sandy White / **Code Z65644T-W**



Bulb 1xGU10 Led
 Power MAX 10W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6.8cm H: 10cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Color Brushed Brass / **Code Z65105NT-BB**
 Color Metal Grey / **Code Z65105NT-G**






Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 13cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Color Black Matt / **Code S062**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 13cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature 3 Phase Track Light
 Included LED Driver

Color Black Matt / **Code S062-15**
 Color Black Matt / **Code S062-24**
 Color Black Matt / **Code S062-40**

OSRAM



Bulb 1xGU10
 Power MAX 40W
 Dimensions Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Material Aluminium
 Special Feature 200cm Cable Adjustable
 Color Black Matt / **Code S063**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 90
 Dimensions Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature 200cm Cable Adjustable
 Included LED Driver


Color Black Matt / **Code S063-15**
 Color Black Matt / **Code S063-24**
 Color Black Matt / **Code S063-40**






Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 20cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Material Aluminium
 Color Black Matt / **Code S055**
 Color White Matt / **Code S054**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 20cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm H: 3cm
 Beam Angle 15° / 24° / 40°
 Material Aluminium
 Special Feature Included LED Driver



Color Black Matt / **Code S055-15**
 Color Black Matt / **Code S055-24**
 Color Black Matt / **Code S055-40**
 Color White Matt / **Code S054-15**
 Color White Matt / **Code S054-24**
 Color White Matt / **Code S054-40**

OSRAM




Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 12cm
 Material Aluminium
 Special Feature 3 Phase Track Light
 Color Sandy Black / **Code S038**
 Color Sandy White / **Code S037**



Bulb 1xGU10
 Power MAX 35W
 Dimensions Ø: 6cm H: 17cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm
 Cutting Hole Ø: 5cm
 Material Aluminium
 Special Feature Recessed Track Light
 Color Black Matt / **Code S057**
 Color White Matt / **Code S056**

Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 90
 Dimensions Ø: 6cm H: 17cm
 Cylinder Ø: 6cm H: 13cm
 Base Ø: 6cm
 Beam Angle 15° / 24° / 40°
 Cutting Hole Ø: 5cm
 Material Aluminium
 Special Feature Recessed Track Light
 Included LED Driver




Color Black Matt / **Code S057-15**
 Color Black Matt / **Code S057-24**
 Color Black Matt / **Code S057-40**
 Color White Matt / **Code S056-15**
 Color White Matt / **Code S056-24**
 Color White Matt / **Code S056-40**


OSRAM

Material Aluminium
 Color Gold / **Code Ring G**







Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 580Lm
 Cri 90
 Dimensions Ø: 4.5cm H: 12cm
 Beam Angle 36°
 Material Aluminum
 Special Feature 3 Phase Track Light
 Color Brushed Brass / **Code S114**
 Color White Matt / **Code S115**
 Color Black Matt / **Code S116**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 580Lm
 Cri 90
 Dimensions Ø: 4.5cm H: 12cm
 Base Ø: 5.5cm
 Beam Angle 36°
 Cutting Hole Ø: 4cm
 Material Aluminum
 Special Feature Recessed Track Light
 Included LED Driver
 Color Brushed Brass / **Code S117**
 Color White Matt / **Code S118**
 Color Black Matt / **Code S119**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 580Lm
 Cri 90
 Dimensions Ø: 4.5cm H: 15cm
 Base Ø: 4.5cm H: 3cm
 Beam Angle 36°
 Material Aluminum
 Special Feature Included LED Driver
 Color Brushed Brass / **Code S120**
 Color White Matt / **Code S121**
 Color Black Matt / **Code S122**




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 5.2cm H: 12.8cm
 Spot Ø: 5.2cm H: 9.3cm
 Base Ø: 5.2cm H: 3cm
 Material Aluminum
 Special Feature Included LED Driver
 Color White Sandy / **Code S123**
 Color Black Sandy / **Code S124**



Model Finishing



Brushed Brass



White Matt





Black Matt




Bulb 1xGU10
 Power MAX 40W
 Dimensions Ø: 6.3cm H: 11.4cm
 Material Aluminium
 Special Feature GU10 Lampholder Included
 Color Black Matt / **Code S001**
 Color White Matt / **Code S002**




Color Black / **Code Z050112-B**
 Material Plastic



Bulb 1xGU10
 Power MAX 40W
 Dimensions L: 9cm W: 9cm H: 11.5cm
 Material Aluminium
 Special Feature GU10 Lampholder Included
 Color White Matt / **Code S039**
 Color Black Matt / **Code S040**



Bulb 1xGU10 Led
 Power MAX 10W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7.5cm H: 40cm
 Material Aluminium
 Special Feature 200cm Trasparent Cable Adjustable
 GU10 Lampholder Included
 Color Brushed Brass / **Code Z63105MA-BB**
 Color Black Matt / **Code Z63105MA-B**
 Color White Matt / **Code Z63105MA-W**
***Ring** Black / **Code Z050112-B**
 *Reflector must be ordered seperately




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 500Lm
 CRI 80
 Dimensions Ø: 6cm H: 6.5cm
 Beam Angle 35°
 Dimmable Triac
 Material Aluminium
 Color White Matt / **Code Z12107K-W**
 Color Black Matt / **Code Z12107K-B**
***Ring** Black / **Code Z050106-B**
***Ring** Brass / **Code Z050106-BR**
 *Reflector must be ordered separately



Color Brass / **Code Z050106-BR**
 Material Plastic


Color Black / **Code Z050106-B**
 Material Plastic




Bulb 1xGU10 Led
 Power MAX 10W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 7.5cm H: 13.5cm
 Material Aluminium
 Special Feature GU10 Lampholder Included
 Color Metal Grey / **Code Z12105M-G**
 Color White / **Code Z12105M-W**
 Color Brushed Brass / **Code Z12105M-BB**
***Ring** Black / **Code Z050112-B**
 *Reflector must be ordered separately




Color Black / **Code Z050112-B**
 Material Plastic



Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 80
 IP 54
 Dimensions Ø: 8cm H: 5.5cm
 Beam Angle 120°
 Material Aluminium
 Color Sandy Black / **Code S131**
 Color Sandy White / **Code S132**



Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions Ø: 6.5cm H: 4.5cm
 Beam Angle 120°
 Material Aluminium
 Color Sandy Black / **Code S133**
 Color Sandy White / **Code S134**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1050Lm
 Cri 80
 Dimensions Ø: 11cm H: 7cm
 Material Aluminium - Acrylic
 Color Sandy White / **Code 22133**
 Color Sandy Black / **Code 22134**





Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 90
 IP 54
 Dimensions Ø: 6.3cm H: 7.5cm
 Beam Angle 20°
 Non Dimmable
 Material Aluminium - Glass
 Special Feature Included LED Driver
 Color Sandy Black / **Code S112**
 Color Sandy White / **Code S113**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 750Lm
 Cri 80
 Dimensions L: 7.5cm W: 7.5cm H: 9.5cm
 Beam Angle 32°
 Non Dimmable
 Material Aluminium - Glass
 Special Feature Included LED Driver
 Color White - Black Reflector / **Code S068**
 Color Black - Black Reflector / **Code S069**

Modularization...

Select Adjustable or Non Adjustable Spots and create the ultimate style by combining the different models available.

Adjustable Models...



Bulb
Power
Input
Dimensions
Cutting Hole
Material
Special Feature
Recessed
Trimless

1xGU10 LED
MAX 10W
220-240V, 50/60Hz
Ø: 8.5cm H: 7cm
Ø: 7.4cm
Aluminium
GU10 Lampholder Not Included
Sandy White - Black Chrome / **Code S125**
Sandy White - Black Chrome / **Code S127**




Non Adjustable Models...




Bulb
Power
Input
Dimensions
Cutting Hole
Material
Special Feature
Recessed
Trimless

1xGU10 LED
MAX 10W
220-240V, 50/60Hz
Ø: 8.5cm H: 7cm
Ø: 7.4cm
Aluminium
GU10 Lampholder Not Included
Sandy White - Black Chrome / **Code S126**
Sandy White - Black Chrome / **Code S128**



Power 1x2W COB LED
 Input 2.8V / 350mA
 Color Temperature 3000K
 Lumen 200Lm
 Cri 80
 IP 65
 Dimensions Ø: 3.7cm H: 4.1cm
 Beam Angle 24°
 Cutting Hole Ø: 3.2cm
 Material Aluminium
 Suggested Driver V350-1050 for 1-8 Fixture
 LSCW350P for 1 Fixture
 Color Sandy White / **Code 180016**


Power 1x5W COB LED
 Input 10V / 500mA
 Color Temperature 3000K
 Lumen 580Lm
 Cri 80
 Dimensions Ø: 5.8cm H: 5cm
 Beam Angle 25°
 Cutting Hole Ø: 5cm
 Material Aluminium
 Suggested Driver V350-1050 for 1-3 Fixture / Series Connection
 LSCW500P for 1 Fixture
 Color Sandy White / **Code 180012**




Power 1x7W COB LED
 Input 20V / 350mA
 Color Temperature 2700K
 Lumen 630Lm
 Cri 80
 Dimensions Ø: 5cm H: 8.7cm
 Cutting Hole Ø: 4.5cm
 Beam Angle 24°
 Material Aluminium
 Suggested Driver LSCW350P for 1 Fixture
 Color Sandy White / **Code 180013**

Power 1x5W COB LED
 Input 8.5V / 500mA
 Color Temperature 3000K
 Lumen 580Lm
 Cri 80
 Dimensions Ø: 3.5cm H: 6.1cm
 Cutting Hole Ø: 3.5cm
 Beam Angle 36°
 Material Aluminium
 Suggested Driver LSCW500P for 1 Fixture
 Color Sandy White / **Code Z10103 BTR-W**

Power 1x5W COB LED
 Input 8.5V / 500mA
 Color Temperature 3000K
 Lumen 580Lm
 Cri 80
 Dimensions Ø: 3.5cm H: 6.1cm
 Cutting Hole Ø: 3.5cm
 Beam Angle 36°
 Material Aluminium
 Suggested Driver LSCW500P for 1 Fixture
 Color Sandy White - Black / **Code Z10103 BTR-B**



Power 1x7W COB LED
 Input 20V / 350mA
 Color Temperature 2700K
 Lumen 630Lm
 Cri 80
 Dimensions Ø: 5.8cm H: 7.3cm
 Beam Angle 15°
 Cutting Hole Ø: 5cm
 Material Aluminium
 Suggested Driver LSCW350P for 1 Fixture
 Special Feature Movable
 Color Sandy White / **Code 180009**




Power 1x7W COB LED
 Input 20V / 350mA
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 Dimensions Ø: 4cm H: 10cm
 Beam Angle 36°
 Cutting Hole Ø: 4.5cm
 Base Ø: 6cm
 Material Aluminium
 Suggested Driver LSCW350P for 1 Fixture
 Special Feature Movable
 Color Sandy White / **Code 180015**
 Color Sandy Black / **Code 180017**




CODE	mA	Watt	V
V350-1050	350-1050	34	2-32






Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	990Lm
Cri	80
Dimensions	Ø: 4.5cm H: 9.8cm
Beam Angle	15-30° Adjustable
Cutting Hole	Ø: 5cm
Base	Ø: 5.5cm
Material	Aluminium
Special Feature	Recessed Zoomable Spot Included LED Driver
Color	Sandy White - Black / Code 1928
Color	Sandy Black / Code 1928-B






Power	2x9W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1620Lm
Cri	80
Dimensions	Ø: 14cm H: 11.3cm
Beam Angle	18°
Cutting Hole	Ø: 12.8cm
Material	Aluminium
Special Feature	Movable Included LED Driver
Color	Sandy White / Code 1927
Color	Sandy Black / Code 1926







Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 350Lm
 Cri 90
 Dimensions L: 5.2cm W: 5.2cm H: 5.6cm
 Cutting Hole 4.3 x 4.3cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 6cm
 Driver Included (135mA)
 Color Sandy White / **Code S098**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 150Lm
 Cri 90
 Dimensions L: 4.5cm W: 4.5cm H: 5cm
 Cutting Hole 3.5 x 3.5cm
 Beam Angle 30°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 5.5cm
 Driver Included (700mA)
 Color Sandy White - Black / **Code S084**



Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 350Lm
 Cri 89.6
 Dimensions L: 7.5cm W: 4.5cm H: 5cm
 Cutting Hole 6.5 x 3.5cm
 Beam Angle 30°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 5.5cm
 Driver Included (350mA)
 Color Sandy White - Black / **Code S085**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 950Lm
 Cri 90
 Dimensions L: 9cm W: 9cm H: 5.6cm
 Cutting Hole 8 x 8cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 6cm
 Driver Included (350mA)
 Color Sandy White / **Code S102**




Power 11W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 770Lm
 Cri 90
 Dimensions L: 14.7cm W: 4.5cm H: 5cm
 Cutting Hole 13.5 x 3.5cm
 Beam Angle 30°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 5.5cm
 Driver Included (600mA)
 Color Sandy White - Black / **Code S086**






Power 4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 270Lm
 Cri 90
 Dimensions Ø: 4cm H: 5.8cm
 Cutting Hole Ø: 3.3cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required JT : 6.5cm
 Driver Included (700mA)
 Color White Matt - Black Matt / **Code S092**



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 90
 Dimensions Ø: 6cm H: 8.2cm
 Cutting Hole Ø: 5.1cm
 Beam Angle 40°
 Non Dimmable ☒
 Material Aluminium
 Depth Required JT : 9cm
 Driver Included (160mA)
 Color White Matt - Black Matt / **Code S093**



Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1050Lm
 Cri 90
 Dimensions Ø: 7.5cm H: 10cm
 Cutting Hole Ø: 6.8cm
 Beam Angle 38°
 Non Dimmable ☒
 Material Aluminium
 Depth Required JT : 11cm
 Driver Included (350mA)
 Color White Matt - Black Matt / **Code S094**




S073


S074




S075




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 90
 Dimensions Ø: 5.5cm H: 9.1cm
 Cutting Hole Ø: 5.2cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required JT : 9.5cm
 Driver Included (160mA)
 Color White Matt / **Code S073**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 90
 Dimensions Ø: 7.5cm H: 9.8cm
 Cutting Hole Ø: 7.2cm
 Beam Angle 31°
 Non Dimmable ☒
 Material Aluminium
 Depth Required JT : 10.5cm
 Driver Included (250mA)
 Color White Matt / **Code S075**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 90
 Dimensions Ø: 5.5cm H: 9.1cm
 Cutting Hole Ø: 5.2cm
 Beam Angle 24°
 Non Dimmable ☒
 Material Aluminium
 Depth Required JT : 9.5cm
 Driver Included (160mA)
 Color Black Matt / **Code S074**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 90
 Dimensions Ø: 7.5cm H: 9.8cm
 Cutting Hole Ø: 7.2cm
 Beam Angle 31°
 Non Dimmable ☒
 Material Aluminium
 Depth Required JT : 10.5cm
 Driver Included (250mA)
 Color Black Matt / **Code S076**







Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 90
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm
 Cutting Hole Ø: 6.2cm
 Beam Angle 22°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 8cm
 Driver Included (135mA)
 Color Sandy White / **Code S095**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 675Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 10.5cm
 Driver Included (200mA)
 Color Sandy White / **Code S096**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 90
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm
 Cutting Hole Ø: 6.2cm
 Beam Angle 22°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 8cm
 Driver Included (135mA)
 Color Sandy Black / **Code S095-B**
 Copper Matt / **Code S095-C**
 Gold Matt / **Code S095-G**



Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1125Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 12cm
 Driver Included (350mA)
 Color Sandy White / **Code S097**



Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 675Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 10.5cm
 Driver Included (200mA)
 Color Sandy Black / **Code S096-B**
 Copper Matt / **Code S096-C**
 Gold Matt / **Code S096-G**





Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1125Lm
 Cri 90
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Non Dimmable ☒
 Material Aluminium
 Depth Required 12cm
 Driver Included (350mA)
 Color Sandy Black / **Code S097-B**
 Copper Matt / **Code S097-C**
 Gold Matt / **Code S097-G**




Wall Washer

Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	90
IP	54
Dimensions	L: 14.7cm W: 4.5cm H: 5cm
Cutting Hole	14 x 3.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 5.5cm
Driver	Included (600mA)
Color	White Matt / Code S087




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	975Lm
Cri	90
Dimensions	Ø: 6.2cm H: 8.3cm
Base	Ø: 7.3cm
Cutting Hole	Ø: 6.6cm
Beam Angle	33°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (300mA)
Color	White Matt - Black Matt Reflector / Code S079




Wall Washer

Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	80
IP	54
Dimensions	Ø: 10.3cm H: 3.2cm
Cutting Hole	Ø: 8.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (250mA)
Color	White / Code S072




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	910Lm
Cri	90
IP	54
Dimensions	Ø: 8.3cm H: 8.5cm
Cutting Hole	Ø: 7.6cm
Beam Angle	32°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 9cm
Driver	Included (300mA)
Color	Black Matt / Code S078
Color	White Matt / Code S077




Power 2x7W
 Input 10V / 700mA
 Color Temperature 3000K
 Lumen 1040Lm
 Cri 90
 Dimensions L: 16.8cm W: 9cm H: 9cm
 Cutting Hole 8.2 x 16.4cm
 Beam Angle 36°
 Material Aluminium
 Depth Required JT: 9cm
 Required Driver V350-1050 / Series Connection
 Special Feature Movable
 Stick Ø: 4cm

Color Sandy White - Black / **Code Z11207-W**
 Color Sandy Black - Gold / **Code Z11207-B**




Power 7W
 Input 10V / 700mA
 Color Temperature 3000K
 Lumen 520Lm
 Cri 90
 Dimensions Ø: 9.1cm H: 9cm
 Cutting Hole Ø: 8.2cm
 Beam Angle 36°
 Material Aluminium
 Depth Required JT: 9cm
 Required Driver LSCW700P for 1 Fixture
 Special Feature Movable
 Stick Ø: 4cm

Color Sandy White - Black / **Code Z11107-W**
 Color Sandy Black - Gold / **Code Z11107-B**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 750Lm
 Cri 90
 Dimensions Ø: 7cm H: 8.3cm
 Cutting Hole Ø: 6cm
 Beam Angle 38°
 Non Dimmable
 Material Aluminium
 Depth Required JT: 9cm
 Driver Included (250mA)
 Color White Matt - Black Matt Reflector / **Code S070**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1125Lm
 Cri 90
 Dimensions Ø: 8.5cm H: 10.3cm
 Cutting Hole Ø: 7.8cm
 Beam Angle 30°
 Non Dimmable
 Material Aluminium
 Depth Required JT: 11cm
 Driver Included (350mA)
 Color White Matt - Black Matt Reflector / **Code S071**





Down Light
 Dimensions
 Cutting Hole
 Material
 Depth Required
 Color
 Color


Ø: 8.5cm H: 4.2cm
 Ø: 8.5cm
 Aluminium - Plastic Reflector
 10cm
 Sandy White - Black Reflector / **Code S089**
 Sandy White - White Reflector/ **Code S088**



Down Light
 Dimensions
 Cutting Hole
 Material
 Depth Required
 Color
 Color

L: 7.8cm W: 7.8cm H: 4.4cm
 7.8 x 7.8cm
 Aluminium
 10cm
 Sandy White - Black Reflector / **Code S091**
 Sandy White - White Reflector/ **Code S090**

Installation Manual



Trimless Canopy **Code 20144**


Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6.8cm H: 5.7cm
 Cutting Hole Ø: 6.2cm
 Material Aluminium
 Depth Required 11cm
 Special Feature GU10 Lampholder Included
 Color Sandy White - Black / **Code Z10105-D9**


Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6.9cm H: 4.9cm
 Cutting Hole Ø: 6.4cm
 Material Aluminium
 Depth Required 13cm
 Special Feature GU10 Lampholder Included
 Color Sandy White - Black / **Code Z10105-AD**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 12cm H: 11cm
 Cutting Hole Ø: 8.2cm
 Material Aluminium
 Depth Required 11cm
 Special Feature GU10 Lampholder Included
 Movable
 Color Black / **Code Z11105 TR-B**
 Color White / **Code Z11105 TR-W**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 6cm H: 4cm
 Cutting Hole Ø: 6cm
 Material Aluminium
 Depth Required 12cm
 Special Feature GU10 Lampholder Included
 Color Black / **Code Z10105 TR-B**
 Color White / **Code Z10105 TR-W**





Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 440Lm
 Cri 90
 IP 54
 Dimensions Ø: 8cm H: 4cm
 Cutting Hole Ø: 7.3cm
 Beam Angle 20°
 Non Dimmable ☒
 Material Aluminium - Glass
 Depth Required JTI : 4.5cm
 Driver Included
 Color Black / **Code S110**
 Color White / **Code S111**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions Ø: 8.5cm H: 4.5cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required JTI : 10.5cm
 Special Feature GU10 Lampholder Included
 Color Black Matt / **Code S046**
 Color White Matt / **Code S045**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions Ø: 8.3cm H: 3.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required JTI : 9.7cm
 Special Feature GU10 Lampholder Included
 Color White / **Code S003**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required JTI : 11.7cm
 Special Feature GU10 Lampholder Included
 Color White / **Code S005**


Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions Ø: 8.3cm H: 3.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required JTI : 9.7cm
 Special Feature GU10 Lampholder Included
 Color Brushed Chrome Matt / **Code S004**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm
 Cutting Hole Ø: 7cm
 Material Aluminium
 Depth Required JTI : 11.7cm
 Special Feature GU10 Lampholder Included
 Color Brushed Chrome Matt / **Code S006**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 9cm H: 4cm
 Cutting Hole Ø: 8cm
 Material Aluminium
 Depth Required JT: 10cm
 Special Feature GU10 Lampholder Included Movable
 Color White - Black / **Code S060**


Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.4cm W: 8.4cm H: 4cm
 Cutting Hole Ø: 7.6cm
 Material Aluminium
 Depth Required JT: 10cm
 Special Feature GU10 Lampholder Included Movable
 Color White - Black / **Code S061**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8.6cm H: 4cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required JT: 9cm
 Special Feature GU10 Lampholder Included Movable
 Color White / **Code S012**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8.6cm H: 4cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required JT: 9cm
 Special Feature GU10 Lampholder Included Movable
 Color Black / **Code S011**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions Ø: 8.3cm H: 5.5cm
 Cutting Hole Ø: 7.5cm
 Material Aluminium
 Depth Required JT: 10.5cm
 Special Feature GU10 Lampholder Included
 Color Black / **Code S007**
 Color White / **Code S008**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 10cm H: 4cm
 Cutting Hole L: 9.2cm W: 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White / **Code S021**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 10cm H: 4cm
 Cutting Hole L: 9.2cm W: 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White - Black / **Code S022**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions \varnothing : 10cm H: 4cm
 Cutting Hole \varnothing : 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White / **Code S019**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions \varnothing : 10cm H: 4cm
 Cutting Hole \varnothing : 9.2cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 9.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White - Black / **Code S020**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm
 Cutting Hole L: 7.5cm W: 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 13.5cm
 Special Feature GU10 Lampholder Included
 Color White / **Code S010**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm
 Cutting Hole L: 7.5cm W: 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 13.5cm
 Special Feature GU10 Lampholder Included
 Color Black / **Code S009**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.5cm W: 8.5cm H: 2cm
 Cutting Hole \varnothing : 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 7.5cm
 Special Feature GU10 Lampholder Included Movable
 Color White / **Code S013**

Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8.5cm W: 8.5cm H: 2cm
 Cutting Hole \varnothing : 7.5cm
 Material Aluminium
 Depth Required $\text{J}\overline{\text{T}}$: 7.5cm
 Special Feature GU10 Lampholder Included Movable
 Color Black / **Code S014**





Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 12cm H: 7cm
 Cutting Hole L: 12.2cm W: 12.2cm
 Material Gypsum
 Depth Required JTT: 14cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S030**




Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 12cm H: 6.1cm
 Cutting Hole L: 12.2cm W: 12.2cm
 Material Gypsum
 Depth Required JTT: 11.5cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S025**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 10cm H: 3cm
 Cutting Hole L: 10.2cm W: 10.2cm
 Material Gypsum
 Depth Required JTT: 9cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S027**





Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 12cm H: 6.2cm
 Cutting Hole L: 12.2cm W: 12.2cm
 Material Gypsum
 Depth Required JTT: 11.5cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S029**




Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8cm W: 8cm H: 6cm
 Cutting Hole L: 8.2cm W: 8.2cm
 Material Gypsum
 Depth Required JTT: 12cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S047**



22




Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 22cm W: 22cm H: 10.5cm
 Cutting Hole L: 22.2cm W: 22.2cm
 Material Gypsum
 Depth Required JTT: 4cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S109**



Bulb 1xGU10
 Power MAX 50W
 Input 220-240V, 50/60Hz
 Dimensions L: 8cm W: 8cm H: 6cm
 Cutting Hole L: 8.2cm W: 8.2cm
 Material Gypsum
 Depth Required JTT: 12cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S048**







19



Bulb 1xGU10
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 19cm W: 19cm H: 7.8cm
 Cutting Hole L: 19.2cm W: 19.2cm
 Material Gypsum
 Depth Required JTT: 10.5cm
 Special Feature GU10 Lampholder Included
 Color Pure White / **Code S108**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V . 50/60Hz
 Dimensions L: 16.6cm W:38.7cm H: 10.9cm
 Material Gypsum - Glass
 Color Pure White / **Code 20273**

Bulb 1xE14
 Power MAX 40W
 Input 220-240V . 50/60Hz
 Dimensions L: 11cm W: 22cm H: 8.5cm
 Material Gypsum
 Color Pure White / **Code 20274**


Power 9.2W
 Input 220-240V . 50/60Hz
 Color Temperature 3000K
 Lumen 460Lm
 Cri 80
 Dimensions Ø: 25cm L: 5.5cm
 Material Gypsum
 Color Pure White / **Code 20272**

Power 7.5W
 Input 220-240V . 50/60Hz
 Color Temperature 3000K
 Lumen 375Lm
 Cri 80
 Dimensions Ø: 15cm L: 4.1cm
 Material Gypsum
 Color Pure White / **Code 20271**







Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 14.5cm W: 32cm H: 5.5cm
 Material Gypsum
 Color Pure White / **Code 180026**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 10cm W: 20cm H: 6cm
 Material Gypsum
 Color Pure White / **Code 180027**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 8.5cm W: 20cm H: 12cm
 Material Gypsum
 Color Pure White / **Code 180025**



Bulb 1xG9
 Power MAX 25W
 Input 220-240V , 50/60Hz
 Dimensions L: 13cm W: 15cm H: 13cm
 Material Gypsum
 Color Pure White / **Code 180028**





2m Profile + Opal PC Cover, Aluminium

17.2

14.4

12.5

End Caps **Metal Clips**

Profile Set	
20193	2m Aluminium Profile + 2m Opal PC Cover
20193-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

24.8

14.4

12.2

End Caps **Metal Clips**

Profile Set	
20194	2m Aluminium Profile + 2m Opal PC Cover
20194-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

16

16

12

End Caps **Metal Clips**

Profile Set	
20197	2m Aluminium Profile + 2m Opal PC Cover
20197-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover , Aluminium

52.2

13.1

9.65

End Caps

Profile Set	
20205	2m Aluminium Profile + 2m Opal PC Cover
20205-E	2pcs End Caps with Hole , 2pcs End Caps without Hole

2m Profile + Opal PC Cover , Aluminium

56.6

10.6

12.5

End Caps

Profile Set	
20203	2m Aluminium Profile + 2m Opal PC Cover
20203-E	2pcs End Caps with Hole , 2pcs End Caps without Hole

2m Profile + Opal PC Cover , Aluminium

61.4

14

21

End Caps

Profile Set	
20204	2m Aluminium Profile + 2m Opal PC Cover
20204-E	2pcs End Caps with Hole , 2pcs End Caps without Hole

2m Profile + Opal PC Cover, Aluminium

15.2
12
29.4

End Caps Side Hanging End Caps Top Hanging Kit

Profile Set	
20190	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 2pcs Side Hanging End Caps
20191	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 6pcs Top Hanging Kit

2m Profile + Opal PC Cover, Aluminium
2m Profile + Clear PC Cover, Aluminium

12
10.2

End Caps Metal Clips

Profile Set	
20199	2m Aluminium Profile + 2m Opal PC Cover
20199-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

10.9
5.6
8.9

End Caps Metal Clips

Profile Set	
20195	2m Aluminium Profile + 2m Opal PC Cover
20195-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

17.5
12.2
8

End Caps Metal Clips

Profile Set	
20201	2m Aluminium Profile + 2m Opal PC Cover
20201-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

19.4
16.1
11.6

End Caps Metal Clips

Profile Set	
20198	2m Aluminium Profile + 2m Opal PC Cover
20198-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips


2m Profile + Opal PC Cover, Aluminium

24.8
12.5
7
17.3

End Caps Metal Clips


Profile Set	
20206	2m Aluminium Profile + 2m Opal PC Cover
20206-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




Profile Set
20325 2m Aluminium Profile + 2m Opal PC Cover + 4pcs Metal Clips

2m Profile + Clear PC Cover Degrees 60°, Aluminium




Profile Set
20325-60D 2m Aluminium Profile + 2m Clear PC Diffuser Cover (Degrees 60°) + 4pcs Metal Clips

2m Profile + PMMA Lens Cover, Aluminium





Profile Set
20325-WG 2m Aluminium Profile + 2m PMMA Lens Cover (Wall Grazer) + 4pcs Metal Clips


2m Profile + PMMA Lens Cover Degrees 30°, Aluminium




Profile Set
20325-30D 2m Aluminium Profile + 2m PMMA Lens Cover (Degrees 30°) + 4pcs Metal Clips



2m Profile for Heat Dissipation, Aluminium / Code 20202





-OSRAM BASIC FLEX 24V 3.5W/m SHORTPITCH 120 LEDs/m


NEW **OSRAM**
Less Wattage Better Efficiency

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172231251	20	2700	85	3.5W/m	400
4062172231275	20	3000	85	3.5W/m	420
4062172231299	20	4000	85	3.5W/m	450
4062172231695	65	2700	85	3.5W/m	370
4062172231718	65	3000	85	3.5W/m	390
4062172231732	65	4000	85	3.5W/m	415

Lumen Efficiency	110Lm/W	5 YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	120	
Voltage	DC24V	
Width	IP20 8mm IP65 10.3mm	
Unit cut	50mm	
Life Span	30000H	
Waterproof Rate	IP20 + IP65	

Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM BASIC FLEX 24V 7W/m SHORTPITCH 120 LEDs/m


NEW **OSRAM**
Less Wattage Better Efficiency

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172231374	20	3000	85	7W/m	800
4062172231398	20	4000	85	7W/m	850

Lumen Efficiency	110Lm/W	5 YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	120	
Voltage	DC24V	
Width	8mm	
Unit cut	50mm	
Life Span	30000H	
Waterproof Rate	IP20	

Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM BASIC FLEX 24V 8.6W/m SHORTPITCH 120 LEDs/m


NEW **OSRAM**
Less Wattage Better Efficiency

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172231459	20	2700	85	8.6W/m	980
4062172231473	20	3000	85	8.6W/m	1020
4062172231497	20	4000	85	8.6W/m	1050
4062172231893	65	2700	85	8.6W/m	910
4062172231916	65	3000	85	8.6W/m	950
4062172231930	65	4000	85	8.6W/m	975

Lumen Efficiency	110Lm/W	5 YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	120	
Voltage	DC24V	
Width	IP20 8mm IP65 10.3mm	
Unit cut	50mm	
Life Span	30000H	
Waterproof Rate	IP20 + IP65	

Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM PRODUCT LUMINENT 24V 9.6W/m SHORTPITCH


OSRAM

Code	IP	Kelvin	CRI	Watt	Lm/m
4055462217431	20	3000	85	9.6W/m	1000
4055462217455	20	4000	85	9.6W/m	1000

Lumen Efficiency	105Lm/W	5 YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	240	
Voltage	DC24V	
Width	8mm	
Unit cut	25mm	
Life Span	25000H	
Waterproof Rate	IP20	

Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM PRODUCT TECHFLEX 15.5W/m 2000Lm/m




Code	IP	Kelvin	CRI	Watt	Lm/m
4062172107242	20	3000	85	15.5W/m	2000
4062172107266	20	4000	85	15.5W/m	2060

Lumen Efficiency 129Lm/W
 SDCM 3
 Ra 85
 LEDs/m 140
 Voltage DC24V
 Width 8mm
 Unit cut 100mm
 Life Span 50000H
 Waterproof Rate IP20



Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-LED STRIP TW (2700K-6500K) CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS06	20	2700	90	12W/m	816
		6500	90	12W/m	1050
		2700+6500	90	24W/m	1866

Lumen Efficiency 78Lm/W
 SDCM 3
 Ra 90
 LEDs/m 120
 Voltage DC24V
 Width 10mm
 Unit cut 100mm
 Life Span 20000H
 Waterproof Rate IP20



Dimming Options

1. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700-701



-LED STRIP 2400K 12W/m CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS05	20	2400	90	12W/m	1200

Lumen Efficiency 100Lm/W
 SDCM 3
 Ra 90
 LEDs/m 120
 Voltage DC24V
 Width 10mm
 Unit cut 50mm
 Life Span 20000H
 Waterproof Rate IP20



Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-LED STRIP DIM TO WARM (2100K-3500K) CRI 90



Code	IP	Kelvin	CRI	Watt	Lm/m
LS07	20	2100-3500	90	12W/m	MAX 1050

Lumen Efficiency 88Lm/W
 Ra 90
 LEDs/m 120
 Voltage DC24V
 Width 10mm
 Unit cut 100mm
 Life Span 20000H
 Waterproof Rate IP20



Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701




-LED STRIP COB 5W + 10W CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS01	20	2700	90	5W/m	510
LS02	20	2700	90	10W/m	950
LS03	20	3000	90	10W/m	1000
LS04	20	4000	90	10W/m	1105

Lumen Efficiency 110Lm/W
 SDCM 3
 Ra 90
 SMD Type COB
 LEDs/m 480
 Voltage DC24V
 Width 10mm
 Unit cut 50mm
 Life Span 20000H
 Waterproof Rate IP20

Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701




-LED STRIP 24V 16W/mRGBW

Code	IP	Kelvin	CRI	Watt	Lm/m
LS12	20	3000	80	16W/m	832

Lumen Efficiency 52Lm/W
 SDCM 3
 Ra 80
 LEDs/m 60
 Voltage DC24V
 Width 12mm
 Unit cut 100mm
 Life Span 54000H
 Waterproof Rate IP20

Dimming Options


1. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700-701



-LED STRIP 24V 18W/m with OPTICS 20° x 45°

Code	IP	Kelvin	CRI	Watt	Lm/m
LS11	67	4000	90	18W/m	1597

Lumen Efficiency 103Lm/W
 SDCM 3
 Ra 90
 LEDs/m 48
 Voltage DC24V
 Width 18.5mm
 Unit cut 125mm
 Life Span 50000H
 Waterproof Rate IP67



Aluminium Profile
Code ALMLS10-11




Angle Mounting Clips
Code CLIPLS10-11



-RUBBER LED STRIP 9W/m IP67

Code	IP	Kelvin	CRI	Watt	Lm/m
LS14	67	3000	90	9W/m	468
LS15	67	4000	90	9W/m	495

Lumen Efficiency 55Lm/W
 SDCM 3
 Ra 90
 LEDs/m 112
 Voltage DC24V
 Unit cut 55.5mm
 Life Span 20000H
 Waterproof Rate IP67
 Special Feature UV resistant
 Chemical resistant



Aluminium Profile 1m
Code ALMLS14-15




End Cap
Code ECLS14-15



Flexible Profile
Code FPLS14-15



Feeder Cap
Code FCLS14-15



-RUBBER LED STRIP 6W/m IP67

Code	IP	Kelvin	CRI	Watt	Lm/m
LS08	67	2700	95	6W/m	240
LS09	67	3000	95	6W/m	256
LS16	67	4000	95	6W/m	240


Aluminium Profile 1m
Code ALMLS08-09



End Cap
Code ECLS08-09

Lumen Efficiency 42Lm/W
 SDCM 3
 Ra 95
 LEDs/m 480
 Voltage DC24V
 Unit cut 25mm
 Life Span 20000H
 Waterproof Rate IP67
 Special Feature UV resistant
 Chemical resistant





-FLEXIBLE WALL WASHER 3D 24V 24W/m with OPTICS 20° x 35°

Code	IP	Kelvin	CRI	Watt	Lm/m
LS17	65	2700	85	24W/m	1815



Adjustable Mounting Clips
Code CLIPLS17

Lumen 1815Lm/m
SDCM 3
Ra 85
LEDs/m 24
Voltage DC24V
Width 16.5mm
Life Span 80000H
Waterproof Rate IP65
Special Feature 30cm Open Wire from One End



Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



Power 120W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.1cm H: 3.1cm L: 26cm
 Non Dimmable ☒ On-Off
 ELEMENT 120/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899605541



Power 180W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4cm H: 3.1cm L: 30cm
 Non Dimmable ☒ On-Off
 ELEMENT 180/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899605565



Power 45W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.5cm H: 3.05cm L: 18.7cm
 DALI Dimming ○ Push Button - DALI2
 1 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code ACLS4524DA2



Power 80W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.5cm H: 3.05cm L: 16.5cm
 DALI Dimming ○ Push Button - DALI2
 1 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code ACLS8024DA2



Power 30W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.1cm H: 2.7cm L: 14.5cm
 Non Dimmable ☒ On-Off
 ELEMENT 30/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899605503



Power 60W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.1cm H: 3.1cm L: 20.1cm
 Non Dimmable ☒ On-Off
 ELEMENT 60/220-240/24 G2
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899605527




Power 150W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 4.5cm H: 3.05cm L: 29cm
 DALI Dimming ○ Push Button - DALI2
 1 CHANNELS
 Material Plastic
 Special Feature IP 20
 Color White / Code ACLS15024DA2



Input 220-240V, 50/60Hz
 Dimensions W: 5cm H: 8cm L: 8cm
 DALI Dimming ○ DALI MCU Tunable White Switch
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899465916



Power 240W
 Input 220-240V, 50/60Hz
 Dimensions W: 4.2cm H: 2cm L: 17.2cm
 Bluetooth Dimming ○ OT BLE DIM 0-100%
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899557833



POWER by CASAMBI APP



Power 182W
 Input 220-240V, 50/60Hz
 Dimensions W: 4.2cm H: 2cm L: 17.2cm
 DMX Dimming ○ PhaseCut
 OT DMX RGBW DIM 0-100%
 Material Plastic
 Special Feature IP 20
 Color White / Code 4052899557949



Power 100W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 5cm H: 3cm L: 23cm
 Dimmable Triac , 1-10 ○
 Material Metal
 Special Feature IP 20
 Color Metal / Code Z89100VND



Power 200W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions W: 5cm H: 3cm L: 28.7cm
 Dimmable Triac , 1-10 ○
 Material Metal
 Special Feature IP 20
 Color Metal / Code Z89200VND



Coins 50					
Code	Description	Kelvin	CRI	Watt	Lumen
4052899583603	PL-CN50-COB-900-927-15D-G1	2700	90	12.90W	1400
4052899583627	PL-CN50-COB-900-927-24D-G1	2700	90	12.90W	1400
4052899583641	PL-CN50-COB-900-927-40D-G1	2700	90	12.90W	1400
4052899541153	PL-CN50-COB-900-930-15D-G1	3000	90	12.90W	1400
4052899541191	PL-CN50-COB-900-930-24D-G1	3000	90	12.90W	1400
4052899541757	PL-CN50-COB-900-930-40D-G1	3000	90	12.90W	1400
4052899541795	PL-CN50-COB-900-940-15D-G1	4000	90	12.90W	1400
4052899541771	PL-CN50-COB-900-940-24D-G1	4000	90	12.90W	1400
4052899541818	PL-CN50-COB-900-940-40D-G1	4000	90	12.90W	1400
4052899605763	PL-CN50-COB-900-D2W-24D-G1	Dim to Warm	90	12.90W	1400
4052899605787	PL-CN50-COB-900-D2W-40D-G1	Dim to Warm	90	12.90W	1400

Life Span : 50000H

*7 Years Guarantee when combined with OSRAM drivers



Constant Current Drivers

Power 10W
 Input 220-240V, 50/60Hz
 Output 500mA
 Forward Voltage 14-28V
 Dimensions W: 3cm H: 2.1cm L: 13.9cm
 Dimmable PhaseCut , 1-10V
 Material Plastic
 Special Feature IP 20
 Color White / **Code 87500284**



Power 10W
 Input 220-240V, 50/60Hz
 Output 350mA
 Forward Voltage 10-20V
 Dimensions W: 3cm H: 2.1cm L: 13.9cm
 Dimmable PhaseCut , 1-10V
 Material Plastic
 Special Feature IP 20
 Color White / **Code 87500283**



Power 18W
 Input 220-240V, 50/60Hz
 Output 350mA
 Dimensions W: 5.3cm H: 3cm L: 9.5cm
 PhaseCut Dimming
 OTi FIT 18/220-240/350
 Material Plastic
 Special Feature IP 20
 Color White / **Code 4062172007559**



Power 18W
 Input 220-240V, 50/60Hz
 Output 100-1050mA
 Dimensions W: 5.3cm H: 3cm L: 9.5cm
 DALI Dimming
 OTi DALI 15 NFC
 Material Plastic
 Special Feature IP 20
 Color White / **Code 4052899548190**



Power 15W
 Input 220-240V, 50/60Hz
 Output 700mA
 Forward Voltage 10-21.5V
 Dimensions W: 3cm H: 2.1cm L: 13.9cm
 PhaseCut Dimming
 Material Plastic
 Special Feature IP 20
 Color White / **Code 89800257**



Power 7W
 Input 220-240V, 50/60Hz
 Output 350mA
 Forward Voltage 2.7-19.2V
 Dimensions W: 2.6cm H: 2cm L: 3.6cm
 Not Dimmable
 Material Plastic
 Special Feature IP 20
 Color White / **Code LSCW350P**



Power 10W
 Input 220-240V, 50/60Hz
 Output 150-700mA
 Dimensions W: 3cm H: 2.2cm L: 16.6cm
 DALI Dimming
 OTi DALI 10/220-240/700 NFC I
 Material Plastic
 Special Feature IP 20
 Color White / **Code 4062172151252**



Power 15W
 Input 220-240V, 50/60Hz
 Output 350mA
 Dimensions W: 4.3cm H: 2.2cm L: 9cm
 Not Dimmable
 On-Off ELEMENT 15/220-240/350S
 Material Plastic
 Special Feature IP 20
 Color White / **Code 4052899552906**




Power 7W
 Input 220-240V, 50/60Hz
 Output 500mA
 Forward Voltage 2.7-12.8V
 Dimensions W: 2.6cm H: 2cm L: 3.6cm
 Not Dimmable
 Material Plastic
 Special Feature IP 20
 Color White / **Code LSCW500P**




Power 7W
 Input 220-240V, 50/60Hz
 Output 700mA
 Forward Voltage 2.7-9.6V
 Dimensions W: 2.6cm H: 2cm L: 3.6cm
 Not Dimmable
 Material Plastic
 Special Feature IP 20
 Color White / **Code LSCW700P**






Outdoor Lighting






Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 70Lm
 Cri 80
 IP 54
 Dimensions Ø: 12cm H: 32cm
 3 Steps Dimming 10%, 50%, 100%
 Material Aluminum - PC Difusser
 Special Feature Portable Table Lamp
 USB Cable & Adaptor Included


Color Black Matt / **Code E314**
 Color White Matt / **Code E313**






Power 2.2W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 80Lm
Cri 80
IP 54
Dimensions Ø: 12cm H: 30cm
3 Steps Dimming 10%, 50%, 100%
Material Aluminum - PC Difusser
Special Feature Shade Ø: 12cm H: 5cm
Portable Table Lamp
USB Cable & Adaptor Included


Color Black Matt / **Code E289**
Color White Matt / **Code E290**
Color Gold Matt / **Code E291**






Power	2W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	70Lm
Cri	80
IP	54
Dimensions	Ø: 10.5cm H: 38cm
3 Steps Dimming	10%, 50%, 100%
Material	Aluminum - PC Difusser
Special Feature	Shade Ø: 11cm H: 11cm Portable Table Lamp USB Cable & Adaptor Included
Color	Sandy White / Code E193
Color	Sandy Black / Code E194








Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 375Lm
 Cri 80
 IP 54
 Dimensions L: 18cm W: 18cm H: 22cm
 3 Steps Dimming 10% , 50% , 100%
 Duration 15h , 10h , 7h
 Material Aluminum - PC Difusser
 Special Feature Portable Table Lamp
 USB Cable & Adaptor Included

Color Black / **Code E218**




Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 99Lm
 Cri 80
 IP 54
 Dimensions W: 19.4cm H: 27.9cm
 Base Ø: 10cm
 3 Steps Dimming 25%, 50%, 100%
 Duration 20h, 10h, 5h
 Material Aluminum - PC Difusser
 Special Feature Portable Table Lamp
 USB Cable & Adaptor Included

Color Black / **Code E233**
 White / **Code E234**




Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 99Lm
 Cri 80
 IP 54
 Dimensions W: 33.8cm H: 111cm
 Base Ø: 24cm
 3 Steps Dimming 25%, 50%, 100%
 Duration 20h, 10h, 5h
 Material Aluminum - PC Difusser
 Special Feature Ball Ø: 18cm
 Portable Floor Lamp
 USB Cable & Adaptor Included


Color Black / **Code E232**




Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 99Lm
 Cri 80
 IP 44
 Dimensions Ø: 18cm
 3 Steps Dimming 25% , 50% , 100%
 Duration 20h , 10h , 5h
 Material Aluminum - PC Difusser
 Special Feature Portable Table Lamp
 USB Cable & Adaptor Included
 80cm Cable Adjustable

Color Black / **Code E231**






Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 54
 Dimensions L: 5cm W: 18cm H: 11cm
 Beam Angle 30°
 Material Aluminium - Tempered Glass - PC Diffuser
 Special Feature Up - Down Light
 12xSMD Led
 Color Graphite / **Code E272**




Power 11W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 900Lm
 Cri 80
 IP 54
 Dimensions L: 10cm W: 16cm H: 7.7cm
 Material Aluminium - PC Diffuser
 Special Feature Up - Down Light
 Color Graphite / **Code E274**




Bulb 1xE27
 Power MAX 20W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9cm W: 20cm H: 10cm
 Material Aluminium - PC Diffuser
 Color Dark Brown / **Code E275**






Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 54
 Dimensions L: 12cm W: 13cm H: 5.1cm
 Beam Angle 120°
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E278**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 54
 Dimensions L: 6.5cm W: 15cm H: 15cm
 Beam Angle 45°
 Material Aluminum - Tempered Glass
 Color Graphite / **Code E273**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1400Lm
Cri	80
IP	65
Dimensions	L: 9.5cm W: 4.5cm H: 80cm
Base	L: 9cm W: 4.5cm H: 12.5cm
Material	Aluminum - PC Diffuser
Color	Graphite / Code E287






Power	2W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	250Lm
Cri	82
IP	65
Dimensions	L: 17.8cm W: 18cm H: 3.5
Material	Aluminum - Tempered Glass
Special Feature	Solar Panel 3 Different Ways of Lighting Sense Distance 3 - 5m Rotate 180°
Color	Graphite / Code E303






Power 4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 380Lm
 Cri 80
 IP 65
 Dimensions L: 9.7cm W: 9.1cm H: 10.5cm
 Beam Angle 36°
 Dimmable Triac
 Material Concrete - Aluminium
 Color Natural Concrete / **Code E253**



Power 2x4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 65
 Dimensions L: 9.7cm W: 9.1cm H: 20cm
 Beam Angle 36°
 Dimmable Triac
 Material Concrete - Aluminium
 Color Natural Concrete / **Code E254**





Power 4x2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1015Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 38°
Material Aluminium - Tempered Glass
Color Dark Grey / **Code E250**




Power 4x2.5W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1015Lm
Cri 80
IP 54
Dimensions L: 17cm W: 5.5cm H: 9cm
Optic 12°
Material Aluminium - Tempered Glass
Color Dark Grey / **Code E250-12D**




Wall / Ground Base
Material Aluminium
Color Dark Grey / **Code E251**



Outdoor Led Lighting | Wall - Bollard Collection




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 54
 Dimensions Ø: 15cm L: 5.5cm
 Material Aluminum - PC Diffusser
 Color Graphite / **Code E237**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions Ø: 15cm H: 100cm
 Material Aluminum - PC Diffusser
 Color Graphite / **Code E249**







Power 2 x 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions L: 3.1cm W: 11cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E238**




Power 2 x 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 3.1cm W: 17.5cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E239**





Power 2 x 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 IP 65
 Dimensions L: 3.1cm W: 30cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E240**







Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 IP 44
 Dimensions L: 6.7cm W: 19cm H: 17.5cm
 Material Metal - PC Diffuser
 Color Graphite / **Code E243**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 9.2cm W: 22.4cm H: 22.5cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E245**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 12.8cm W: 18.3cm H: 20cm
 Material Aluminium - Glass
 Color Dark Brown - Sandy White / **Code E271**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 530Lm
 Cri 80
 IP 65
 Dimensions L: 16.5cm W: 16cm H: 5cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Dark Brown / **Code E268**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 9.6cm W: 30cm H: 12cm
 Material Aluminium - Opal PC Diffuser
 Special Feature Up - Down Light
 Color Dark Grey / **Code E265**
 Color Dark Brown / **Code E266**




Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 IP 65
 Dimensions Ø: 18.3cm L: 13cm
 Material Aluminium - Opal PC Diffuser
 Special Feature Movable Light
 Color Dark Brown / **Code E267**




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 12.6cm W: 15cm H: 28cm
 Material Aluminium - Opal PC Diffuser
 Color Dark Brown / **Code E263**






Bulb 2xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9cm W: 8.6cm H: 34.8cm
 Material Aluminum - Tempered Glass
 Color Graphite / **Code E296**




Power 9W LED
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 65
 Dimensions L: 9cm W: 9.5cm H: 26.5cm
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E202**




Bulb 1xE27
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions L: 9cm W: 9.5cm H: 26.5cm
 Material Aluminum - Clear Diffuser
 Color Sandy Black / **Code E201**






Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2400Lm
 Cri 80
 IP 65
 Dimensions L: 7.5cm W: 50cm H: 6.5cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E227**





Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 54
 Dimensions L: 7.5cm W: 22cm H: 3.2cm
 Material Aluminium - Tempered Glass
 Color Sandy White / **Code E168**






Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.8cm W: 16cm H: 10-16cm
 Material Aluminium - PC Diffuser
 Special Feature Movable
 Color Graphite / **Code E199**





Power 4.2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 336Lm
 Cri 80
 IP 65
 Dimensions L: 6cm W: 11cm H: 11cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E197**







Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.8cm W: 18cm H: 11-18cm
 Material Aluminium - PC Diffuser
 Special Feature Movable
 Color Sandy White / **Code E200**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.8cm W: 7cm H: 18.8cm
 Material Aluminium - PC Diffuser
 Special Feature Movable
 Color Sandy White / **Code E198**







Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperatur 3000K
 Lumen 540Lm
 Cri 80
 IP 54
 Dimensions L: 11cm W: 13cm H: 14.8cm
 Material Aluminium - PC Diffuser
 Special Feature Up - Down Light
 Color Graphite / **Code E114**




Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions L: 12cm W: 22cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Graphite / **Code E146**




Power 2x13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2080Lm
 Cri 80
 IP 65
 Dimensions L: 10.6cm W: 22cm H: 9cm
 Material Aluminium - Tempered Glass
 Special Feature Up - Down Light
 Color Dark Grey / **Code E261**
 Dark Brown / **Code E262**







Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 80
 IP 65
 Dimensions L: 7.2cm W: 16cm H: 15.5cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E195**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1170Lm
 Cri 80
 IP 54
 Dimensions L: 13.2cm W: 18.2cm H: 11.4cm
 Material Aluminum - PC Diffuser
 Color Graphite - Wood / **Code E224**






Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	720Lm
Cri	80
IP	65
Dimensions	Ø: 16.5cm L: 5.8cm
Material	ABS - PC Diffusser
Color	Sandy Black / Code E305
Color	Sandy White / Code E304






Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 8.2cm W: 8cm H: 8cm
 Material Aluminium - Tempered Glass
 Special Feature Movable
 Up & Down Light


Color Graphite / **Code E109**
 Sandy White / **Code E159**




Power 2x3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 6.5cm W: 11cm H: 17.5cm
 Material Aluminium - Tempered Glass
 Special Feature Up & Down Light
 Color Graphite / **Code E135**
 Sandy White / **Code E156**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 14cm W: 12cm H: 4.5cm
 Material Aluminum
 Special Feature Up & Down Light
 Color Graphite / **Code E120**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 700Lm
 Cri 80
 IP 54
 Dimensions L: 12cm W: 15cm H: 5.5cm
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E207**







Bulb 2xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 15cm
 Material Aluminium - Tempered Glass
 Special Feature Up & Down Light
 Color Graphite / **Code E124**




Bulb 2xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 15cm
 Material Aluminium - Tempered Glass
 Special Feature Up & Down Light
 Color Sandy White / **Code E151**




Bulb 1xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 9cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E123**




Bulb 1xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 9cm
 Material Aluminium - Tempered Glass
 Color Sandy White / **Code E150**




Bulb 2xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 15cm
 Material Aluminium - Tempered Glass
 Special Feature Up & Down Light
 Color Graphite / **Code E122**



Bulb 2xGU10 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.5cm W: 6.8cm H: 15cm
 Material ABS - Acrylic
 Special Feature Up & Down Light
 Color Sandy Black / **Code E307**




Bulb 1xGU10
 Power MAX 15W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.2cm W: 6.5cm H: 9cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E121**




Bulb 1xGU10 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.5cm W: 6.8cm H: 7.5cm
 Material ABS - Acrylic
 Color Sandy Black / **Code E306**







Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 7cm W: 24cm H: 14cm
 Material Alumunium - PC Diffuser
 Color Graphite / **Code E149**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 IP 54
 Dimensions L: 7cm W: 8cm H: 8cm
 Material Alumunium
 Color Graphite / **Code E111**



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 54
 Dimensions L: 8.4cm W: 30cm H: 12.7cm
 Material Alumunium - PC Diffuser
 Color Graphite / **Code E115**




Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 16.5cm W: 16.5cm H: 17.1cm
 Material Alumunium - PC Diffuser
 Color Graphite / **Code E127**



Bulb 1xE27
 Power MAX 18W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions L: 9.8cm W: 30cm H: 18.7cm
 Material Alumunium - PC Diffuser
 Color Graphite / **Code E128**






Bulb 1xGU10
 Power MAX 11W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions Ø: 8cm L: 14.3cm
 Base Ø: 7cm
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E236**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 IP 65
 Dimensions Ø: 8cm L: 16.2cm
 Base Ø: 7cm
 Optic 32°
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E235**




Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 IP 65
 Dimensions Ø: 8cm L: 16.2cm
 Base Ø: 7cm
 Optic 12°
 Material Aluminium - Tempered Glass
 Color Graphite / **Code E235-12D**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 780Lm
 Cri 80
 IP 65
 Dimensions L: 7cm W: 7cm H: 25cm
 Base Ø: 6cm H: 0.5cm
 Beam Angle 40°
 Material Aluminum - Tempered Glass
 Special Feature Spike & Base Included
 Waterproof Connector Included

Color Graphite / **Code E286**



Bulb 1xGU10
 Power MAX 20W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions Ø: 7.5cm L: 13cm H: 25cm
 Base Ø: 6cm H: 0.5cm
 Material Aluminum - Tempered Glass
 Special Feature Spike & Base Included
 Waterproof Connector Included


Color Dark Brown / **Code E284**



Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 780Lm
 Cri 80
 IP 65
 Dimensions Ø: 7.5cm L: 13cm H: 25cm
 Base Ø: 6cm H: 0.5cm
 Beam Angle 40°
 Material Aluminum - Tempered Glass
 Special Feature Spike & Base Included
 Waterproof Connector Included


Color Graphite / **Code E285**





Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 630Lm
 Cri 80
 IP 65
 Dimensions Ø: 5.6cm H: 15cm
 Optic 36°
 Material Aluminium - Tempered Glass
 Special Feature Movable
 Spike Included


Color Graphite / **Code E152**




Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 450Lm
 Cri 80
 IP 65
 Dimensions Ø: 6.1cm H: 9cm
 Optic 36°
 Material Aluminium - Tempered Glass
 Special Feature Movable
 Spike Included

Color Graphite / **Code E153**







Power 2.1W
 Color Temperature 2700K
 Lumen 168Lm
 Cri 80
 IP 54
 Dimensions H: 8.5cm
 Beam Angle 10-60°
 Material Aluminium - Stainless Steel
 Special Feature Stick Ø: 3.2cm H: 8cm
 Required Remote Driver 700mA
 Spike Included
 Color Sandy Black / Code E177-A




Power 2.1W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K
 Lumen 168Lm
 Cri 80
 IP 54
 Dimensions H: 8.5cm
 Base Ø: 6.6cm H: 4.2cm
 Beam Angle 10°-60°
 Material Aluminium - Stainless Steel
 Special Feature Stick Ø: 3.2cm H: 8cm
 Spike Included
 Color Sandy Black / Code E177-B






Bulb 1xGU10 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 6cm L: 11cm H: 6.2cm
 Material ABS - PC Diffuser
 Special Feature Without Spike
 Color Black / **Code E311**




Bulb 1xGU10 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 6cm L: 11cm H: 6.2cm
 Material ABS - PC Diffuser
 Special Feature Spike Included
 Color Black / **Code E312**



Bulb 1xGU10 Led
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 8.6cm L: 15.5cm H: 7.3cm
 Material ABS - Tempered Glass
 Special Feature Spike Included
 Color Black / **Code E310**







Bulb 1xGU10
Power MAX 5W
Input 220-240V, 50/60Hz
IP 65
Dimensions Ø: 6cm H: 16cm
Material ABS - PC Diffuser
Special Feature Movable
Spike Included
Color Black / Code E217







Power 5.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 629Lm
 Cri 92
 IP 65
 Dimensions Ø: 12cm H: 63.5cm
 Base Ø: 10.5cm H: 1cm
 Shade Dimensions Ø: 12cm H: 3.5cm
 Material Aluminum - ABS
 Special Feature Asymmetric Beam Angle
 Spike & Base Included


Color Graphite / **Code E293**



Power 5.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 522Lm
 Cri 97
 IP 65
 Dimensions L: 18cm W: 12cm H: 102cm
 Base Ø: 10.5cm H: 1cm
 Shade Dimensions Ø: 12cm H: 3.5cm
 Beam Angle 36°
 Material Aluminum - ABS
 Special Feature Movable - Rotational
 Spike & Base Included

Color Graphite / **Code E292**






Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 500Lm
Cri 80
IP 65
Dimensions L: 20cm W: 4.5cm H: 60cm
Beam Angle 40°
Material Aluminum - Tempered Glass
Special Feature Spike Included
Color Dark Brown / Code E279




Outdoor Led Lighting | Spike Collection




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 IP 65
 Dimensions L: 10cm W: 10cm H: 60cm
 Base Ø: 9.5cm H: 2cm
 Beam Angle 40°
 Material Aluminum - Tempered Glass
 Special Feature Spike & Base Included
 Color Graphite / **Code E283**




Bulb 1xGU10
 Power MAX 20W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions L: 10cm W: 10cm H: 60cm
 Material Aluminum - Tempered Glass
 Special Feature Spike Included
 Recommended Base E282-SP / Not Included
 Color Graphite / **Code E281**




Bulb 1xGU10
 Power MAX 20W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions L: 10cm W: 10cm H: 100cm
 Material Aluminum - Tempered Glass
 Special Feature Spike Included
 Recommended Base E282-SP / Not Included
 Color Graphite / **Code E282**





Base for E281 - E282
 Dimensions Ø: 9.5cm H: 2cm
 Material Aluminium
 Color Graphite / **Code E282-SP**






Power 15W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1550Lm
Cri 80
IP 65
Dimensions L: 2.5cm W: 2.5cm H: 100cm
Base Ø: 9.5cm H: 2cm
Material Aluminum - Opal PC Diffuser
Special Feature Spike & Base Included
Profile 2.5 x 2.5cm
Color Dark Brown / **Code E280**




Outdoor Led Lighting | Spike Collection




Power 12W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1160Lm
Cri 93
IP 54
Dimensions L: 11cm W: 11cm H: 70cm
Base Ø: 8cm H: 0.5cm
Beam Angle 40°
Spots Ø: 5-7cm L: 11cm
Material Aluminum - Tempered Glass
Special Feature Movable - Rotational
Base Included

Color Dark Brown / Code E299






Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 80
 IP 54
 Dimensions L: 12.5cm W: 9cm H: 24cm
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E276**



Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 80
 IP 54
 Dimensions Ø: 9cm H: 65cm
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E277**








Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 681Lm
 Cri 83
 IP 54
 Dimensions L: 13.5cm W: 10cm H: 65cm
 Beam Angle 120°
 Material Aluminum - Tempered Glass
 Color Graphite / **Code E297**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 90
 IP 54
 Dimensions Ø: 9cm H: 65cm
 Beam Angle 120°
 Material Aluminum - Tempered Glass
 Color Graphite / **Code E298**





Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 54
 Dimensions Ø: 11cm H: 25cm
 Material Aluminum
 Color Graphite / **Code E133**





Power 3x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1200Lm
 Cri 80
 IP 54
 Dimensions Ø: 12cm H: 45cm
 Material Aluminum
 Color Graphite / **Code E132**





Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 300Lm
 Cri 80
 IP 65
 Dimensions L: 15.6cm W: 14.5cm H: 24cm
 Material Aluminum - PC Diffuser
 Special Feature Solar Panel
 3 Different Ways of Lighting
 Sense Distance 3 - 5m


Color Graphite / **Code E295**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 390Lm
 Cri 82
 IP 54
 Dimensions L: 18cm W: 18cm H: 51
 Switch 1 Switch On/Off
 Material Aluminum - Tempered Glass
 Special Feature Solar Panel
 Portable Lamp
 USB Cable Included

Color Graphite / **Code E302**







Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 630Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 23cm
Material Aluminum
Color Graphite / **Code E203**




Power 7W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 630Lm
Cri 80
IP 54
Dimensions L: 18cm W: 18cm H: 80cm
Material Aluminum
Color Graphite / **Code E204**






Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions L: 16cm W: 15cm H: 30cm
 Base L: 23cm W: 21cm
 Material Concrete
 Color Natural Concrete / **Code E191**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions L: 16cm W: 15cm H: 70cm
 Base L: 23cm W: 21cm
 Material Concrete
 Color Natural Concrete / **Code E192**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions L: 28cm W: 10cm H: 35cm
 Base L: 37cm W: 19cm
 Material Concrete
 Color Natural Concrete / **Code E190**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 IP 65
 Dimensions L: 5cm W: 10cm H: 60
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E259**
 Color Rusty Brown / **Code E260**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions L: 5cm W: 10cm H: 25
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E255**
 Color Rusty Brown / **Code E256**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 65
 Dimensions L: 5cm W: 10cm H: 25
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E257**
 Color Rusty Brown / **Code E258**






Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 54
 Dimensions L: 15cm W: 5.5cm H: 78cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E208**




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 IP 54
 Dimensions L: 12cm W: 7cm H: 25cm
 Material Aluminium
 Color Graphite / **Code E211**







Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 54
 Dimensions L: 17cm W: 6cm H: 78cm
 Base W: 10cm L: 10cm
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E206**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 800Lm
 Cri 80
 IP 54
 Dimensions L: 19.5cm W: 6cm H: 20.7cm
 Material Aluminum - PC Diffuser
 Color Graphite / **Code E205**







Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions L: 3.7cm W: 15cm H: 15cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E241-G**
 Sandy White / **Code E241-W**




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 IP 65
 Dimensions Ø: 15cm L: 3.7cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E242-G**
 Sandy White / **Code E242-W**




Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 2900K
 Lumen 190Lm
 Cri 80
 IP 65
 Dimensions Ø: 10.5cm L: 3.7cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E294**






Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 IP 65
 Dimensions L: 14cm W: 7cm H: 4.1cm
 Recessed Mounting Box L: 12.5cm W: 6cm (Included)
 Depth 6cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E247-G**
 Color Sandy White / **Code E247-W**




Power 1W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 80Lm
 Cri 80
 IP 65
 Dimensions L: 9cm W: 9cm H: 4.1cm
 Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)
 Depth 6cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E246-G**
 Color Sandy White / **Code E246-W**





Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 90Lm
 Cri 80
 IP 65
 Dimensions L: 1.5cm W: 9cm H: 12cm
 Material ABS - PC Diffuser
 Color White / **Code E187**






Power 4W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 300Lm
Cri 80
IP 65
Dimensions L: 9cm W: 9cm H: 4.1cm
Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)
Depth 6cm
Material Aluminium - Tempered Glass
Color Graphite / **Code E248**







Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 300Lm
 Cri 80
 IP 54
 Dimensions Ø: 13.5cm L: 3.2cm
 Material ABS
 Color Graphite / **Code E183**
 Color White / **Code E184**




Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 120Lm
 Cri 80
 IP 54
 Dimensions L: 3.3cm W: 10cm H: 6cm
 Material ABS
 Color Graphite / **Code E181**
 Color White / **Code E182**







Power 1.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 120Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm
 Material ABS
 Color Graphite / **Code E230**



Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 160Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm
 Material ABS
 Color White / **Code Z67388-B**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 220Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 23cm H: 8cm
 Material ABS
 Color Graphite / **Code E229**




Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 160Lm
 Cri 80
 IP 65
 Dimensions L: 2.5cm W: 23cm H: 8cm
 Material ABS
 Color White / **Code Z67388-C**






Bulb 1xGU10
 Power MAX 9W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 7.6cm L: 9.9cm H: 14.8cm
 Material ABS - PC Diffuser
 Color White / **Code E185**




Bulb 2xGU10
 Power MAX 9W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 7.6cm L: 9.9cm H: 18.6cm
 Material ABS - PC Diffuser
 Special Feature Up & Down Light
 Color White / **Code E186**




Power 2x2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 320Lm
 Cri 80
 IP 65
 Dimensions L: 3cm W: 8.3cm H: 12.3cm
 Material ABS - PC Diffuser
 Special Feature Up & Down Light
 Color White / **Code E216**





Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1000Lm
 Cri 80
 IP 54
 Dimensions Ø: 8cm H: 5.5cm
 Beam Angle 120°
 Material Aluminium
 Color Sandy Black / **Code S131**
 Color Sandy White / **Code S132**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 IP 54
 Dimensions Ø: 6.5cm H: 4.5cm
 Beam Angle 120°
 Material Aluminium
 Color Sandy Black / **Code S133**
 Color Sandy White / **Code S134**






Bulb 1xGU10
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 7.2-7.6cm H: 14cm
 Material ABS - Acrylic
 Color White Matt / **Code E308**
 Color Black Matt / **Code E309**




Bulb 1xGU10
 Power MAX 35W
 Input 220-240V, 50/60Hz
 IP 65
 Dimensions L: 8.5cm W: 8.5cm H: 10cm
 Material Aluminium - Glass
 Color Graphite / **Code E269**
 Color Sandy White / **Code E270**







Bulb 1xGU10
 Power MAX 7W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 6cm H: 10.5cm
 Material Aluminium - Glass Diffuser
 Color Sandy Black / **Code E219**
 Color Sandy White / **Code E220**




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 90
 IP 54
 Dimensions Ø: 6.3cm H: 7.5cm
 Beam Angle 20°
 Non Dimmable
 Material Aluminium - Glass
 Special Feature Included LED Driver
 Color Sandy Black / **Code S112**
 Color Sandy White / **Code S113**






Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 IP 54
 Dimensions Ø: 13.7cm H: 20.7cm
 Material Aluminium - Glass
 Special Feature 150cm Cable Adjustable
 Color Brown / **Code E172**



Bulb 1xE27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 IP 44
 Dimensions Ø: 26cm L: 32cm H: 32.4cm
 Material Aluminium - PC Diffuser
 Color Graphite / **Code E106**




Outdoor Led Lighting | Step Lights Collection




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 230Lm
 Cri 90
 IP 65
 Dimensions Ø: 6.5cm H: 6cm
 Material Aluminium - PC Diffuser
 Depth Required 6cm
 Recessed Mounting Box Included
 Color Sandy Black / **Code E300**




Outdoor Led Lighting | Ground Collection




Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 300Lm
 Cri 80
 IP 67
 IK 10
 Dimensions Ø: 20cm H: 4.2cm
 Material Aluminium
 Special Feature Surface Ground
 Driver Included
 Color Grey / **Code Z69058-A**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 290Lm
 Cri 90
 IP 65
 Dimensions Ø: 6.5cm H: 6cm
 Material Aluminium - PC Diffuser
 Depth Required 6cm
 Recessed Mounting Box Included
 Color Black Sandy / **Code E301**



Power 2x6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 IP 67
 IK 10
 Dimensions Ø: 20cm H: 4.2cm
 Material Aluminium
 Special Feature Surface Ground
 Driver Included
 Color Grey / **Code Z69058-B**




Power 2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 200Lm
 Cri 80
 IP 65
 Dimensions Ø: 5cm H: 9cm
 Material Stainless Steel- PC Diffuser
 Depth Required 8cm
 Recessed Mounting Box Included
 Color Stainles Steel / **Code E288**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 180Lm
 Cri 80
 IP 67
 IK 8
 Dimensions Ø: 12cm H: 15cm
 Cutting Hole Ø: 11.5cm
 Beam Angle Asimetric
 Material Stainless Steel
 Depth Required 17cm
 Recessed Mounting Box Included
 Special Feature 200cm Cable Available
 Driver Included
 Color Stainless Steel / **Code Z69062**






Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 IP 65
 IK 8
 Dimensions Ø: 4.5cm H: 9.3cm
 Material Aluminium - Stainless Steel- PC Diffuser
 Depth Required 11: 12cm
 Recessed Mounting Box Included
 Recommended Driver D-8-24 (Not Included)
 Color Aluminium / **Code E178**




Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 210Lm
 Cri 80
 IP 65
 IK 10
 Dimensions Ø: 4.8cm H: 10cm
 Material Aluminium - Stainless Steel- PC Diffuser
 Depth Required 11: 13cm
 Recessed Mounting Box Included
 Recommended Driver D-8-24 (Not Included)
 Color Aluminium / **Code E180**




Power 3W
 Input 24V
 Color Temperature 3000K
 Lumen 180Lm
 Cri 80
 IP 65
 IK 10
 Dimensions Ø: 4.8cm H: 10cm
 Material Aluminium - Stainless Steel- PC Diffuser
 Depth Required 11: 13cm
 Recessed Mounting Box Included
 Recommended Driver D-8-24 (Not Included)
 Color Aluminium / **Code E179**



Driver
D-8-24
 Power 8W
 Input 220-240V, 50/60Hz
 Output 24V
 Dimensions L: 7.5cm W: 3cm H: 2.3cm
 IP 42



Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 600Lm
 Cri 80
 IP 67
 IK 8
 Dimensions Ø: 10cm H: 9.5cm
 Beam Angle 36°
 Material Aluminium - Stainless Steel- Tempered Glass
 Depth Required 11: 12cm
 Recessed Mounting Box Included
 Special Feature Driver Included
 Color Stainless Steel / **Code E189**




Waterproof Connection Box 1in / 1out , 16A , 450V
 IP 67
 Color Black / **Code Z0800-BA**





Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055A-W	66	3000	80	12W	MAX 850
Z7055A-C	66	4000	80	12W	MAX 870





Power Input 12x1W
 Cri 24V
 IP 80
 Dimensions L: 50cm W: 3.1cm H: 6cm
 Beam Angle 60° x 20°
 Material Aluminium
 Special Feature 100cm Cable Available
 Driver Not Included
 Connect 10pcs MAX
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 701
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 700
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 701
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 700



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-W	66	3000	80	24W	MAX 1700
Z7055B-C	66	4000	80	24W	MAX 1720





Power Input 24x1W
 Cri 24V
 IP 80
 Dimensions L: 100cm W: 3.1cm H: 6cm
 Beam Angle 60° x 20°
 Material Aluminium
 Special Feature 100cm Cable Available
 Driver Not Included
 Connect 5pcs MAX
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 701
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 700
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 701
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 700




Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-RGB	66	RGB	80	36W	MAX 1050



Power Input 24x1.5W
 Cri 24V
 IP 80
 Dimensions L: 100cm W: 4.2cm H: 7cm
 Beam Angle 30°
 Material Aluminium
 Special Feature 100cm Cable Available
 Driver Not Included
 Connect 5pcs MAX
 Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 701
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 700
3. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700



All Codes List

1464	424	17002	165	180024	373	1957	212	19151	606	19407	630	2056	210	2085B-3	595
1465	424	17003	160	180025	683	1959	212	19152	606	19408	631	2057	210	2085W-3	595
1488	452	17008	172	180026	682	1961	212	19153	606	19409	631	2058	210	2085B-C1	595
1495	428	17009	172	180027	682	1962	212	19154	606	19410	631	2059	210	2085W-C1	595
14101	298	17010	172	180028	683	1965	302	19155	606	19411	631	2060	142	2085B-C2	595
14102	298	17023-BL	229	180030	154	1966	302	19156	606	19412	631	2061	142	2085W-C2	595
14108-B	326	17023-G	229	180030-D	154	1967	304	19157	608	19413	631	2062	142	2086	586
		17023-W	229	180031	153	1968	304	19158	608	19414	631	2063	142	2087	586
		17024-BL	229	180031-D	153	1970	303	19159	608	19415	631	2064	193	2088	586
		17024-G	229	180032	154	1971	305	19160	608	19416	631	2065	193	2089	586
		17024-W	229	180041	561	1975	158	19161	608			2070	90	2089-3W	586
1511-W	410	17053	314	180042	559	1976	158	19162	608			2071	90	2089-4B	586
1512-W	410	17055	314	180043	560	1980	300	19163	608	2001	102	2072	92	2090	587
1513-W	410	17104	290	180050	404	1981	300	19164	608	2002	104	2073	92	2091	587
1505	423	17129	365	180051	404	1982	300	19165	608	2003	106	2074	200	2091-3W	587
1515	318	17140	545	180052	404	1985	310	19166	608	2004	106	2075	200	2091-4B	587
1516	318	17150	317	180054	156	1986	310	19167	608	2005	146	2076	200	2092	587
1517	318	17151	316	180055	156	1987	310	19168	608	2006	146	2077	200	2092-D	587
1545	421	17157	402	180065	412	1990	406	19169	608	2007	146	2078	190	2093	589
1546	420	17158	402	180066	412	1991	406	19170	608	2008	146	2079	190	2094	589
1548	426			180067	412	1992	406	19171	608	2009	148	2080	190	2095	589
1566-B	430			180085	408	1993-B	406	19172	608	2010	136	2081	590	2095-D	589
1566-W	430	18127	416	180088	408	1993-W	406	19175	308	2011	136	2081-D	590	2096	596
1567-B	430	18132-BR	324	180100	416	1994-B	406	19176	284	2012	136	2082SP	593	2096-W	596
1567-W	430	18134-B	290	180105	544	1994-W	406	19177	284	2013	136	2082B-1	593	2097	595
1568-B	430	18135	393			1995	292	19216	288	2014	138	2082W-1	593	2097-B	593
1568-W	430	18138-B	169			1996	292	19218	428	2015	138	2082B-2	593	2098-B	593
1569-B	430	18139-B	168	1902	174	1997	294	19219	428	2017	161	2082W-2	593	2098-W	593
1569-W	430	18139-W	168	1906	175	1998	294	19231	427	2020	186	2082B-3	593	2099-B	592
1582	370	18142-BR	288	1907	175	19103	352	19236	120	2021	186	2082W-3	593	2099-W	592
		18143	288	1910	216	19104	342	19240	312	2022	186	2082B-C1	593	2100-B	593
		18148-B	194	1913	173	19105	342	19241	312	2023	188	2082W-C1	593	2100-W	593
		18148-W	194	1920	170	19106	342	19242	308	2024	188	2082B-C2	593	2101-B	595
1612	159	18151	116	1921	170	19107	342	19243	300	2025	188	2082W-C2	593	2101-W	595
1616	159	18153-B	226	1922	218	19108	352	19245	418	2026	188	2083B-1	592	2102	595
1618	164	18153-S	226	1923	218	19109	352	19250	340	2027	188	2083W-1	592	2102-B	593
1642	418	18168	224	1926	656	19112	126	19251	340	2028	188	2083B-2	592	2103	596
1644	416	18169	224	1927	656	19117	216	19252	340	2029	192	2083W-2	592	2103-W	596
1644-W	416	18179	453	1928	654	19121	307	19253	340	2030	192	2083B-3	592	2104	596
1653	370	18181	364	1928-B	654	19122	307	19254	150	2031	192	2083W-3	592	2104-W	596
1655	370	18190	414	1929	170	19125	308	19261	150	2033	114	2083B-C1	592	2105	596
1658	372	18191	414	1930	170	19130	500	19400	630	2034	114	2083W-C1	592	2105-W	596
1659	375	18192	414	1931	179	19131	500	19400-1M	630	2035	114	2083B-C2	592	2106	594
1660	374	18193	414	1932	179	19132	498	19400-2M	630	2038	454	2083W-C2	592	2107	592
1661	374	18303	632	1933	178	19133	498	19400-4M	630	2040	210	2084B-1	594	2108-B	594
1662	374	18304	632	1935	180	19134	502	19401	630	2041	210	2084W-1	594	2108-W	594
1663	366	18305	632	1936	180	19135	492	19401-1M	630	2042	210	2084B-2	594	2108-1B	594
1664	366	18306	632	1945	214	19136	492	19401-2M	630	2044	142	2084W-2	594	2108-1W	594
1665	366	180009	652	1946	215	19137	504	19401-4M	630	2045	142	2084B-3	594	2109	442
1683	422	180012	652	1947	118	19138	504	19402-L	630	2046	142	2084W-3	594	2110	447
1696	306	180013	653	1948	118	19139	484	19402-R	630	2047	142	2084B-C1	594	2111	446
16106	327	180015	653	1950	181	19140	496	19403-L	630	2048	210	2084W-C1	594	2113	440
16155	222	180016	652	1951	181	19141	496	19403-R	630	2049	210	2085B-C2	594	2114	76
16158	222	180017	653	1952	166	19142	488	19404-L	631	2050	210	2084W-C2	594	2115	76
16179	458	180020	376	1953	167	19143	488	19404-R	631	2052	142	2085B-1	595	2116	77
16185	544	180021	376	1954	166	19143-B	488	19405-L	631	2053	142	2085W-1	595	2117	77
16186	544	180022	376	1956	152	19144	494	19405-R	631	2054	142	2085B-2	595	2118	80
16189	545	180023	376	1956-D	152	19150	176	19406	630	2055	142	2085W-2	595	2119	72
16191	545														

All Codes List

		20193-E	686	20259	482	20314-B	599	22018	182	22088	547	22153	266	22213	400
		20194	686	20260	130	20314-W	599	22019	182	22090	576	22154	272	22214	402
20120	72	20194-E	686	20261	130	20315-B	599	22020	184	22091	576	22155	273	22215	244
20121	70	20195	688	20262	130	20315-W	599	22022	42	22092	576	22156	274	22216	366
20122	70	20195-E	688	20263	130	20316-B	599	22023	42	22093	576	22157	272	22219	291
20123	80	20197	686	20264	130	20316-W	599	22024	44	22094	576	22158	273	22220	291
20124	278	20197-E	686	20265	130	20317-B	599	22025	44	22095	580	22160	274	22221	224
20125	278	20198	688	20266	276	20317-W	599	22026	46	22096	580	22161	332	22222	378
20126	299	20198-E	688	20267	276	20318-B	599	22027	46	22097	578	22162	332	22223	378
20128	82	20199	689	20268	276	20318-W	599	22028	170	22097-C	580	22163	330	22224	396
20129	84	20199-E	689	20270	450	20319-B	599	22030	444	22097-E	580	22164	330	22225	394
20130	85	20201	689	20271	681	20319-W	599	22032	445	22098	578	22165	331	22226	397
20131	98	20201-E	689	20272	681	20320-B	599	22033	258	22099	578	22166	334	22227	398
20132	98	20202	691	20273	680	20320-W	599	22034	258	22100	578	22167	334	22228	398
20133	100	20203	687	20274	680	20321-B	599	22035	258	22101	578	22168	334	22229	122
20134	100	20203-E	687	20275	602	20321-W	599	22038	434	22102	579	22169	333	22230-B	38
20135	100	20204	687	20276	602	20322	597	22039	322	22103	579	22170	345	22230-G	38
20136	112	20204-E	687	20277	602	20325	690	22040	322	22104	579	22171	336	22230-W	38
20137	112	20205	687	20278	602	20325ENCP	690	22041	320	22105	579	22172	344	22231-B	38
20138	112	20205-E	687	20279	604	20325MB	690	22042	58	22106	579	22173	337	22231-G	38
20139	606	20206	689	20280	604	20325-WG	690	22043	58	22107	576	22174	338	22231-W	38
20140	606	20206-E	689	20281	605	20325-30D	691	22044	56	22108	62	22175	338	22232-B	38
20141	219	20210	462	20282	605	20325-60D	691	22045	56	22109	62	22176	66	22232-G	38
20142	75	20211	462	20283	605	20330	88	22047	232	22110	52	22177	64	22232-W	38
20143	75	20212	456	20284	605	20331	88	22048	232	22111	52	22178	386	22233-B	38
20144	75	20213	456	20285	605	20332	88	22049	511	22112	54	22179	64	22233-G	38
20145	552	20214	456	20286	605	20333	88	22050	511	22113	52	22180	64	22233-W	38
20146	552	20215	456	20290	587	20334	88	22051	254	22114	270	22181	64	22234	60
20147	438	20216	460	20291	587	20335	88	22052	254	22115	270	22182	64	22235	60
20148	558	20217	460	20292	605	20338	120	22053	254	22116	270	22183	64	22236	366
20149	556	20218	468	20293	596	20339	120	22054	280	22117	270	22184	384	22237	48
20150	557	20219	468	20295	597	20344-L	220	22055	280	22118	270	22185	384	22238	48
20152	350	20220	468	20296	597	20344-S	220	22056	248	22119	270	22186	388	22239	130
20153	349	20221	468	20297	597	20348-L	221	22057	246	22124	550	22187	388	22240	130
20154	350	20222	459	20298	597	20348-S	221	22058	248	22125	550	22188	392	22241	130
20155	348	20223	459	20299	597	20349	234	22059	286	22126	550	22189	392	22242	40
20159	206	20230	354	20300	597	20350	234	22060	286	22127	198	22190	395	22243	40
20161	127	20231	355	20301	597	20352	296	22061	108	22128	198	22191	368	22244	40
20167	525	20232	360	20302	597	20354	362	22062	108	22129	68	22192	368	22245	40
20168	525	20233	354	20303	597	20355	362	22063	94	22130	68	22193	368	22246	328
20169	202	20234	361	20304	597	20362	453	22064	96	22131	162	22194	392	22247	36
20170	202	20235	360	20305	597	20400-BD	588	22065	436	22132	162	22197	390	22248	36
20171	202	20236	356	20306-B	598	20401-WD	588	22066	249	22135	238	22198	390	22249	36
20172	202	20237	356	20306-W	598	20402-B	588	22067	549	22136	236	22199	390	22250	36
20173	204	20238	347	20307-B	598	20403-W	588	22068	549	22137	238	22200	231	22251	569
20174	204	20239	347	20307-W	598	20405	588	22069	548	22138	236	22201	231	22252	569
20175	204	20240	346	20308-B	598			22070	260	22141	242	22202	282	22253	569
20176	204	20241	358	20308-W	598			22071	260	22142	242	22202-B	282	22254	569
20177	589	20242	359	20309-B	598			22072	260	22143	242	22202-W	282	22255	569
20178	589	20250	465	20309-W	598	22001	240	22073	268	22144	242	22203	230	22256	569
20179	588	20251	464	20310-B	598	22002	240	22074	269	22145	257	22204	230	22257	569
20180	588	20252	466	20310-W	598	22010	50	22075	264	22146	256	22205	230	22258	569
20181	124	20253	467	20311-B	598	22011	134	22078	264	22147	252	22206	378	22259	569
20182	124	20254	110	20311-W	598	22012	128	22079	264	22148	250	22207	378	22260	569
20184	78	20255	110	20312-B	598	22013	128	22080	264	22149	250	22208	380	22260-E	569
20190	688	20256	486	20312-W	598	22014	196	22083	476	22150	262	22209	380	22260-I	569
20191	688	20257	478	20313-B	598	22015	196	22085	555	22151	262	22210	382	22261	569
20193	686	20258	480	20313-W	598	22016	182	22086	555	22152	266	22211	382	22262	569
						22017	182	22087	554						

All Codes List

22263	569	E202	736	E269	811	H30	534	S039	643	S078	665	HNCMB	650	31226D	622
22264	569	E203	786	E270	811	H32	533	S040	643	S079	665	Ring G	638	312260	622
22265	569	E204	786	E271	732	H33	533	S045	673	S084	659	RFL125-BL	650	3258D	622
22267	285	E205	794	E272	714	H34-W	523	S046	673	S085	659	RFL125-CH	650	32580	622
22268	366	E206	794	E273	716	H35	532	S047	679	S086	659	RFL125-G	650	3286D	622
22269	599	E207	750	E274	715	H41	518	S048	679	S087	664	RFL125-WH	650	32860	622
E106	815	E208	792	E275	715	H43	521	S054	639	S088	668	RFL126-BL	651	32114D	622
E109	750	E211	792	E276	778	H44	521	S054-15	639	S089	668	RFL126-CH	651	321140	622
E111	754	E216	807	E277	778	H47	524	S054-24	639	S090	668	RFL126-G	651	32142D	622
E114	744	E217	766	E278	717	H48-B	524	S054-40	639	S091	668	RFL126-WH	651	321420	622
E115	755	E218	712	E279	770	H51	535	S055	639	S092	660			32170D	622
E120	750	E219	812	E280	774	H52	513	S055-15	639	S093	660			321700	622
E121	752	E220	812	E281	772	H54	513	S055-24	639	S094	660	Z050106-B	644	32198D	622
E122	752	E224	747	E282	772	H56	522	S055-40	639	S095	662	Z050106-BR	644	321980	622
E123	752	E227	738	E282-SP	772	H57	530	S056	639	S095-B	663	Z050112-B	645	32226D	622
E124	752	E229	804	E283	772	H58	522	S056-15	639	S095-C	663	Z0800-BA	819	322260	622
E127	755	E230	804	E284	758	H59	530	S056-24	639	S095-G	663	Z10105 TR-B	671	3358D	624
E128	755	E231	713	E285	758	H61	526	S056-40	639	S096	662	Z10105 TR-W	671	33580	624
E132	782	E232	713	E286	758	H62	526	S057	639	S096-B	663	Z11105 TR-B	670	3386D	624
E133	782	E233	712	E287	719	H63	514	S057-15	639	S096-C	663	Z11105 TR-W	670	33860	624
E135	751	E234	712	E288	816	H64	515	S057-24	639	S096-G	663	Z11207-B	666	33114D	624
E146	745	E235	756	E289	708	H64-B	515	S057-40	639	S097	662	Z11207-W	666	331140	624
E149	754	E235-12D	756	E290	708	H65	516	S058	634	S097-B	663	Z12105M-BB	645	33142D	624
E150	753	E236	756	E291	708	H66	516	S058-15	634	S097-C	663	Z12105M-G	645	331420	624
E151	753	E237	726	E292	768	H67	516	S058-24	634	S097-G	663	Z12105M-W	645	33170D	624
E152	760	E238	728	E293	768	H68	516	S058-40	634	S098	658	Z12107K-B	644	331700	624
E153	760	E239	728	E294	797	H69	520	S059	634	S102	658	Z12107K-W	644	33198D	624
E156	751	E240	728	E295	784	H71	509	S059-15	634	S104	546	Z63105MA-B	642	331980	624
E159	750	E241-G	796	E296	736	H72	510	S059-24	634	S105	546	Z63105MA-BB	642	33226D	624
E168	739	E241-W	796	E297	780	H73	508	S059-40	634	S106	546	Z63105MA-W	642	332260	624
E172	814	E242-G	796	E298	780	H74	512	S060	675	S107	546	Z65105NT-BB	635	33254D	624
E177-A	762	E242-W	796	E299	776	H75	512	S061	675	S108	679	Z65105NT-G	635	332540	624
E177-B	762	E243	730	E300	816			S062	636	S109	679	Z65644T-B	635	33282D	624
E178	818	E245	730	E301	816			S062-15	636	S110	672	Z65644T-W	635	332820	624
E179	818	E246-G	799	E302	784	S001	643	S062-24	636	S111	672	Z67388-B	805	33310D	624
E180	818	E246-W	799	E303	720	S002	643	S062-40	636	S112	648	Z67388-C	805	333100	624
E181	802	E247-G	799	E304	748	S003	672	S063	636	S113	648	Z69058-A	817	33338D	624
E182	802	E247-W	799	E305	748	S004	673	S063-15	636	S114	640	Z69058-B	817	333380	624
E183	802	E248	800	E306	753	S005	672	S063-24	636	S115	640	Z69062	817	3458D	626
E184	802	E249	726	E307	753	S006	673	S063-40	636	S116	640	Z7055A-C	820	34580	626
E185	806	E250	724	E308	810	S007	675	S065 3B-	633	S117	640	Z7055A-W	820	3486D	626
E186	806	E250-12D	724	E309	810	S008	675	S065 3W-	633	S118	640	Z7055B-C	820	34860	626
E187	798	E251	724	E310	764	S009	676	S065 4B-	633	S119	640	Z7055B-W	820	34114D	626
E189	819	E253	722	E311	764	S010	676	S065 4W-	633	S120	640	Z7055B-RGB	820	341140	626
E190	788	E254	722	E312	764	S011	674	S066 3B-	633	S121	640			34142D	626
E191	788	E255	790	E313	706	S012	674	S066 3W-	633	S122	640			341420	626
E192	788	E256	790	E314	706	S013	677	S066 4B-	633	S123	640			34170D	626
E193	710	E257	790			S014	677	S066 4W-	633	S124	640	Linear Lighting		341700	626
E194	710	E258	790	H06-WH	542	S019	677	S068	649	S125	650	3158D	622	34198D	626
E195	746	E259	790	H08-WH	542	S020	677	S069	649	S126	651	31580	622	341980	626
E197	741	E260	790	H11-WH	540	S021	676	S070	667	S127	650	3186D	622	34226D	626
E198	742	E261	745	H15-B	538	S022	676	S071	667	S128	651	31860	622	342260	626
E199	740	E262	745	H15-W	538	S025	678	S072	664	S129	650	31114D	622	34254D	626
E200	742	E263	735	H24-B	538	S027	678	S073	661	S130	651	311140	622	342540	626
E201	736	E265	734	H24-W	536	S029	678	S074	661	S131	646	31142D	622	342540	626
		E266	734	H26-B	539	S030	678	S075	661	S132	646	311420	622	34282D	626
		E267	734	H26-W	539	S037	638	S076	661	S133	646	31170D	622	342820	626
		E268	732			S038	638	S077	665	S134	646	311980	622	34310D	626
												31198D	622	343100	626

34338D	626	53198D	618
343380	626	531980	618
5158D	614	53226D	618
51580	614	532260	618
5186D	614	53254D	618
51860	614	532540	618
51114D	614	53282D	618
511140	614	532820	618
51142D	614	53310D	618
511420	614	533100	618
51170D	614	53338D	618
511700	614	533380	618
51198D	614	5458D	620
511980	614	54580	620
51226D	614	5486D	620
512260	614	54860	620
51254D	614	54114D	620
512540	614	541140	620
51282D	614	54142D	620
512820	614	541420	620
51310D	614	54170D	620
513100	614	541700	620
51338D	614	54198D	620
513380	614	541980	620
5258D	616	54226D	620
52580	616	542260	620
5286D	616	54254D	620
52860	616	542540	620
52114D	616	54282D	620
521140	616	542820	620
52142D	616	54310D	620
521420	616	543100	620
52170D	616	54338D	620
521700	616	543380	620
52198D	616	8106	628
521980	616	8109	628
52226D	616	8112	628
522260	616	8118	628
52254D	616	8206	628
522540	616	8209	628
52282D	616	8212	628
522820	616	8218	628
52310D	616		
523100	616	LED Strips	
52338D	616	4062172231251	692
523380	616	4062172231275	692
5358D	618	4062172231299	692
53580	618	4062172231695	692
5386D	618	4062172231718	692
53860	618	4062172231732	692
53114D	618	4062172231459	692
531140	618	4062172231473	692
53142D	618	4062172231497	692
531420	618	4062172231893	692
53170D	618	4062172231916	692
531700	618	4062172231930	692
		4062172231374	693

4062172231398	693
4055462217431	693
4055462217455	693
4062172107242	694
4062172107266	694
LS01	696
LS02	696
LS03	696
LS04	696
LS05	694
LS06	695
LS07	695
LS08	697
LS09	697
LS11	697
LS12	696
LS14	697
LS15	697
LS16	697
LS17	698

Accessories for LED Strips

ALMLS08-09	697
ECLS08-09	697
ALMLS10-11	697
CLIPLS10-11	697
ALMLS14-15	697
ECLS14-15	697
FCLS14-15	697
FPLS14-15	697
CLIPLS17	698

OSRAM Coins 50

4052899583603	702
4052899583627	702
4052899583641	702
4052899541153	702
4052899541191	702
4052899541757	702
4052899541795	702
4052899541771	702
4052899541818	702
4052899605763	702
4052899605787	702

OSRAM Switches

4052899465916	701
---------------	-----

Drivers

V350-1050	652
4062172007559	702
4062172151252	702
4052899548190	702
4052899552906	702
4052899605541	700

4052899605565	700
4052899605503	700
4052899605527	700
4052899557833	700
4052899557949	700
87500283	703
87500284	703
89800257	703
ACLS4524DA2	701
ACLS8024DA2	701
ACLS15024DA2	701
Z89100VND	701
Z89200VND	701
D-8-24	818
LSCW350P	703
LSCW500P	703
LSCW700P	703


ZAMPELIS S.A.



Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521

info@zambelislights.gr | zambelislights.gr





ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521
info@zambelislights.gr | zambelislights.gr

